

DO NOT SCALE: CONTRACTOR TO CHECK ALL DIMENSIONS AND REPORT ANY OMISSIONS OR ERRORS. ALL DIMENSIONS ARE IN MILLIMETRES

GENERAL NOTES:

FIXING REFERENCES

- ① DF3-SSA4-PL-S10-5.5x50 RAL 5026
- ② DF3-SSA4-PL-S10-5.5x25 RAL 5026
- ③ DF3-SS-A15-5.5x55
- ④ Hilti HUS-6x45
- ⑤ Hilti S-MD03ZW-5.5x25
- ⑥ DF12-A15-5.5x38
- ⑦ DF12-SS-A15-5.5x60
- ⑧ DF3-SSA4-PL-S29-5.5x35 RAL 5026
- ⑨ DF3-A15-5.5x25
- ⑩ DF3-H15-5.5x25

REVISIONS:

| REV: | DESCRIPTION: | DRN BY: | DATE:    |
|------|--------------|---------|----------|
| P1   | 1ST ISSUE    | SC      | 05.12.17 |

PURPOSE OF ISSUE:

**PRELIMINARY**

**metclad** contracts  
METCLAD CONTRACTS LTD  
HAZELFORD WAY  
NEWSTEAD VILLAGE  
NOTTINGHAM  
NG15 0DQ  
T/ 01623 720032  
F/ 01623 721393  
admin@metclad.co.uk  
www.metclad.co.uk

METCLAD PROJECT No: **2535**

MAIN CONTRACTOR:

**MORGAN SINDALL**

PROJECT:

**HOUSE OF SPORT  
ENTRANCE CANOPY  
MANCHESTER**

DRAWING TITLE:

**JAMB DETAIL TO EXISTING CLADDING**

|                                            |                         |
|--------------------------------------------|-------------------------|
| DRAWN BY: <b>SC</b>                        | CHECKED BY: <b>AG</b>   |
| SCALE @ A3: <b>1:2.5</b>                   | DATE: <b>11.02.2022</b> |
| DRAWING NO: <b>HOS-MET-00-00-DR-Y-0015</b> | REV NO: <b>P01</b>      |

Line of existing wall cladding to be confirmed on site

3mm thick PPC aluminium Rainscreen panel system colour RAL 5026 with 20mm recessed joint details, panels fixed in joint with colour matched low profile fixings

40mm deep Omega top hat rail fixed through cement board to SFS studs at typically 600mm centres

12mm thick RCM Multipurpose A1 cement board with all joints tape sealed

150mm deep SFS frame fitted inside steel structure as support to cement board

40 20

45

40

12

35

270