



Client **Manchester And Cheshire Construction**
Job **Replacement Windows Heritage Moss side**



Window

Windows 1, 2, 4, 5, 8, 9, 12, 13, 16, 17, 20, 21, 27 and 28
Tritus Window System - Flush, 94mm Frame, Ovolo moulding, flush cill, Rebate 63mm(W)x18mm(D)
58mm Sash, ovolo moulding, 24mm Double Glazed
Timber Type: Best Quality Softwood
Timber type: Accoya Grade 1
4/4/4 4mm clear float glass, 4mm Krypton gas filled cavity, 4mm coated glass, edge spacer Bar colour SILVER
TRITUS BLACK HANDLE ESPAG EAR LOCK TRITUS FRICTION HINGE (KEEPS NON GROOVE ONLY)


W1
x14



Window

Windows 3, 26,
Tritus Window System - Flush, 94mm Frame, Ovolo moulding, flush cill, Rebate 63mm(W)x18mm(D)
58mm Sash, ovolo moulding, 24mm Double Glazed
Timber Type: Best Quality Softwood
Timber type: Accoya Grade 1
4/4/4 4mm clear float glass, 4mm Krypton gas filled cavity, 4mm coated glass, edge spacer Bar colour SILVER
TRITUS WINDOW SYSTEM FRICTION HINGES SIDE HUNG Black
Kuhlen Handle Ear Espaq Lock


W2
x2



Window

Window 29
Tritus Window System - Flush, 94mm Frame, Ovolo moulding, flush cill, Rebate 63mm(W)x18mm(D)
58mm Sash, ovolo moulding, 24mm Double Glazed
Timber Type: Best Quality Softwood
Timber type: Accoya Grade 1
4/4/4 4mm clear float glass, 4mm Krypton gas filled cavity, 4mm coated glass, edge spacer Bar colour SILVER
Ironmongery spec: No Ironmongery allowed for in this window


W3
x1



Window

Window 6, 10, 14
Tritus Window System - Flush, 94mm Frame, Ovolo moulding, flush cill, Rebate 63mm(W)x18mm(D)
58mm Sash, ovolo moulding, 24mm Double Glazed
Timber Type: Best Quality Softwood
Timber type: Accoya Grade 1
4/4/4 4mm clear float glass, 4mm Krypton gas filled cavity, 4mm coated glass, edge spacer Bar colour SILVER
TRITUS BLU LIFT OFF HINGES FRICTION BRAKE ARM ESPAQ EAR LOCK AND BLACK KUHLEN HANDLE (KEEPS GROOVES ONLY)

W4
x3




Window

Window 18, 22
Tritus Window System - Flush, 94mm Frame, Ovolo moulding, flush cill, Rebate 63mm(W)x18mm(D)
58mm Sash, ovolo moulding, 24mm Double Glazed
Timber Type: Best Quality Softwood
Timber type: Accoya Grade 1
4/4/4 4mm clear float glass, 4mm Krypton gas filled cavity, 4mm coated glass, edge spacer Bar colour SILVER
TRITUS BLU LIFT OFF HINGES FRICTION BRAKE ARM ESPAQ EAR LOCK AND BLACK KUHLEN HANDLE (KEEPS GROOVES ONLY)

W5
x2

		1 of 3
--	--	---------------


Client **Manchester And Cheshire Construction**
Job **Replacement Windows Heritage Moss side**



Window

Windows 33, 56
Tritus Window System - Flush, 94mm Frame, Ovolo moulding, flush cill, Rebate 63mm(W)x18mm(D)
58mm Sash, ovolo moulding, 24mm Double Glazed
Timber Type: Best Quality Softwood
Timber type: Accoya Grade 1
4/4/4 4mm clear float glass, 4mm Krypton gas filled cavity, 4mm coated glass, edge spacer Bar colour SILVER
TRITUS WINDOW SYSTEM FRICTION HINGES SIDE HUNG Black Kuhlen Handle Ear Espag Lock


W6
×2



Window

Window 32, 34, 36, 38, 40, 43, 46, 48, 51, 53, 55, 58
Tritus Window System - Flush, 94mm Frame, Ovolo moulding, flush cill, Rebate 63mm(W)x18mm(D)
58mm Sash, ovolo moulding, 24mm Double Glazed
Timber Type: Best Quality Softwood
Timber type: Accoya Grade 1
4/4/4 4mm clear toughened glass, 4mm Krypton gas filled cavity, 4mm coated glass, edge spacer Bar colour SILVER
TRITUS BLU LIFT OFF HINGES FRICTION BRAKE ARM ESPAQ EAR LOCK AND BLACK KUHLIN HANDLE (KEEPS GROOVES ONLY)


W7
×12



Window

Window 7, 11, 15
Tritus Window System - Flush, 94mm Frame, Ovolo moulding, flush cill, Rebate 63mm(W)x18mm(D)
58mm Sash, ovolo moulding, 24mm Double Glazed
Timber Type: Best Quality Softwood
Timber type: Accoya Grade 1
4/4/4 4mm clear float glass, 4mm Krypton gas filled cavity, 4mm coated glass, edge spacer Bar colour SILVER
TRITUS BLU LIFT OFF HINGES FRICTION BRAKE ARM ESPAQ EAR LOCK AND BLACK KUHLIN HANDLE (KEEPS GROOVES ONLY)


W8
×3



Window

Window 19, 23
Tritus Window System - Flush, 94mm Frame, Ovolo moulding, flush cill, Rebate 63mm(W)x18mm(D)
58mm Sash, ovolo moulding, 24mm Double Glazed
Timber Type: Best Quality Softwood
Timber type: Accoya Grade 1
4/4/4 4mm clear float glass, 4mm Krypton gas filled cavity, 4mm coated glass, edge spacer Bar colour SILVER
TRITUS BLU LIFT OFF HINGES FRICTION BRAKE ARM ESPAQEAR LOCK AND BLACK KUHLIN HANDLE (KEEPS GROOVES ONLY)

W9
×2



Window

Windows 31, 35, 37,39, 41,44, 45, 47, 50, 52, 54, 57
Tritus Window System - Flush, 94mm Frame, Ovolo moulding, flush cill, Rebate 63mm(W)x18mm(D)
58mm Sash, ovolo moulding, 24mm Double Glazed
Timber Type: Best Quality Softwood
Timber type: Accoya Grade 1
4/4/4 4mm clear float glass, 4mm Krypton gas filled cavity, 4mm coated glass, edge spacer Bar colour SILVER
TRITUS BLACK HANDLE ESPAG EAR LOCK TRITUS FRICTION HINGE (KEEPS NON GROOVE ONLY)


W10
×12

Glass Key: CF Clear Float
CT Clear Toughened
OBF Obscured Float
OBT Obscured Toughened

Client **Manchester And Cheshire Construction**

4/4/4 4mm clear float glass, 4mm Krypton gas filled cavity, 4mm coated glass, edge spacer Bar colour SILVER

Job **Replacement Windows Heritage Moss side**




Window

Window 24, 25
Tritus Window System - Flush, 94mm Frame, Ovolo moulding, flush cill, Rebate 63mm(W)x18mm(D)
58mm Sash, ovolo moulding, 24mm Double Glazed
Timber Type: Best Quality Softwood
Timber type: Accoya Grade 1
4/4/4 4mm clear float glass, 4mm Krypton gas filled cavity, 4mm coated glass, edge spacer Bar colour SILVER

TRITUS BLACK HANDLE ESPAG EAR LOCK TRITUS FRICTION

W11
×2



Window

Windows 30, 42, 49
Tritus Window System - Flush, 94mm Frame, Ovolo moulding, flush cill, Rebate 63mm(W)x18mm(D)
58mm Sash, ovolo moulding, 24mm Double Glazed
Timber Type: Best Quality Softwood
Timber type: Accoya Grade 1
4/4/4 4mm clear float glass, 4mm Krypton gas filled cavity, 4mm coated glass, edge spacer Bar colour SILVER
TRITUS BLU LIFT OFF HINGES FRICTION BRAKE ARM ESPAQ EAR LOCK AND BLACK KUHLEN HANDLE (KEEPS GROOVES ONLY)

W12
×3

Glass Key: CF Clear Float
CT Clear Toughened
OBF Obscured Float
OBT Obscured Toughened