



COOP LIVE
PLANNING MATERIAL SCHEDULE

© 2020 POPULOUS



Project Name: **COOP LIVE**
Drawing Number: **BRA-POP-ZZ-ZZ-SH-A-7403**
Document Title: **PLANNING MATERIAL SCHEDULE**
Status: **Planning**
Rev: **P00**













COOP LIVE

PLANNING FACADE MATERIAL SCHEDULE

Item	Spec	Spec Code	Location	Material	Type of Finish	Gloss Level	RAL	RAL Colour	RGB	Additional Material Details
Location	Level 00 and Level 01									
00	L30	BAL-155	Glass Parapet	Glazed	Low Iron	Gloss	n/a		n/a	Heat Strengthened and Laminated
01	L25	DRS-253, DRS-255, DRS-265, DRS-267	External Entrance and Exit Doors	Steel	PPC	Matt	n/a		n/a	Textured Blackened Steel PPC (Sample Required)
02	H72	EWS-467	Recessed Door Wall Cladding	Steel	PPC	Matt	n/a		n/a	Textured Blackened Steel PPC (Sample Required)
03	L25	DRS-271	Substation Louvred Doors and Fixed Louvre Panel Surround	Metal	PPC	Matt	n/a		n/a	PPC to match Precast Concerete
04	L13	DRS-275	Service Yard Louvred Doors and Fixed Louvre Panel Surround	Metal	PPC	Matt	n/a		n/a	PPC to match Precast Concerete
05	L25	DRS-281	Canalside Folding Doors	GRC	Ribbed	Smooth	n/a		n/a	Light Coloured High Quality Ribbed Precast Concrete
06	M45	LIN-621	Canalside Wall Tiles	Ceramic	Ceramic Glazing	Gloss	n/a		n/a	Colours Vary
07	L10	EWS-243	Canalside Window	Glazed	PPC	Matt	n/a		n/a	Textured Blackened Steel PPC (Sample Required)
08	L25 + H92	DRS-285 + EWS-465	NW Entrance Swing Gate	GRC	Plain	Smooth	n/a		n/a	Light coloured GRC to match Precast Concrete
09	L25	DRS-291	Turret Access Door	Steel	PPC	Matt	n/a		n/a	Textured Blackened Steel PPC (Sample Required)
10	H11	DRS-359	Ticket Office Door	Glazed	PPC	Matt	n/a		n/a	Textured Blackened Steel PPC (Sample Required)
11	H11	EWS-101	Ticket Office Glazed Curtain Walling	Glazed	PPC	Matt	n/a		n/a	Textured Blackened Steel PPC (Sample Required)
12	H75	ESS-101	L01 Reflective Soffit	Steel	Super Mirror	Super Mirror	n/a		n/a	Rimex BA Stainless Steel Super Mirror
13	H43	ESS-460	NW L00 Entrance Soffit	Steel	Super Mirror	Super Mirror	n/a		n/a	Rimex BA Stainless Steel Super Mirror
14	H72	ESS-465	L01 NW Entrance Soffit Panel	Steel	PPC	Matt	n/a		n/a	Textured Blackened Steel PPC (Sample Required)
15	E20	CON-105	L01 West Parapet	Precast Concrete	Plain	Smooth	n/a			Light Coloured High Quality Precast Concrete
16	H42	EWS-451, EWS-452, EWS-455A, EWS-455B	Ribbed Precast Concrete Panels	Precast Concrete	Ribbed	Smooth	n/a		n/a	Light Coloured High Quality Precast Concrete
17	H42	EWS-453, EWS-454, EWS-455C, EWS-455D	Plain Precast Concrete Panels	Precast Concrete	Plain	Smooth	n/a		n/a	Light Coloured High Quality Precast Concrete
18	H42	EWS-456, EWS-457, EWS-458	Entrance Architrave	Precast Concrete	Plain	Smooth	n/a		n/a	Light Coloured High Quality Precast Concrete
19	H42	EWS-471	Parapet Coping	Precast Concrete	Plain	Smooth	n/a		n/a	Light Coloured High Quality Precast Concrete
20	L13	EWS-715	Landscape Turret Louvres	Metal	PPC	Semi Gloss	9005		14, 14, 16	Interpon Powdercoating
21	Q31	EXT-543	Living Wall	Natural Planting	Diverse	n/a	n/a		n/a	Refer to Landscape Planting Schedule
Location	Level 02 to Level 05									
22	N25	ASE-101	Fall Restraint Cable System	Steel	Mill Finish	n/a	n/a		n/a	
23	L31	AM-101	Terrace Edge Flashing	Aluminium	PPC	Semi Gloss	9005		14, 14, 16	Interpon Powdercoating
24	L25	DRS-288	Terrace Access Door	Steel	PPC	Matt	9011		39, 41, 43	Interpon Powdercoating
25	L25	DRS-355	Glazed Terrace Access Door	Glazed	PPC	Matt	9011		39, 41, 43	Interpon Powdercoating
26	H72	ESS-102	Solid Soffit Panels	Aluminium	PPC	Semi Gloss	9005		14, 14, 16	Interpon Powdercoating
27	H43	ESS-111	Composite Soffit Panels	Aluminium	PPC	Matt	9011		39, 41, 43	Interpon Powdercoating
28	L10	EWS-241	Office Window	Steel	PPC	Matt	9011		39, 41, 43	Interpon Powdercoating
29	H43 + H72	EWS-301 + EWS-303	Composite Cladding Panel Behind Perforated Rainscreen Cladding	Aluminium	PPC	Matt	9011		39, 41, 43	Interpon Powdercoating
30	H92	EWS-302	Perforated Rainscreen Cladding (Type A)	Aluminium	PPC	Semi Gloss	9005		14, 14, 16	Interpon Powdercoating
31	H92	EWS-304	Perforated Rainscreen Cladding (Type B) - With integrated LEDs	Aluminium	PPC	Semi Gloss	9005		14, 14, 16	Interpon Powdercoating - with Daktronics LED Sticks
32	H43	EWS-307	L05 Plant Enclosures	Aluminium	PPC	Matt	9005		14, 14, 16	Interpon Powdercoating
33	L13	EWS-701, EWS-705	Facade Louvres	Aluminium	PPC	Matt	9011		39, 41, 43	Interpon Powdercoating
Location	Roofs									
35	L30	BAL-261	Roof Edge Protection Handrail	Steel	Galvanised	n/a	n/a			
36	L25	DRS-254	Riser/Roof Doors	Steel	PPC	Matt	9005		14, 14, 16	Interpon Powdercoating
37	J31	RFS-225, RFS-271, RFS-275	Terrace Roofs	Ballast and Concrete Slabs	Natural	n/a	n/a		n/a	Hot melt with ballast and natural finish concrete paving in trafficable zones
38	J42	RFS-261	Bowl Roof	Varies	Light Grey PVC	n/a	n/a		n/a	Light grey single ply membrane. Photovoltaics in locations identified on planning drawings.
39	J42	RFS-272	Roof to Cores and L05 Plant Well	Varies	Black	n/a	n/a		n/a	Light grey single ply membrane.
40	H72	RFS-305	Turret Roof	Varies	n/a	n/a	n/a		n/a	Lead grey single ply membrane.
41	J42	RWS-101	Roof Gutter	Steel	PPC	Matt	9005		14, 14, 16	Interpon Powdercoating
42	L25	RFS-601	Roof Access Hatch	Steel	Mill	n/a	n/a		n/a	









COOP LIVE

PLANNING LANDSCAPE MATERIAL SCHEDULE

Item	Spec	Spec Code	Description	Location	Material	Type of Finish	Colour	RAL	RAL Colour	RGB	Additional Material Details
Location	Landscape Scope										
PAVING											
00	Q25	EXT-101	Concrete block paving - type 1	Ground Floor	Concrete	Textured	Charcoal	n/a		n/a	Lay on 40mm steintec mortar,6mm recessed joint
01	Q25	EXT-102	Concrete block paving - type 2	Ground Floor	Concrete	Textured	Dark Grey	n/a		n/a	Lay on 40mm steintec mortar,6mm recessed joint
02	Q25	EXT-103	Concrete block paving - type 3	Podium (non permeable area)	Concrete	Textured	Charcoal	n/a		n/a	Lay on 40mm steintec mortar,6mm recessed joint
03	Q25	EXT-104	Concrete block paving - type - 4	Podium (non permeable area)	Concrete	Textured	Dark Grey	n/a		n/a	Lay on 40mm steintec mortar,6mm recessed joint
04	Q25	EXT-105	Concrete block paving - type - 5	Podium (permeable area)	Concrete	Textured	Charcoal	n/a		n/a	Lay on 40mm steintec mortar,6mm recessed joint
05	Q25	EXT-106	Concrete block paving - type - 6	Podium (permeable area)	Concrete	Textured	Dark Grey	n/a		n/a	Lay on 40mm steintec mortar,6mm recessed joint
06	Q25	EXT-118	Concrete block paving - type 7	Podium (non permeable area)	Concrete	Textured	Charcoal	n/a		n/a	Colours Vary
07	Q55	EXT-181	Timber decking - type -1	Podium	PEFC modified wood	Kebony Clear	n/a	n/a		n/a	PEFC and FSC certified, 2 slip resistance aggregate per timber slat
08	Q55	EXT-183	Timber decking - type 2	Podium Tiered Terrace	PEFC modified wood	Kebony Clear	n/a	n/a		n/a	PEFC and FSC certified, 2 slip resistance aggregate per timber slat
09	Q25	EXT-191	Tactile hazard warning strip	Podium	316L Stainless Steel	Brushed	n/a	n/a		n/a	Fixed on paving and timber decking
10	Q25	EXT-115	Tactile blister paving	Ground Floor	Concrete	Textured	Light Grey	n/a		n/a	Lay on 40mm steintec mortar,6mm recessed joint
11	Q25	EXT-112	Concrete Paving Slab	Ground Floor	Concrete	Textured	Grey	n/a		n/a	Lay on 40mm mortar bedding
12	Q22	EXT-131	Coated macadam paving	Ground Floor	Asphalt	n/a	Black	n/a		n/a	To match existing tarmac
13	Q22	EXT-135	Coated macadam paving green	Alan Turing Way cycle path	Asphalt	Textureflex top coat	Green	n/a		n/a	Standard macadam surfacing with Green Textureflex top coat
14	Q22	EXT-136	Coated macadam paving permeable	Connection path to Manchester City Stadium	Asphalt	Permeable	N/a	n/a		n/a	Permeable subbase to allow water drainage
15	Q22	EXT-107	Concrete paving slab	Ground floor SCW footway	Concrete	Textured	Charcoal	n/a		n/a	Lay on 40mm steintec mortar,6mm recessed joint
16	Q26	EXT-141	Resin bounded gravel	Joe Mercer Way Surface	Resin bounded aggregates	n/a	Grey	n/a		n/a	In Abeyance for confirmation
KERBS											
17	Q10	EXT-201	Concrete raised kerb	Sportcity Way & Alan Turing Way	Precast Concrete	Textured	Silver Grey	n/a		n/a	Standard size 915mm
18	Q10	EXT-202	Concrete flushed kerb	Sportcity Way & Alan Turing Way	Precast Concrete	Textured	Silver Grey	n/a		n/a	Standard size 915mm
19	Q10	EXT-203	Concrete dropped kerb	Sportcity Way & Alan Turing Way	Precast Concrete	Textured	Silver Grey	n/a		n/a	Standard size 915mm
20	Q10	EXT-231	Concrete edging	Connection Path and Security Hut area	Precast Concrete	Textured	Silver Grey	n/a		n/a	Standard size 915mm
21	Q10	EXT-211	Metal raised kerv	East Podium	PPC Galvanized steel	PPC	Black	9005		14,14,16	Planterline bespoke fixed on concrete upstand
22	Q10	EXT-221	Metal edging	Ground Floor and Podium	Aluminium	n/a	n/a	n/a		n/a	To be installed completely flush with adjacent paving
FURNITURE											
23	Q50	EXT-311	Bespoke seating wall	South East Podium	Precast concrete	Charcoal	Light acid and etch	n/a		n/a	Modules with recessed anti skate slot
24	Q41	EXT-419	Bespoke Barrier with Drink Shelf	South Podium	PPC Galvanized steel	PPC	Black	9005		14, 14, 16	Drink shelf on top of the barrier made with Kebony Clear Timber to match timber decking
25	Q50	EXT-313	Accessible Armrest	South Podium	PPC Galvanized steel	PPC	Mid Grey	9006		161, 161, 160	
26	Q50	EXT-601	Timber cladding	South Podium	PEFC hardwood	Kebony Clear	n/a	n/a		n/a	Kebony Clear to match timber decking
27	H43	EXT-312	Timber top	South Podium	PEFC hardwood	Kebony Clear	n/a	n/a		n/a	Kebony Clear to match timber decking
28	Q50	EXT-321	Litter Bin	Podium	Steel	PPC	Black	9005		14, 14, 16	
29	Q50	EXT-331	Metal Planter	South Podium (Sunken Timber Terrace)	PPC Galvanized steel	PPC	Black	9005		14, 14, 16	Fixed on concrete upstand
30	Q50	EXT-333	Concrete planter- Type1	Ground Floor and South Podium	Precast concrete	Plain	To match Facade	n/a		n/a	To match Facade
31	Q50	EXT-423	Door barrier	Ground Floor and South Podium	Precast concrete	Smooth	To match facade	n/a		n/a	To match facade

COOP LIVE

PLANNING LANDSCAPE MATERIAL SCHEDULE

Item	Spec	Spec Code	Description	Location	Material	Type of Finish	Colour	RAL	RAL Colour	RGB	Additional Material Details
32	Q25	EXT-194	Floorbox	Podium (South)	316L Stainless Steel	Brushed	n/a	n/a		n/a	Recess cover of the floor box to be filled with surrounding material (Black Granite, Timber Decking)
33	Q55	EXT-145	External Stair Nosing	Podium (Timber Terrace)	Aluminium	n/a	n/a	n/a	n/a	n/a	Anti slip insert applied to each step nosing
SECURITY											
34	Q50	EXT-301	Static bollard -type1	Ground Floor	Steel	PPC	Black	9005		14, 14, 16	PAS68 rated, with white reflective band
35	Q50	EXT-302	Static bollard -type2	Ground Floor	Steel	PPC	Black	9005		14, 14, 16	PAS68 rated, with white reflective band
36	Q50	EXT-303	Retractable bollard - type1	Ground Floor & Podium	Steel	PPC	Black	9005		14, 14, 16	PAS68 rated, with white reflective band
37	Q50	EXT-304	Retractable bollard- type2	Ground Floor	Steel	PPC	Black	9005		14, 14, 16	PAS68 rated, with white reflective band
38	Q50	EXT-305	Removable	Connection path	Steel	PPC	Black	9005		14, 14, 16	PAS68 rated, with white reflective band
39	Q50	EXT-307	Flexible Post	North Junction	Polyethylene	Anti ageing finish	Red	2001		186, 72, 27	Silver glass beads adhesively applied to white flexible PVC substrate
40	Q50	EXT-308	Static Bollard - type 3	North Junction	Steel	PPC	Black	9005		14, 14, 16	Heavy duty with reflective band, no PAS rated
41	Q50	EXT-309	Collapsible bollard	Alan Turing Way exit	Aluminium	PPC	n/a	n/a		n/a	Fold down bollard
42	Q40	EXT-405	Gate - Type1	Ground Floor Sportscity Wall North Walkway	Steel	PPC	Black	9005		14, 14, 16	To match existing Etihad Campus Gate design
43	Q40	EXT-406	Gate - Type2	Alan Turing Way (Podium Access)	Steel	PPC	Black	9005		14, 14, 16	LPS 1175 SR 2 Rated, Manually operated
44	Q40	EXT-407	Gate - Type3 Double Swing gate	Podium (Compound Area)	Steel	PPC	Black	9005		14, 14, 16	LPS 1175 SR 2 Rated, Manually operated
45	Q40	EXT-409	Gate - Type4 Sliding Gate	Podium (Compound Area)	Steel	PPC	Black	9005		14, 14, 16	LPS 1175 SR 2 Rated, Manually operated
46	Q40	EXT-428	Gate Type 5	North Junction	Steel	PPC	Black	9005		14, 14, 16	LPS 1175 SR 2 Rated, Manually operated
47	Q40	EXT-429	Gate Type 6	Sportcity Way, Access to Car Park	Steel	PPC	Black	9005		14, 14, 16	LPS 1175 SR 2 Rated, Manually operated
48	Q40	EXT-431	Gate - Type7 Single Swing gate	Ground Floor Joe Mercer Way	Steel	PPC	Black	9005		14, 14, 16	LPS 1175 SR 2 Rated, Manually operated
49	Q40	EXT-401	Security Fence	Podium (Compound Area)	Steel	PPC	Black	9005		14, 14, 16	LPS 1175 SR 2 Rated, Manually operated
50	Q40	EXT-402	Security Fence	Joe Mercer Way	Steel	PPC	Green	n/a		n/a	To match existing Etihad Campus Fence colour, RAL to be confirmed
51	Q40	EXT-404	Maintenance gate	Ashton Canal	Steel	PPC	Green	n/a		n/a	To match existing Etihad Campus Gate colour, RAL to be confirmed
52	Q40	EXT-441	Rising Arm Barrier with Intercom	North Junction	Steel	PPC	Black	9005		14, 14, 16	
53	Q41	EXT-426	Armco Barrier	Podium (Compound Area)	Galvanized steel	Galvanized	n/a	n/a	n/a	n/a	150Kn load requirement
54	Q41	EXT-418	Head of Step Barrier	Tler Decking (South-West Podium)	Steel	PPC	Black	9005		14, 14, 16	Timber top profile on top of the barrier made with Kebony Clear Timber to match timber decking
55	Q41	EXT-445	Concrete Barriers	Forge Lane Bridge	Concrete	smooth	n/a	n/a		n/a	Anti graffiti treatment required
56	Q50	EXT-335	Security Booth	Sporcity Way, Car Park access	Refer to Drawings	n/a	n/a	n/a	n/a	n/a	Refer to architectural package
FENCE/ WALL/ RAILING											
57	Q50	EXT-471	Insitu concrete wall	Sportscity Way	Natural	Plain	n/a	n/a		n/a	
58	Q41	EXT-411	Balustrade -Type1	Podium (South)	Galvanized steel	PPC	Black	9005		14, 14, 16	3Kn load required
59	Q41	EXT-412	Balustrade -Type2	Ground Floor North walkway	Galvanized steel	PPC	Black	9005		14, 14, 16	3Kn load required
60	Q41	EXT-413	Balustrade -Type3	Ground Floor North East Junction	Galvanized steel	PPC	Black	9005		14, 14, 16	3Kn load required
61	Q41	EXT-414	Balustrade -Type4	Ground Floor North East Junction	Galvanized steel	PPC	Black	9005		14, 14, 16	3Kn load required
62	Q41	EXT-475	Balustrade - Type 5	Podium (South)	Galvanized steel	PPC	Black	9005		14, 14, 16	3Kn load required
63	Q41	EXT-415	Hand rail -Type1	Podium	Galvanized steel	PPC	Black	9005		14, 14, 16	
64	Q41	EXT-416	Hand rail -Type2	Podium	Galvanized steel	PPC	Black	9005		14, 14, 16	
65	Q41	EXT-417	Timber Railing	Tler Decking Stairs (South-West Podium)	PEFC hardwood	Kebony Clear	n/a	n/a		n/a	Kebony Clear to match timber decking

COOP LIVE

PLANNING LANDSCAPE MATERIAL SCHEDULE

Item	Spec	Spec Code	Description	Location	Material	Type of Finish	Colour	RAL	RAL Colour	RGB	Additional Material Details
TREE PRODUCT											
66	Q31	EXT-501	Root barrier	Ground Floor/ Level 01	Plastic Membrane	n/a	n/a	n/a	n/a	n/a	Reroot 1000
67	Q31	EXT-502	Root barrier	Ground Floor/ Level 01	Plastic Membrane	n/a	n/a	n/a	n/a	n/a	Reroot 2000
68	Q31	EXT-505	Root director system	Ground Floor/ Level 01		n/a	n/a	n/a	n/a	n/a	RD1400A RootDirector
69	Q31	EXT-511	Tree anchor system	Ground Floor/ Level 01		n/a	n/a	n/a	n/a	n/a	Tree anchoring system to deadman
70	Q31	EXT-512	Tree anchor system	Ground Floor/ Level 01		n/a	n/a	n/a	n/a	n/a	Tree anchoring system to slab
71	Q31	EXT-521	Root rain irrigation\aeration system	Ground Floor/ Level 01		n/a	n/a	n/a	n/a	n/a	
72	Q31	EXT-525	Root space structure	Ground Floor/ Level 01		n/a	n/a	n/a	n/a	n/a	Rootspace structure 1 module depth
73	Q31	EXT-533	Drainage layer	Ground Floor/ Level 01	Plastic Mat	n/a	n/a	n/a	n/a	n/a	Permavoid drainage layer with geotextile protection mat
74	Q31	EXT-535	Natural Aggregate	Ground Floor/ Level 01	Loose aggregates	n/a	n/a	n/a	n/a	n/a	
75	Q31	EXT-537	Geotextile	Ground Floor/ Level 01	Not woven fabric	n/a	n/a	n/a	n/a	n/a	Separation layer
76	Q31	EXT-539	Protective Mesh	Ground Floor/ Level 01	Steel	n/a	n/a	n/a	n/a	n/a	
SOFT LANDSCAPE											
77	Q31	EXT-561	Proposed tree	Ground Floor/ Level 01	n/a	n/a	n/a	n/a	n/a	n/a	
78	Q31	EXT-565	Proposed shrub	Ground Floor/ Level 01	n/a	n/a	n/a	n/a	n/a	n/a	
79	Q31	EXT-568	Proposed planting	Ground Floor/ Level 01	n/a	n/a	n/a	n/a	n/a	n/a	
80	Q31	EXT-571	Proposed wildflower mix	Ground Floor/ Level 01	n/a	n/a	n/a	n/a	n/a	n/a	
81	Q31	EXT-543	Living Wall	Ground Floor/ Level 01	n/a	n/a	n/a	n/a	n/a	n/a	Light-weight, semi-hydroponic,modular panel system. Biodegradable system
82	Q31	EXT-541	Green screen	Ground Floor/ Level 01	n/a	n/a	n/a	n/a	n/a	n/a	Pregrown screen. Pruning Apri-Setemmbber growing season once per year.
83	Q28	EXT-545	Mulch	Ground Floor/ Level 01	n/a	n/a	n/a	n/a	n/a	n/a	50mm Thick over the topsoil. Mulch at 1 cu m of material per 12 sq m.
84	Q28	EXT-551	General planting soil	Ground Floor/ Level 01	n/a	n/a	n/a	n/a	n/a	n/a	
85	Q28	EXT-552	Tree cell system topsoil	Ground Floor/ Level 01	n/a	n/a	n/a	n/a	n/a	n/a	
86	Q28	EXT-553	Lightweight subsoil	Ground Floor/ Level 01	n/a	n/a	n/a	n/a	n/a	n/a	
CLADDING											
87	Q41	EXT-611	Metal Cladding	Tler Decking Stairs	Steel	PPC	Black	9005		14, 14, 16	To side of Tiered Terrace Stairs
88	Q41	EXT-613	Metal capping plate	South Podium	Steel	PPC	Black	9005		14, 14, 16	Metal capping to cover full build-up at the podium edge to match metal balustrade
DRAINAGE											
89	Q10	EXT-801	Slot drainage -Type1	Ground Floor (Sevice Yard Entrance)	Polymer Concrete	Black	n/a	n/a		n/a	
90	Q10	EXT-803	Slot drainage -Type3	Podium (East)	Polymer Concrete	Black	n/a	n/a		n/a	
91	Q10	EXT-811	Drainage floor gully	Podium (Waste Management Area)	Stainless Steel	Brushed	n/a	n/a		n/a	
92	Q10	EXT-815	Slot drainage -Type4	Forge Lane Bridge	Stainless Steel	Brushed	n/a	n/a		n/a	
93	Q10	EXT-817	Slot drainage -Type5	Forge Lane Bridge	Stainless Steel	Brushed	n/a	n/a		n/a	
94	Q10	EXT-819	Slot Drainage - Type 6	North Junction	Reinforced Concrete	Natural	Standard Grey	n/a		n/a	

