


1. REFER TO DRAWING S-00-10 FOR GENERAL NOTES.
2. DO NOT SCALE FROM THIS DRAWING.
3. ALL STEELWORK TO BE GRADE S355 JR UNO.
4. FOR FIRE PROTECTION REQUIREMENTS REFER TO ARCHITECT'S DETAILS.
5. STEELWORK TO RECEIVE PAINT PROTECTION SYSTEM TO SUIT 50 YEAR DESIGN LIFE IN CORRAHEATED INTERIOR LOCATION) EXPOSURE CONDITIONS. STEEL FABRICATOR TO PROPOSE ONE OF THE FOLLOWING PAINT PROTECTION SYSTEMS FOR REVIEW BY ENGINEER PRIOR TO FABRICATION.

THE STEELWORK FABRICATOR IS TO ENSURE ALL NEW STEELWORK EMBEDDED WITHIN OR IN CONTACT WITH THE BUILDING MASONRY FAÇADE IS CORROSION PROTECTED USING ONE OF THE SYSTEMS BELOW

SYSTEM NUMBER	PW-C2-A	PW-C2-B
STRUCTURE LIFE	50+	50+
COATING LIFE	N/A	N/A
NEAREST EQUIVALENT BS EN ISO 12944 5 ⁽³⁾	-	-
SURFACE PREPARATION TO BS EN ISO 8501-1 9	BLAST CLEAN TO SA 2½	-
FACTORY APPLIED COATINGS	ONE COAT SOLVENT FREEEPOXY 450µm	i) HOT DIP GALVANISE TO BS EN ISO 1461(5) 85µm ii) TWO COATS HEAVY DUTY BITUMEN, 200µm TOTAL
SITE APPLIED COATINGS	-	-

NOTE: REFER TO ARCHITECT'S DRAWINGS
FOR ALL SETTING OUT OF NEW STRUCTURE



SECTION 02
SCALE 1:50



renaissance

Renaissance Associates Ltd
Carvers Warehouse
77 Dale Street
Manchester
M1 2HG

Project: 47 PETER STREET,
MANCHESTER

Drawing Title:

**STEEL STAIRCASE AND
LIFT FRAME SECTIONS**

Status:

STAGE 4

Size: A1	Date: OCT 20	Drawn by: MOH	Designed by: NP	Checked by: HG
Scale: 1:50		Project No: 1809-01		

PSM-REN-ZZ-ZZ-DR-S-00365-T02