

FILTER DRAIN MANHOLE SCHEDULE

MANHOLE NUMBER	COVER LEVEL	CONNECTIONS	PIPE		MANHOLE SIZE	TYPES	
	DEPTH TO SOFFIT		INVERTS	DIAMS INV-SOFF		MANHOLE TYPE	COVER
FD01	33.200 (TBC) 0.900	 0	32.150	150	315	TYPE 4	B125
FD02	32.900 (TBC) 0.800	 0	31.950 31.950	150 150	315	TYPE 4	B125
FD03	32.900 (TBC) 0.875	 0	31.875 31.875	150 150	315	TYPE 4	B125
FD04	32.900 (TBC) 0.830	 0	31.920 31.920	150 150	315	TYPE 4	B125
FD05	32.900 (TBC) 0.776	 0	31.899 31.824	150 225	600	TYPE 3	B125
FD06	32.900 (TBC) 0.883	 0	31.867 31.792 31.792	150 225 225	600	TYPE 3	B125

SURFACE WATER MANHOLE SCHEDULE

MANHOLE NUMBER	COVER LEVEL	CONNECTIONS	PIPE		MANHOLE SIZE	TYPES	
COORDINATES	DEPTH TO SOFFIT		INVERTS	DIAMS INV-SOFF		MANHOLE TYPE	COVER (MIN CLEAR OPENING)
SW07A	33.000 1.2000	 0	30.678	225	1200	TYPE 1 (DOUBLE STEP ACCESS)	D400, 1200x675 MANHOLE COVER WITH 1200x675 C.O HOLE IN COVER SLAB & 1200x675 C.O SEATING RING
SW07	33.000 2.120	 0	B/D 31.550 30.655 30.655	225 225 225	1350	TYPE 4 (DOUBLE STEP ACCESS)	D400, 1200x675 MANHOLE COVER WITH 1200x675 C.O HOLE IN COVER SLAB & 1200x675 C.O SEATING RING
SW06A	33.000 1.218	 0	17.882	300	1200	TYPE 4 (DOUBLE STEP ACCESS)	C250, 1200x675 MANHOLE COVER WITH 1200x675 C.O HOLE IN COVER SLAB & 1200x675 C.O SEATING RING
SW06	33.000 1.329	 0	30.088 17.591 17.666 30.088	225 200 200 225	1800	TYPE 4 (DOUBLE STEP ACCESS)	C250, 1200x675 MANHOLE COVER WITH 1200x675 E.O HOLE IN COVER SLAB & 1200x675 E.O SEATING RING
SW02	33.300 0.375	 0	32.725 32.700 32.700	200 225 225	600	TYPE 3	B125

BLUE ROOF INSPECTION CHAMBER SCHEDULE

MANHOLE NUMBER	COVER LEVEL	CONNECTIONS	PIPE		MANHOLE SIZE	TYPES	
COORDINATES	DEPTH TO SOFFIT		INVERTS	DIAMS INV-SOFF		MANHOLE TYPE	COVER
SW01	TBC TBC	 1	32.220	150	TBC	TBC	TBC
SW02.1	TBC TBC	 1	V/D 32.610	225	TBC	TBC	TBC
SW03	TBC TBC	 1	32.220	200	TBC	TBC	TBC
SW04	TBC TBC	 1	32.220	200	TBC	TBC	TBC
SW05	TBC TBC	 1	TBC	TBC	TBC	TBC	TBC

DO NOT SCALE

NOTES

THIS DRAWING SHOULD BE READ IN CONJUNCTION WITH THE FOLLOWING WSP DRAWINGS:

1. PROPOSED DRAINAGE LAYOUT (Z1-WSP-G580-PL-XX-DR02)
2. TYPICAL SUDS CONSTRUCTION DETAILS (Z1-WSP-G580-DE-XX-DR02)

P02	15/01/2021	JAM	FILTER DRAIN REVERTED TO P06 LEVELS WITH SOME MINOR AMENDMENTS	SM	SM
P01	09/12/2020	JAM	FIRST ISSUE	SM	SM
REV	DATE	BY	DESCRIPTION	CHK	APP

DRAWING STATUS: S2 - FOR INFORMATION



8 First Street, Manchester, M15 4GU, UK
T+ 44 (0) 161 200 5000
wsp.com

CLIENT: RENAKER BUILD LTD

ARCHITECT: SIMPSON HAUGH

PROJECT: CROWN STREET, ZONE 2

TITLE: MANHOLE SCHEDULE

SCALE @ A3:	CHECKED: SM	APPROVED: SM
PROJECT No: 70064036	DESIGNED: JAM	DRAWN: JAM
DRAWING No:	Z1-WSP-G580-SC-XX-001	REV: P02

© WSP UK Ltd