


C/O Width at 90 Deg (inc Hardware) 1123.2mm
C/O Width at 90 Deg (exc Hardware) 1123.2mm




Frame Profile





Meeting Style




Threshold Detail







Pull Side



Push Side

Free Area (m2) of Louvers	0
U-Value (w/m2K)	2.2
Mastic	By Others
dB Rating	35
Sec Rating	None
Fire Rating	30 Minutes
Active Leaf Width	1206

Fixing Type		Masonry
Seals		Smoke Seals
Finish		Matt
Colour	Leaf	Powder Coat RAL 7004
	Frame	Powder Coat RAL 7015
Frame Material		1.5 Galv
Leaf Material		1.5 Galv
Leaf Infil		Rockwool

Swing Direction	In
Hinged	Left
Structural Opening Width	1300
Structural Opening Height	2110
Frame Width	1290
Frame Height	2100

08/09/2021

Quote No: 63219-6-4

IRONMONGERY BREAKDOWN

12 off Single Fire Rated

Door Leaf Construction:
45mm thick, constructed from two 1.5mm thick galvanised steel skins bonded to a structural rockwool core

Frame Construction:
1.5mm thick galvanised steel, pressed to form a Single Rebate profile.

5 x Standard Dog Bolt Hinge
Geze TS2000NV Closer
Push Plate 100mm x 450mm rounded corners SSS
Entrance Handle 400 x 19mm
FIRE DOOR KEEP LOCKED 76MM DIA
1 x PLATE FOR MAGLOCK 1NO.

Jacking Screws

200mm(w) x 1000mm(h) Indoor Vision With Firelite (9mm)

Prep for Maglock by others

D-0-001 Steel Door, D-0-007 Steel Door, D-B1-009 Steel Door, D-2-001 Steel Door, D-2-003 Steel Door, D-1-005 Steel Door, D-4-001 Steel Door, D-4-003 Steel Door, D-3-005 Steel Door, D-6-001 Steel Door, D-6-003 Steel Door, D-5-005 Steel Door,

Drawing Status
S3 - Review & Comment

ROTEC
Trust | Confidence | Reassurance

Rotec Security Solutions,
Lytham Drive, Bramhall,
Stockport. SK7 2LD

This Drawing is the property of Rotec Security Solutions and no reproduction thereof may be made in whole or in part without permission.

Project
Vinci - The Christie MTCP

Drawing Title
See Above ↑

Project no.	Sheet	Revision
	A4	P01

Project Originator Volume Level Type Role Number
TCP-ROT-XX-XX-DR-X-000001

Viewpoint Status: S6 ////////////////////////////////////// Viewpoint Status: S3