



Technical drawing of a stepped profile. The drawing shows a cross-section with a total width of 63 and a total height of 100. The left side has a vertical step of 50. The bottom width is 38. The profile is shown in a perspective view with a 3D effect.

A diagram showing a beam with a vertical crack and a horizontal crack. The beam is divided into three horizontal sections. The top and bottom sections are shaded with diagonal lines, representing the original beam material. The middle section is unshaded, representing the crack path. The crack starts at the top surface, goes vertically down, then horizontally to the right, and finally vertically down to the bottom surface. The crack path is indicated by a solid line, and the resulting fragments are shown as separate pieces.

A diagram of a stepped profile. The total height is 63, the total width is 100, and the height of the first step is 38.

Prep for Maglock by others



|                                        |            |
|----------------------------------------|------------|
| Free Area (m <sup>2</sup> ) of Louvers | 0          |
| U-Value (w/m <sup>2</sup> K)           | 2.2        |
| Mastic                                 | By Others  |
| dB Rating                              | 35         |
| Sec Rating                             | None       |
| Fire Rating                            | 60 Minutes |
| Active Leaf Width                      | 702.5      |

|                |                      |
|----------------|----------------------|
| Fixing Type    | Steel/Masonry        |
| Seals          | Smoke Seals          |
| Finish         | Matt                 |
| Frame Colour   | Powder Coat RAL 7015 |
| Leaf Colour    | Powder Coat RAL 7004 |
| Frame Material | 1.5 Galv             |
| Leaf Material  | 1.5 Galv             |
| Leaf Infil     | Rockwool             |

|                           |       |
|---------------------------|-------|
| Swing Direction           | Out   |
| Hinged                    | Right |
| Structural Opening Width  | 1502  |
| Structural Opening Height | 2018  |
| Frame Width               | 1492  |
| Frame Height              | 2008  |

Quote No: 63219-27-3

| Project                   | Originator | Volume | Level | Type | Role | Number |
|---------------------------|------------|--------|-------|------|------|--------|
| TCP-ROT-XX-XX-DR-X-000008 |            |        |       |      |      |        |