

					VSC (WINDOW)					NSL					APSH (ROOM)						
FLOOR	ROOM	PROPERTY	ROOM	WINDOW	EX.	PR.	LOSS	LOSS	MEETS	EX.	PR.	LOSS	LOSS	MEETS	EX		PR		LOSS %		MEETS
		TYPE	USE		%	%		%	CRITERIA	%	%	SQM	%	CRITERIA	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	
OLD BREWERY GARDENS																					
F01	R1 (3)	RESIDENTIAL	LKD	W1/F01	25.2	18.2	7	27.8%	NO	97.2	94.1	0.8	3.1%	YES	43	4	33	4	23.3%	0.0%	YES
	R2	RESIDENTIAL	BEDROOM	W2/F01	28	21.3	6.7	23.9%	NO	98.2	97.6	0.1	0.7%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	LKD	W3/F01	26.4	20	6.4	24.2%	NO	90.4	72	4.8	20.4%	NO	55	18	46	18	16.4%	0.0%	YES
	R4	RESIDENTIAL	BEDROOM	W4/F01	24.4	18.4	6	24.6%	NO	85	59.9	3.5	29.6%	NO	N/A	N/A	N/A	N/A	N/A	N/A	
	R5	RESIDENTIAL	BEDROOM	W5/F01	21.4	16.7	4.7	22.0%	NO	53.9	29.8	3.2	44.8%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6 (3)	RESIDENTIAL	LKD	W6/F01	19.2	15.2	4	20.8%	NO	74.9	50.9	6.2	32.1%	NO	48	19	42	17	12.5%	10.5%	YES
	R7	RESIDENTIAL	BEDROOM	W7/F01	17.5	16.9	0.6	3.4%	YES	85.2	85.1	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8 (3)	RESIDENTIAL	LKD	W8/F01	19.3	18.7	0.6	3.1%	YES	60.4	60.1	0.1	0.5%	YES	50	19	42	16	16.0%	15.8%	YES
	R9	RESIDENTIAL	BEDROOM	W9/F01	21	20.1	0.9	4.3%	YES	81.9	81.6	0.0	0.4%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10 (3)	RESIDENTIAL	LKD	W10/F01	22.5	21.5	1	4.4%	YES	79.6	79.1	0.1	0.7%	YES	54	20	45	17	16.7%	15.0%	YES
	R11	RESIDENTIAL	BEDROOM	W11/F01	23.6	22.4	1.2	5.1%	YES	59.4	59.4	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R12 (3)	RESIDENTIAL	LKD	W12/F01	24.7	23.2	1.5	6.1%	YES	54.4	54.4	0.0	0.0%	YES	58	21	45	17	22.4%	19.0%	YES
	R13	RESIDENTIAL	BEDROOM	W13/F01	26.3	24.1	2.2	8.4%	YES	95.5	91.2	0.5	4.4%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R14	RESIDENTIAL	LKD	W14/F01	26.6	24.3	2.3	8.6%	YES	99.2	98.8	0.1	0.5%	YES	80	23	51	18	36.3%	21.7%	YES
				LKD	W15/F01	27.3	24.5	2.8	10.3%	YES											
				LKD	W16/F01	36.9	9.4	27.5	74.5%	NO											
				LKD	W17/F01	37	8.7	28.3	76.5%	NO											
F02	R1	RESIDENTIAL	LKD	W1/F02	32.5	25.5	7	21.5%	NO	93.1	88.5	1.4	4.9%	YES	61	18	50	18	18.0%	0.0%	YES
	R2	RESIDENTIAL	BEDROOM	W2/F02	31.6	24.6	7	22.2%	NO	97.5	96.3	0.1	1.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM	W3/F02	30.5	23.6	6.9	22.6%	NO	99.9	99.9	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM	W4/F02	29.2	22.5	6.7	22.9%	NO	95.9	88.4	0.7	7.8%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM	W5/F02	27.1	20.8	6.3	23.2%	NO	69.4	60.9	1.0	12.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM	W6/F02	25	19.1	5.9	23.6%	NO	76.4	60.6	1.9	20.7%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM	W7/F02	21.9	17.3	4.6	21.0%	NO	57.1	44.5	1.5	22.2%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	BEDROOM	W8/F02	19.5	15.6	3.9	20.0%	YES	69.9	56.7	1.6	19.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM	W9/F02	18.2	17.7	0.5	2.7%	YES	50.8	50.7	0.0	0.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM	W10/F02	20.4	19.8	0.6	2.9%	YES	80.1	79.9	0.0	0.3%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM	W11/F02	22	21.2	0.8	3.6%	YES	76.1	75.8	0.0	0.4%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R12	RESIDENTIAL	BEDROOM	W12/F02	23.5	22.5	1	4.3%	YES	73.1	72.7	0.1	0.7%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R13	RESIDENTIAL	BEDROOM	W13/F02	24.7	23.5	1.2	4.9%	YES	56.3	56.1	0.0	0.3%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R14	RESIDENTIAL	BEDROOM	W14/F02	25.8	24.3	1.5	5.8%	YES	48.7	48.7	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A

					VSC (WINDOW)					NSL					APSH (ROOM)							
FLOOR	ROOM	PROPERTY	ROOM	WINDOW	EX.	PR.	LOSS	LOSS	MEETS	EX.	PR.	LOSS	LOSS	MEETS	EX.		PR.		LOSS %		MEETS	
		TYPE	USE	%	%	%	%	CRITERIA	%			%	SQM	%	CRITERIA	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL		WINTER
OLD BREWERY GARDENS (CONTINUED)																						
	R15	RESIDENTIAL	BEDROOM	W15/F02	27.6	25.4	2.2	8.0%	YES	93.8	87	0.8	7.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R16	RESIDENTIAL	BEDROOM	W16/F02	28.4	25.6	2.8	9.9%	YES	99.4	92.8	0.8	6.6%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W17/F02	37.4	9.8	27.6	73.8%	NO													
	R17	RESIDENTIAL	BEDROOM	W18/F02	37.5	8.5	29	77.3%	NO	98.5	87.8	1.7	10.8%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W19/F02	37.5	8.5	29	77.3%	NO													
	R18	RESIDENTIAL	BEDROOM	W20/F02	37.5	8.4	29.1	77.6%	NO	99.1	97.4	0.2	17%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W21/F02	30.3	24.8	5.5	18.2%	YES													
F03	R1	RESIDENTIAL	LKD	W1/F03	33.2	26.4	6.8	20.5%	NO	93.6	89.1	1.4	4.8%	YES	61	18	50	18	18.0%	0.0%	YES	
	R2	RESIDENTIAL	BEDROOM	W2/F03	32.3	25.4	6.9	21.4%	NO	97.6	97	0.1	0.7%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R3 (3)	RESIDENTIAL	LKD	W3/F03	31.2	24.5	6.7	21.5%	NO	99.9	99.9	0.0	0.0%	YES	59	19	49	19	16.9%	0.0%	YES	
	R4	RESIDENTIAL	BEDROOM	W4/F03	29.9	23.3	6.6	22.1%	NO	95.3	90.3	0.4	5.3%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R5 (3)	RESIDENTIAL	LKD	W5/F03	27.7	21.6	6.1	22.0%	NO	95.2	85.5	2.4	10.2%	YES	56	19	48	19	14.3%	0.0%	YES	
	R6	RESIDENTIAL	BEDROOM	W6/F03	25.6	19.8	5.8	22.7%	NO	97.6	93.6	0.4	4.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W7/F03	2.8	2.4	0.4	14.3%	YES													
	R7	RESIDENTIAL	BEDROOM	W8/F03	20	19.5	0.5	2.5%	YES	60.6	60.5	0.0	0.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R8 (3)	RESIDENTIAL	LKD	W9/F03	21.3	20.7	0.6	2.8%	YES	66.8	66.8	0.0	0.0%	YES	52	20	45	17	13.5%	15.0%	YES	
	R9	RESIDENTIAL	BEDROOM	W10/F03	23.1	22.3	0.8	3.5%	YES	96.1	95.2	0.1	0.9%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R10 (3)	RESIDENTIAL	LKD	W11/F03	24.6	23.7	0.9	3.7%	YES	81.3	80.6	0.2	0.9%	YES	57	22	49	19	14.0%	13.6%	YES	
	R11	RESIDENTIAL	BEDROOM	W12/F03	25.8	24.7	11	4.3%	YES	64.5	64.3	0.0	0.3%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R12	RESIDENTIAL	BEDROOM	W13/F03	27	25.5	15	5.6%	YES	58.1	58	0.0	0.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R13	RESIDENTIAL	LKD	W14/F03	28.8	26.6	2.2	7.6%	YES	90.2	85.1	1.7	5.7%	YES	66	24	51	19	22.7%	20.8%	YES	
			LKD	W15/F03	4.7	2.8	1.9	40.4%	NO													
	R14	RESIDENTIAL	BEDROOM	W16/F03	3	2.1	0.9	30.0%	NO	96.8	95.6	0.1	12%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W17/F03	37.9	9.4	28.5	75.2%	NO													
	R15	RESIDENTIAL	BEDROOM	W18/F03	37.9	8.9	29	76.5%	NO	98.4	87.9	1.7	10.7%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W19/F03	37.9	8.8	29.1	76.8%	NO													
	R16	RESIDENTIAL	BEDROOM	W20/F03	37.9	8.7	29.2	77.0%	NO	99	97.5	0.2	15%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W21/F03	30.7	25.1	5.6	18.2%	YES													
F04	R1	RESIDENTIAL	LKD	W1/F04	34	27.3	6.7	19.7%	YES	94	89.9	1.3	4.3%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	BEDROOM	W2/F04	33.1	26.3	6.8	20.5%	NO	97.7	97.3	0.0	0.4%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R3 (3)	RESIDENTIAL	LKD	W3/F04	32	25.3	6.7	20.9%	NO	99.9	99.9	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
OLD BREWERY GARDENS (CONTINUED)																						

					VSC (WINDOW)					NSL					APSH (ROOM)							
FLOOR	ROOM	PROPERTY	ROOM	WINDOW	EX.	PR.	LOSS	LOSS	MEETS	EX.	PR.	LOSS	LOSS	MEETS	EX.		PR.		LOSS %		MEETS	
		TYPE	USE	%	%	%	%	CRITERIA	%			%	SQM	%	CRITERIA	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL		WINTER
	R4	RESIDENTIAL	BEDROOM	W4/F04	30.6	24.2	6.4	20.9%	NO	96.1	90.6	0.5	5.7%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R5 (3)	RESIDENTIAL	LKD	W5/F04	28.5	22.4	6.1	21.4%	NO	95.4	86.5	2.2	9.3%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R6	RESIDENTIAL	BEDROOM	W6/F04	26.2	20.6	5.6	21.4%	NO	97.6	94.5	0.3	3.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W7/F04	2.9	2.6	0.3	10.3%	YES													
	R7	RESIDENTIAL	BEDROOM	W8/F04	20.6	20.1	0.5	2.4%	YES	61.1	61.1	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R8 (3)	RESIDENTIAL	LKD	W9/F04	22.1	21.5	0.6	2.7%	YES	70	70	0.0	0.0%	YES	52	20	46	17	11.5%	15.0%	YES	
	R9	RESIDENTIAL	BEDROOM	W10/F04	24.1	23.3	0.8	3.3%	YES	96.7	95.8	0.1	0.9%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R10 (3)	RESIDENTIAL	LKD	W11/F04	25.7	24.8	0.9	3.5%	YES	84.2	83.5	0.2	0.8%	YES	58	22	51	19	12.1%	13.6%	YES	
	R11	RESIDENTIAL	BEDROOM	W12/F04	27	25.9	1.1	4.1%	YES	67.6	67.4	0.0	0.3%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R12	RESIDENTIAL	BEDROOM	W13/F04	28.2	26.8	1.4	5.0%	YES	61	60.9	0.0	0.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R13	RESIDENTIAL	LKD	W14/F04	30	27.8	2.2	7.3%	YES	90.5	85.4	1.7	5.7%	YES	68	24	53	19	22.1%	20.8%	YES	
			LKD	W15/F04	4.9	3	1.9	38.8%	NO													
	R14	RESIDENTIAL	BEDROOM	W16/F04	3.2	2.3	0.9	28.1%	NO	96.8	95.6	0.1	1.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W17/F04	38.3	9.8	28.5	74.4%	NO													
	R15	RESIDENTIAL	BEDROOM	W18/F04	38.3	9.2	29.1	76.0%	NO	98.5	89.6	1.4	9.1%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W19/F04	38.3	9.1	29.2	76.2%	NO													
	R16	RESIDENTIAL	BEDROOM	W20/F04	38.3	9	29.3	76.5%	NO	99	97.6	0.2	1.4%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W21/F04	31.1	25.3	5.8	18.6%	YES													
F05	R1	RESIDENTIAL	LKD	W1/F05	34.7	28.2	6.5	18.7%	YES	94.4	90.7	1.1	3.9%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	BEDROOM	W2/F05	33.9	27.3	6.6	19.5%	YES	97.7	97.4	0.0	0.3%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R3 (3)	RESIDENTIAL	LKD	W3/F05	32.8	26.3	6.5	19.8%	YES	99.9	99.9	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R4	RESIDENTIAL	BEDROOM	W4/F05	31.4	25.1	6.3	20.1%	NO	96.9	93	0.3	4.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R5 (3)	RESIDENTIAL	LKD	W5/F05	29.2	23.3	5.9	20.2%	NO	95.7	87	2.1	9.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R6	RESIDENTIAL	BEDROOM	W6/F05	26.9	21.5	5.4	20.1%	NO	97.6	94.6	0.3	3.1%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W7/F05	3.2	2.8	0.4	12.5%	YES													
	R7	RESIDENTIAL	BEDROOM	W8/F05	21.2	20.8	0.4	1.9%	YES	61.7	61.7	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R8 (3)	RESIDENTIAL	LKD	W9/F05	23	22.4	0.6	2.6%	YES	74.4	74.4	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R9	RESIDENTIAL	BEDROOM	W10/F05	25.2	24.5	0.7	2.8%	YES	97.5	96.6	0.1	0.9%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R10 (3)	RESIDENTIAL	LKD	W11/F05	26.9	26	0.9	3.3%	YES	88	87.3	0.2	0.8%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R11	RESIDENTIAL	BEDROOM	W12/F05	28.2	27.2	1	3.5%	YES	71.3	71.2	0.0	0.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R12	RESIDENTIAL	BEDROOM	W13/F05	29.4	28.1	1.3	4.4%	YES	64.5	64.4	0.0	0.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
OLD BREWERY GARDENS (CONTINUED)																						
	R13	RESIDENTIAL	LKD	W14/F05	31.2	29.1	2.1	6.7%	YES	91.3	86.7	1.5	5.0%	YES		N/A	N/A	N/A	N/A	N/A	N/A	

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC (WINDOW)					NSL					APSH (ROOM)						
					EX.	PR.	LOSS	LOSS	MEETS	EX.	PR.	LOSS	LOSS	MEETS	EX.		PR.		LOSS %		MEETS
					%	%	%	%	CRITERIA	%	%	SOM	%	CRITERIA	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	CRITERIA
			LKD	W15/F05	5.1	3.1	2	39.2%	NO												
	R14	RESIDENTIAL	BEDROOM	W16/F05	3.5	2.6	0.9	25.7%	NO	96.8	95.6	0.1	1.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W17/F05	38.6	10.1	28.5	73.8%	NO												
	R15	RESIDENTIAL	BEDROOM	W18/F05	38.6	9.5	29.1	75.4%	NO	98.6	90.2	1.3	8.5%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W19/F05	38.6	9.4	29.2	75.6%	NO												
	R16	RESIDENTIAL	BEDROOM	W20/F05	38.6	9.3	29.3	75.9%	NO	99	97.6	0.2	14%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W21/F05	31.4	25.5	5.9	18.8%	YES												
F06	R1	RESIDENTIAL	LKD	W1/F06	35.5	29.1	6.4	18.0%	YES	94.6	91.5	0.9	3.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM	W2/F06	34.7	28.2	6.5	18.7%	YES	97.8	97.4	0.0	0.3%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	LKD	W3/F06	33.7	27.2	6.5	19.3%	YES	99.9	99.9	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM	W4/F06	32.3	26.1	6.2	19.2%	YES	97.4	93.4	0.3	4.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5 (3)	RESIDENTIAL	LKD	W5/F06	30.1	24.3	5.8	19.3%	YES	96.3	87.8	2.0	8.7%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM	W6/F06	27.7	22.4	5.3	19.1%	YES	97.6	94.7	0.3	2.9%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W7/F06	3.5	3.1	0.4	11.4%	YES												
	R7	RESIDENTIAL	BEDROOM	W8/F06	22	21.6	0.4	1.8%	YES	62.3	62.3	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8 (3)	RESIDENTIAL	LKD	W9/F06	24	23.5	0.5	2.1%	YES	81	81	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM	W10/F06	26.4	25.7	0.7	2.7%	YES	97.5	96.7	0.1	0.8%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10 (3)	RESIDENTIAL	LKD	W11/F06	28.2	27.4	0.8	2.8%	YES	93	92.3	0.2	0.8%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM	W12/F06	29.6	28.6	1	3.4%	YES	74.8	74.7	0.0	0.1%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R12	RESIDENTIAL	BEDROOM	W13/F06	30.8	29.5	1.3	4.2%	YES	68.1	68	0.0	0.1%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R13	RESIDENTIAL	LKD	W14/F06	32.4	30.4	2	6.2%	YES	93.3	88.9	1.5	4.7%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LKD	W15/F06	5.2	3.3	1.9	36.5%	NO												
	R14	RESIDENTIAL	BEDROOM	W16/F06	3.9	2.9	1	25.6%	NO	97	95.8	0.1	1.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W17/F06	38.7	10.5	28.2	72.9%	NO												
	R15	RESIDENTIAL	BEDROOM	W18/F06	38.7	9.9	28.8	74.4%	NO	98.6	90.5	1.3	8.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W19/F06	38.8	9.7	29.1	75.0%	NO												
	R16	RESIDENTIAL	BEDROOM	W20/F06	38.8	9.5	29.3	75.5%	NO	99	97.6	0.2	15%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W21/F06	31.5	25.7	5.8	18.4%	YES												
F07	R1	RESIDENTIAL	LKD	W1/F07	36.1	29.9	6.2	17.2%	YES	94.7	92.3	0.7	2.5%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM	W2/F07	35.3	29	6.3	17.8%	YES	97.8	97.2	0.1	0.6%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
OLD BREWERY GARDENS (CONTINUED)																					
	R3 (3)	RESIDENTIAL	LKD	W3/F07	34.4	28.1	6.3	18.3%	YES	99.9	99.9	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM	W4/F07	33.2	27	6.2	18.7%	YES	97.7	91.3	0.5	6.5%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A

					VSC (WINDOW)					NSL					APSH (ROOM)							
FLOOR	ROOM	PROPERTY	ROOM	WINDOW	EX.	PR.	LOSS	LOSS	MEETS	EX.	PR.	LOSS	LOSS	MEETS	EX.		PR.		LOSS %		MEETS	
		TYPE	USE	%	%	%	%	CRITERIA	%			%	SQM	%	CRITERIA	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL		WINTER
	R5 (3)	RESIDENTIAL	LKD	W5/F07	31	25.2	5.8	18.7%	YES	97.2	87.7	2.3	9.8%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R6	RESIDENTIAL	BEDROOM	W6/F07	28.6	23.3	5.3	18.5%	YES	97.6	94.6	0.3	3.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W7/F07	4	3.5	0.5	12.5%	YES													
	R7	RESIDENTIAL	BEDROOM	W8/F07	22.8	22.5	0.3	1.3%	YES	63.2	63.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R8 (3)	RESIDENTIAL	LKD	W9/F07	25.1	24.6	0.5	2.0%	YES	86.2	86.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R9	RESIDENTIAL	BEDROOM	W10/F07	27.8	27.1	0.7	2.5%	YES	97.5	96.7	0.1	0.8%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R10 (3)	RESIDENTIAL	LKD	W11/F07	29.6	28.9	0.7	2.4%	YES	95.8	95.1	0.2	0.7%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R11	RESIDENTIAL	BEDROOM	W12/F07	31	30	1	3.2%	YES	79.5	79.5	0.0	0.1%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R12	RESIDENTIAL	BEDROOM	W13/F07	32.1	30.8	1.3	4.0%	YES	73.4	73.3	0.0	0.1%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R13	RESIDENTIAL	LKD	W14/F07	33.6	31.6	2	6.0%	YES	95.8	91.5	1.5	4.5%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LKD	W15/F07	5.3	3.3	2	37.7%	NO													
	R14	RESIDENTIAL	BEDROOM	W16/F07	4.1	3.2	0.9	22.0%	NO	97	95.8	0.1	1.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W17/F07	38.8	11	27.8	71.6%	NO													
	R15	RESIDENTIAL	BEDROOM	W18/F07	38.8	10.3	28.5	73.5%	NO	98.6	90.5	1.3	8.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W19/F07	38.8	10.1	28.7	74.0%	NO													
	R16	RESIDENTIAL	BEDROOM	W20/F07	38.8	9.9	28.9	74.5%	NO	99	97.6	0.2	1.4%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W21/F07	31.7	25.9	5.8	18.3%	YES													
F08	R1	RESIDENTIAL	LKD	W1/F08	36.7	30.8	5.9	16.1%	YES	94.7	92.7	0.6	2.1%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R2	RESIDENTIAL	BEDROOM	W2/F08	36	29.9	6.1	16.9%	YES	97.7	97.3	0.1	0.5%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R3 (3)	RESIDENTIAL	LKD	W3/F08	35.2	29	6.2	17.6%	YES	99.9	99.9	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R4	RESIDENTIAL	BEDROOM	W4/F08	34.1	27.9	6.2	18.2%	YES	97.7	92.2	0.5	5.7%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R5 (3)	RESIDENTIAL	LKD	W5/F08	32.1	26.2	5.9	18.4%	YES	98.5	88.5	2.5	10.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R6	RESIDENTIAL	BEDROOM	W6/F08	29.7	24.3	5.4	18.2%	YES	97.6	95.3	0.2	2.3%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W7/F08	4.6	4	0.6	13.0%	YES													
	R7	RESIDENTIAL	BEDROOM	W8/F08	24.1	23.8	0.3	1.2%	YES	65	65	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R8 (3)	RESIDENTIAL	LKD	W9/F08	26.6	26.2	0.4	1.5%	YES	89.5	89.5	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R9	RESIDENTIAL	BEDROOM	W10/F08	29.4	28.8	0.6	2.0%	YES	97.5	96.8	0.1	0.7%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R10 (3)	RESIDENTIAL	LKD	W11/F08	31.2	30.5	0.7	2.2%	YES	97	96.3	0.2	0.7%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R11	RESIDENTIAL	BEDROOM	W12/F08	32.5	31.6	0.9	2.8%	YES	87.9	87.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
OLD BREWERY GARDENS (CONTINUED)																						
	R12	RESIDENTIAL	BEDROOM	W13/F08	33.5	32.3	1.2	3.6%	YES	81.4	81.3	0.0	0.1%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R13	RESIDENTIAL	LKD	W14/F08	34.8	32.8	2	5.7%	YES	97.1	92.9	1.5	4.4%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			LKD	W15/F08	5.3	3.4	1.9	35.8%	NO													

					VSC (WINDOW)					NSL					APSH (ROOM)						
FLOOR	ROOM	PROPERTY	ROOM	WINDOW	EX.	PR.	LOSS	LOSS	MEETS	EX.	PR.	LOSS	LOSS	MEETS	EX.		PR.		LOSS %		MEETS
		TYPE	USE	%	%		%	CRITERIA	%			%	SQM	%	CRITERIA	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	
	R14	RESIDENTIAL	BEDROOM	W16/F08	4.4	3.4	1	22.7%	NO	97.5	96.4	0.1	12%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W17/F08	38.9	11.4	27.5	70.7%	NO												
	R15	RESIDENTIAL	BEDROOM	W18/F08	38.9	10.7	28.2	72.5%	NO	98.6	90.4	1.3	8.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W19/F08	38.9	10.5	28.4	73.0%	NO												
	R16	RESIDENTIAL	BEDROOM	W20/F08	38.9	10.3	28.6	73.5%	NO	99	97.4	0.2	17%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W21/F08	31.9	26.2	5.7	17.9%	YES												
F09	R1	RESIDENTIAL	LKD	W1/F09	37.3	31.6	5.7	15.3%	YES	94.7	93.4	0.4	14%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM	W2/F09	36.8	30.8	6	16.3%	YES	97.8	97.7	0.0	0.1%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	LKD	W3/F09	36.1	30	6.1	16.9%	YES	99.9	99.9	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM	W4/F09	35.1	29	6.1	17.4%	YES	97.7	91.4	0.5	6.5%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5 (3)	RESIDENTIAL	LKD	W5/F09	33.4	27.3	6.1	18.3%	YES	98.8	87.6	2.7	11.3%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM	W6/F09	31.1	25.4	5.7	18.3%	YES	97.6	95.4	0.2	2.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W7/F09	5.6	4.8	0.8	14.3%	YES												
	R7	RESIDENTIAL	BEDROOM	W8/F09	26	25.7	0.3	1.2%	YES	69	69	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8 (3)	RESIDENTIAL	LKD	W9/F09	28.7	28.3	0.4	1.4%	YES	94.1	94.1	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM	W10/F09	31.5	30.9	0.6	1.9%	YES	97.5	96.9	0.1	0.6%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10 (3)	RESIDENTIAL	LKD	W11/F09	33.1	32.4	0.7	2.1%	YES	98.3	97.7	0.2	0.6%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM	W12/F09	34.1	33.3	0.8	2.3%	YES	96.7	96.7	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R12	RESIDENTIAL	BEDROOM	W13/F09	34.9	33.8	11	3.2%	YES	90.1	90.1	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R13	RESIDENTIAL	LKD	W14/F09	35.9	34.1	1.8	5.0%	YES	98.3	94.1	1.5	4.3%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LKD	W15/F09	5.3	3.4	1.9	35.8%	NO												
	R14	RESIDENTIAL	BEDROOM	W16/F09	4.6	3.6	1	21.7%	NO	97.6	96.8	0.1	0.8%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W17/F09	38.9	12	26.9	69.2%	NO												
	R15	RESIDENTIAL	BEDROOM	W18/F09	38.9	11.3	27.6	71.0%	NO	98.6	90.2	1.3	8.5%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W19/F09	39	11	28	71.8%	NO												
	R16	RESIDENTIAL	BEDROOM	W20/F09	39	10.8	28.2	72.3%	NO	99	97.4	0.2	17%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W21/F09	32.1	26.4	5.7	17.8%	YES												
F10	R1	RESIDENTIAL	LKD	W1/F10	37.8	32.5	5.3	14.0%	YES	94.8	93.6	0.4	12%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
OLD BREWERY GARDENS (CONTINUED)																					
	R2	RESIDENTIAL	BEDROOM	W2/F10	37.5	31.8	5.7	15.2%	YES	97.7	97.7	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	LKD	W3/F10	37	31	6	16.2%	YES	99.9	99.9	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM	W4/F10	36.2	30.1	6.1	16.9%	YES	97.8	93.6	0.4	4.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5 (3)	RESIDENTIAL	LKD	W5/F10	34.8	28.5	6.3	18.1%	YES	98.8	86.9	2.9	12.1%	YES		N/A	N/A	N/A	N/A	N/A	N/A

					VSC (WINDOW)					NSL					APSH (ROOM)						
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX.	PR.	LOSS	LOSS	MEETS	EX.	PR.	LOSS	LOSS	MEETS	EX		PR.		LOSS %		MEETS
					%	%		%	CRITERIA		%	%	SQM	%	CRITERIA	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	
	R6	RESIDENTIAL	BEDROOM	W6/F10	32.8	26.6	6.2	18.9%	YES	97.6	95.2	0.3	2.5%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W7/F10	6.9	5.6	1.3	18.8%	YES												
	R7	RESIDENTIAL	BEDROOM	W8/F10	29.2	28.9	0.3	1.0%	YES	78.6	78.6	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8 (3)	RESIDENTIAL	LKD	W9/F10	31.6	31.3	0.3	0.9%	YES	98.3	98.3	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM	W10/F10	33.9	33.4	0.5	1.5%	YES	97.5	97	0.0	0.4%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10 (3)	RESIDENTIAL	LKD	W11/F10	35.1	34.5	0.6	1.7%	YES	99.6	99	0.1	0.5%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM	W12/F10	35.8	35	0.8	2.2%	YES	96.8	96.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R12	RESIDENTIAL	BEDROOM	W13/F10	36.4	35.3	1.1	3.0%	YES	93.9	93.9	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R13	RESIDENTIAL	LKD	W14/F10	37	35.3	1.7	4.6%	YES	99.3	95.1	1.4	4.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LKD	W15/F10	5.4	3.4	2	37.0%	NO												
	R14	RESIDENTIAL	BEDROOM	W16/F10	4.8	3.8	1	20.8%	NO	98.9	97.8	0.1	1.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W17/F10	39	12.7	26.3	67.4%	NO												
	R15	RESIDENTIAL	BEDROOM	W18/F10	39	12	27	69.2%	NO	98.6	86.1	2.0	12.7%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W19/F10	39	11.6	27.4	70.3%	NO												
	R16	RESIDENTIAL	BEDROOM	W20/F10	39	11.3	27.7	71.0%	NO	99	97.1	0.2	1.9%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W21/F10	32.3	26.7	5.6	17.3%	YES												
F11	R1	RESIDENTIAL	LKD	W1/F11	38.4	33.3	5.1	13.3%	YES	94.8	94.3	0.1	0.5%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM	W2/F11	38.2	32.7	5.5	14.4%	YES	97.8	97.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	LKD	W3/F11	37.9	32.1	5.8	15.3%	YES	99.9	99.9	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM	W4/F11	37.3	31.2	6.1	16.4%	YES	97.8	96.4	0.1	1.5%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5 (3)	RESIDENTIAL	LKD	W5/F11	36.3	29.8	6.5	17.9%	YES	98.9	89	2.4	10.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM	W6/F11	34.6	28	6.6	19.1%	YES	97.6	95.7	0.2	2.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W7/F11	8.8	6.8	2	22.7%	NO												
	R7	RESIDENTIAL	BEDROOM	W8/F11	34	33.7	0.3	0.9%	YES	97.5	97.5	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8 (3)	RESIDENTIAL	LKD	W9/F11	35.3	35	0.3	0.8%	YES	100	100	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM	W10/F11	36.5	36.1	0.4	1.1%	YES	97.5	97.2	0.0	0.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10 (3)	RESIDENTIAL	LKD	W11/F11	37.1	36.6	0.5	1.3%	YES	99.6	99.2	0.1	0.4%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
OLD BREWERY GARDENS (CONTINUED)																					
	R11	RESIDENTIAL	BEDROOM	W12/F11	37.5	36.8	0.7	1.9%	YES	96.8	96.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R12	RESIDENTIAL	BEDROOM	W13/F11	37.7	36.9	0.8	2.1%	YES	94	94	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R13	RESIDENTIAL	LKD	W14/F11	38.1	36.5	1.6	4.2%	YES	99.5	95.3	1.4	4.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			LKD	W15/F11	5.4	3.4	2	37.0%	NO												
	R14	RESIDENTIAL	BEDROOM	W16/F11	5	4	1	20.0%	YES	99	97.8	0.1	1.2%	YES		N/A	N/A	N/A	N/A	N/A	N/A

					VSC (WINDOW)					NSL					APSH (ROOM)							
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX.	PR.	LOSS	LOSS	MEETS	EX.	PR.	LOSS	LOSS	MEETS	EX		PR.		LOSS %		MEETS CRITERIA	
					%	%		%	CRITERIA	%	%	SQM	%	CRITERIA	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER		
			BEDROOM	W17/F11	39	13.7	25.3	64.9%	NO													
	R15	RESIDENTIAL	BEDROOM	W18/F11	39	12.9	26.1	66.9%	NO	98.6	81.8	2.6	17.1%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W19/F11	39	12.3	26.7	68.5%	NO													
	R16	RESIDENTIAL	BEDROOM	W20/F11	39.1	12	27.1	69.3%	NO	99	97.1	0.2	2.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W21/F11	32.5	27.1	5.4	16.6%	YES													
F12	R1	RESIDENTIAL	LKD	W1/F12	38.8	27.7	11.1	28.6%	YES	99.7	99.7	0.0	0.0%	YES	67	21	52	17	22.4%	19.0%	YES	
			LKD	W2/F12	39	28	11	28.2%	YES													
			LKD	W3/F12	27.8	26.5	1.3	4.7%	YES													
	R2	RESIDENTIAL	LKD	W4/F12	39.1	38.8	0.3	0.8%	YES	100	100	0.0	0.0%	YES	99	29	83	26	16.2%	10.3%	YES	
			LKD	W5/F12	38.8	28.9	9.9	25.5%	YES													
			LKD	W6/F12	39	28.6	10.4	26.7%	YES													
F13	R1	RESIDENTIAL	BEDROOM	W1/F13	39.2	28.9	10.3	26.3%	YES	99.3	88.5	2.0	10.9%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W3/F13	28.2	26.9	1.3	4.6%	YES													
	R2	RESIDENTIAL	LKD	W2/F13	39.2	29	10.2	26.0%	YES	100	100	0.0	0.0%	YES	68	23	57	22	16.2%	4.3%	YES	
			LKD	W4/F13	9	8.6	0.4	4.4%	YES													
			LKD	W5/F13	39.2	29.7	9.5	24.2%	YES													
			LKD	W6/F13	39.2	29.3	9.9	25.3%	YES													
F14	R1	RESIDENTIAL	BEDROOM	W1/F14	39.2	29.9	9.3	23.7%	YES	99.2	90.1	1.7	9.1%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W3/F14	28.6	27.4	1.2	4.2%	YES													
	R2	RESIDENTIAL	LKD	W2/F14	39.2	30.1	9.1	23.2%	YES	100	100	0.0	0.0%	YES	68	23	57	22	16.2%	4.3%	YES	
			LKD	W4/F14	9.1	8.8	0.3	3.3%	YES													
			LKD	W5/F14	39.2	30.7	8.5	21.7%	YES													
			LKD	W6/F14	39.2	30.3	8.9	22.7%	YES													
F15	R1	RESIDENTIAL	BEDROOM	W1/F15	39.3	30.9	8.4	21.4%	YES	99.2	95.1	0.8	4.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W3/F15	29.1	28	1.1	3.8%	YES													
	R2	RESIDENTIAL	LKD	W2/F15	39.3	31.1	8.2	20.9%	YES	100	100	0.0	0.0%	YES	68	23	59	22	13.2%	4.3%	YES	
OLD BREWERY GARDENS (CONTINUED)																						
			LKD	W4/F15	9.2	9	0.2	2.2%	YES													
			LKD	W5/F15	39.3	31.8	7.5	19.1%	YES													
			LKD	W6/F15	39.3	31.4	7.9	20.1%	YES													
OLD BREWERY GARDENS TOWER																						
F01	R1	RESIDENTIAL	BEDROOM	W1/F01	37.2	31	6.2	16.7%	YES	98.8	98.5	0.0	0.4%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

					VSC (WINDOW)					NSL					APSH (ROOM)							
FLOOR	ROOM	PROPERTY	ROOM	WINDOW	EX.	PR.	LOSS	LOSS	MEETS	EX.	PR.	LOSS	LOSS	MEETS	EX.		PR.		LOSS %		MEETS	
		TYPE	USE	%	%	%	%	CRITERIA	%	%	SQM	%	CRITERIA	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER			
			BEDROOM	W13/F01	38.7	38.7	0	0.0%	YES													
	R2	RESIDENTIAL	BEDROOM	W2/F01	37	30.3	6.7	18.1%	YES	98.1	98.1	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R3 (3)	RESIDENTIAL	LKD	W3/F01	36.7	29.7	7	19.1%	YES	98.9	98.9	0.0	0.0%	YES	57	12	43	3	24.6%	75.0%	NO	
	R4	RESIDENTIAL	BEDROOM	W4/F01	36.4	29	7.4	20.3%	YES	98.7	96.6	0.2	2.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R5	RESIDENTIAL	BEDROOM	W5/F01	36.1	28.4	7.7	21.3%	YES	96.2	85.3	1.4	11.3%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R6	RESIDENTIAL	BEDROOM	W6/F01	35.9	28	7.9	22.0%	YES	97.8	97.7	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R7	RESIDENTIAL	BEDROOM	W7/F01	35.6	27.4	8.2	23.0%	YES	98.4	98.4	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R8 (3)	RESIDENTIAL	LKD	W8/F01	35.1	26.5	8.6	24.5%	NO	100	99.9	0.0	0.1%	YES	51	9	37	1	27.5%	88.9%	NO	
	R9	RESIDENTIAL	BEDROOM	W9/F01	34.1	25.1	9	26.4%	NO	73.2	52.6	2.2	28.2%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R10	RESIDENTIAL	BEDROOM	W10/F01	33.2	24	9.2	27.7%	NO	71.1	47.2	2.5	33.7%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R11	RESIDENTIAL	BEDROOM	W11/F01	32.1	22.9	9.2	28.7%	NO	92.1	83.7	11	9.1%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W12/F01	12.6	10.5	2.1	16.7%	YES													
F02	R1	RESIDENTIAL	BEDROOM	W1/F02	37.5	31.5	6	16.0%	YES	99	98.6	0.0	0.4%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W13/F02	39.2	39.2	0	0.0%	YES													
	R2	RESIDENTIAL	BEDROOM	W2/F02	37.3	30.9	6.4	17.2%	YES	98	98	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R3 (3)	RESIDENTIAL	LKD	W3/F02	37.1	30.3	6.8	18.3%	YES	98.8	98.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R4	RESIDENTIAL	BEDROOM	W4/F02	36.9	29.6	7.3	19.8%	YES	98.8	97.1	0.1	1.7%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R5	RESIDENTIAL	BEDROOM	W5/F02	36.5	29	7.5	20.5%	YES	96.9	86.2	1.4	11.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R6	RESIDENTIAL	BEDROOM	W6/F02	36.3	28.6	7.7	21.2%	YES	97.8	97.7	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R7	RESIDENTIAL	BEDROOM	W7/F02	36.1	28	8.1	22.4%	YES	98.4	98.4	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R8 (3)	RESIDENTIAL	LKD	W8/F02	35.6	27.1	8.5	23.9%	YES	100	100	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R9	RESIDENTIAL	BEDROOM	W9/F02	34.6	25.8	8.8	25.4%	NO	73.9	53.8	2.2	27.2%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R10	RESIDENTIAL	BEDROOM	W10/F02	33.7	24.7	9	26.7%	NO	71.8	48.4	2.5	32.6%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R11	RESIDENTIAL	BEDROOM	W11/F02	32.6	23.6	9	27.6%	NO	92.6	84.9	1.0	8.3%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W12/F02	13.4	11.4	2	14.9%	YES													
OLD BREWERY GARDENS TOWER (CONTINUED)																						
F03	R1	RESIDENTIAL	BEDROOM	W1/F03	37.9	32	5.9	15.6%	YES	99.1	98.7	0.0	0.4%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W13/F03	39.5	39.5	0	0.0%	YES													
	R2	RESIDENTIAL	BEDROOM	W2/F03	37.7	31.4	6.3	16.7%	YES	98	98	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R3 (3)	RESIDENTIAL	LKD	W3/F03	37.4	30.8	6.6	17.6%	YES	98.8	98.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R4	RESIDENTIAL	BEDROOM	W4/F03	37.2	30.2	7	18.8%	YES	98.8	97.4	0.1	1.5%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R5	RESIDENTIAL	BEDROOM	W5/F03	36.9	29.6	7.3	19.8%	YES	97.3	87	1.4	10.6%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R6	RESIDENTIAL	BEDROOM	W6/F03	36.7	29.2	7.5	20.4%	YES	97.8	97.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

					VSC (WINDOW)					NSL					APSH (ROOM)						
FLOOR	ROOM	PROPERTY	ROOM	WINDOW	EX.	PR.	LOSS	LOSS	MEETS	EX.	PR.	LOSS	LOSS	MEETS	EX		PR.		LOSS %		MEETS
		TYPE	USE	%	%	%	CRITERIA	%	%		SQM	%	CRITERIA	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER		
	R7	RESIDENTIAL	BEDROOM	W7/F03	36.5	28.7	7.8	21.4%	YES	98.4	98.4	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8 (3)	RESIDENTIAL	LKD	W8/F03	36	27.8	8.2	22.8%	YES	100	100	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM	W9/F03	35.1	26.5	8.6	24.5%	NO	75.1	55.7	2.1	25.7%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM	W10/F03	34.2	25.4	8.8	25.7%	NO	72.7	50.2	2.4	31.0%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM	W11/F03	33.1	24.3	8.8	26.6%	NO	93.1	85.6	1.0	8.1%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F04			BEDROOM	W12/F03	14.3	12.3	2	14.0%	YES												
	R1	RESIDENTIAL	BEDROOM	W1/F04	38.1	32.5	5.6	14.7%	YES	99.1	99.1	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W13/F04	39.6	39.6	0	0.0%	YES												
	R2	RESIDENTIAL	BEDROOM	W2/F04	38	31.9	6.1	16.1%	YES	98	98	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	LKD	W3/F04	37.8	31.4	6.4	16.9%	YES	98.8	98.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM	W4/F04	37.6	30.8	6.8	18.1%	YES	98.8	97.5	0.1	1.3%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM	W5/F04	37.2	30.2	7	18.8%	YES	97.6	86.8	1.4	11.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM	W6/F04	37.1	29.8	7.3	19.7%	YES	97.8	97.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM	W7/F04	36.9	29.3	7.6	20.6%	YES	98.4	98.4	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8 (3)	RESIDENTIAL	LKD	W8/F04	36.4	28.4	8	22.0%	YES	100	100	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM	W9/F04	35.5	27.2	8.3	23.4%	YES	76.4	58	2.0	24.1%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM	W10/F04	34.7	26.1	8.6	24.8%	NO	74.2	53.7	2.2	27.6%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM	W11/F04	33.7	25	8.7	25.8%	NO	94.4	87.1	0.9	7.7%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W12/F04	15.2	13.2	2	13.2%	YES												
F05	R1	RESIDENTIAL	BEDROOM	W1/F05	38.3	32.9	5.4	14.1%	YES	99.1	99.1	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W13/F05	39.6	39.6	0	0.0%	YES												
	R2	RESIDENTIAL	BEDROOM	W2/F05	38.2	32.4	5.8	15.2%	YES	98	98	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	LKD	W3/F05	38	31.8	6.2	16.3%	YES	98.8	98.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM	W4/F05	37.8	31.3	6.5	17.2%	YES	98.8	97.7	0.1	1.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
OLD BREWERY GARDENS TOWER (CONTINUED)																					
	R5	RESIDENTIAL	BEDROOM	W5/F05	37.5	30.7	6.8	18.1%	YES	97.7	87.6	1.3	10.3%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM	W6/F05	37.4	30.3	7.1	19.0%	YES	97.8	97.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM	W7/F05	37.2	29.8	7.4	19.9%	YES	98.4	98.4	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8 (3)	RESIDENTIAL	LKD	W8/F05	36.8	29	7.8	21.2%	YES	100	100	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM	W9/F05	36	27.8	8.2	22.8%	YES	79.2	61.9	1.9	21.7%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM	W10/F05	35.2	26.8	8.4	23.9%	NO	76.8	56.8	2.1	26.1%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM	W11/F05	34.3	25.7	8.6	25.1%	NO	95.3	88.4	0.9	7.3%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W12/F05	16.2	14.2	2	12.3%	YES												

					VSC (WINDOW)					NSL					APSH (ROOM)							
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX.	PR.	LOSS	LOSS	MEETS	EX.	PR.	LOSS	LOSS	MEETS	EX		PR.		LOSS %		MEETS	
					%	%		%	CRITERIA	%	%	SQM	%	CRITERIA	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER		
F06	R1	RESIDENTIAL	BEDROOM	W1/F06	38.5	33.3	5.2	13.5%	YES	99.1	99.1	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W13/F06	39.6	39.6	0	0.0%	YES													
	R2	RESIDENTIAL	BEDROOM	W2/F06	38.3	32.8	5.5	14.4%	YES	98	98	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R3 (3)	RESIDENTIAL	LKD	W3/F06	38.2	32.3	5.9	15.4%	YES	98.8	98.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R4	RESIDENTIAL	BEDROOM	W4/F06	38	31.8	6.2	16.3%	YES	98.8	97.7	0.1	12%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R5	RESIDENTIAL	BEDROOM	W5/F06	37.8	31.3	6.5	17.2%	YES	97.7	88	1.3	9.9%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R6	RESIDENTIAL	BEDROOM	W6/F06	37.7	30.9	6.8	18.0%	YES	97.8	97.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R7	RESIDENTIAL	BEDROOM	W7/F06	37.5	30.4	7.1	18.9%	YES	98.4	98.4	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R8 (3)	RESIDENTIAL	LKD	W8/F06	37.2	29.6	7.6	20.4%	YES	100	100	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R9	RESIDENTIAL	BEDROOM	W9/F06	36.4	28.5	7.9	21.7%	YES	83.6	65.1	2.0	22.1%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R10	RESIDENTIAL	BEDROOM	W10/F06	35.7	27.6	8.1	22.7%	YES	80.9	61.2	2.1	24.4%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R11	RESIDENTIAL	BEDROOM	W11/F06	34.9	26.6	8.3	23.8%	NO	95.8	85.9	1.3	10.3%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W12/F06	17.5	15.5	2	11.4%	YES													
F07	R1	RESIDENTIAL	BEDROOM	W1/F07	38.6	33.7	4.9	12.7%	YES	99.1	99.1	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W13/F07	39.6	39.6	0	0.0%	YES													
	R2	RESIDENTIAL	BEDROOM	W2/F07	38.5	33.3	5.2	13.5%	YES	98	98	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R3 (3)	RESIDENTIAL	LKD	W3/F07	38.4	32.8	5.6	14.6%	YES	98.8	98.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R4	RESIDENTIAL	BEDROOM	W4/F07	38.3	32.3	6	15.7%	YES	98.8	97.8	0.1	11%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R5	RESIDENTIAL	BEDROOM	W5/F07	38	31.8	6.2	16.3%	YES	97.7	88.6	1.2	9.3%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R6	RESIDENTIAL	BEDROOM	W6/F07	38	31.5	6.5	17.1%	YES	97.8	97.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R7	RESIDENTIAL	BEDROOM	W7/F07	37.8	31	6.8	18.0%	YES	98.4	98.4	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R8 (3)	RESIDENTIAL	LKD	W8/F07	37.5	30.3	7.2	19.2%	YES	100	100	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R9	RESIDENTIAL	BEDROOM	W9/F07	36.9	29.3	7.6	20.6%	YES	90.4	74.4	1.7	17.8%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
OLD BREWERY GARDENS TOWER (CONTINUED)																						
	R10	RESIDENTIAL	BEDROOM	W10/F07	36.3	28.4	7.9	21.8%	YES	88	70.4	1.8	19.9%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R11	RESIDENTIAL	BEDROOM	W11/F07	35.6	27.4	8.2	23.0%	YES	96.1	85.8	1.3	10.6%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W12/F07	19	17.1	1.9	10.0%	YES													
F08	R1	RESIDENTIAL	BEDROOM	W1/F08	38.8	34.1	4.7	12.1%	YES	99.1	99.1	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W13/F08	39.6	39.6	0	0.0%	YES													
	R2	RESIDENTIAL	BEDROOM	W2/F08	38.7	33.7	5	12.9%	YES	98	98	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R3 (3)	RESIDENTIAL	LKD	W3/F08	38.6	33.3	5.3	13.7%	YES	98.8	98.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R4	RESIDENTIAL	BEDROOM	W4/F08	38.5	32.9	5.6	14.5%	YES	98.8	97.8	0.1	11%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R5	RESIDENTIAL	BEDROOM	W5/F08	38.3	32.4	5.9	15.4%	YES	97.7	89.2	1.1	8.7%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC (WINDOW)					NSL					APSH (ROOM)						
					EX.	PR.	LOSS	LOSS	MEETS	EX.	PR.	LOSS	LOSS	MEETS	EX.		PR.		LOSS %		MEETS
					%	%	%	%	CRITERIA	%	%	SOM	%	CRITERIA	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	CRITERIA
	R6	RESIDENTIAL	BEDROOM	W6/F08	38.2	32.1	6.1	16.0%	YES	97.8	97.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM	W7/F08	38.2	31.7	6.5	17.0%	YES	98.4	98.4	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8 (3)	RESIDENTIAL	LKD	W8/F08	37.9	31	6.9	18.2%	YES	100	100	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM	W9/F08	37.4	30	7.4	19.8%	YES	92.7	80.8	1.3	12.8%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM	W10/F08	36.9	29.2	7.7	20.9%	YES	90.6	77.1	1.4	15.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM	W11/F08	36.3	28.4	7.9	21.8%	YES	96.4	86.3	1.3	10.4%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W12/F08	20.9	18.9	2	9.6%	YES												
F09	R1	RESIDENTIAL	BEDROOM	W1/F09	38.9	34.6	4.3	11.1%	YES	99.1	99.1	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W13/F09	39.6	39.6	0	0.0%	YES												
	R2	RESIDENTIAL	BEDROOM	W2/F09	38.8	34.2	4.6	11.9%	YES	98	98	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	LKD	W3/F09	38.8	33.8	5	12.9%	YES	98.8	98.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM	W4/F09	38.7	33.4	5.3	13.7%	YES	98.8	97.8	0.1	1.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM	W5/F09	38.6	33	5.6	14.5%	YES	97.7	89.4	1.1	8.5%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM	W6/F09	38.5	32.7	5.8	15.1%	YES	97.8	97.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM	W7/F09	38.5	32.3	6.2	16.1%	YES	98.4	98.4	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8 (3)	RESIDENTIAL	LKD	W8/F09	38.3	31.7	6.6	17.2%	YES	100	100	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM	W9/F09	37.9	30.8	7.1	18.7%	YES	93	84	1.0	9.6%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM	W10/F09	37.6	30.1	7.5	19.9%	YES	90.9	80.5	1.1	11.4%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM	W11/F09	37.1	29.4	7.7	20.8%	YES	96.5	88.2	1.1	8.5%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W12/F09	23	21	2	8.7%	YES												
F10	R1	RESIDENTIAL	BEDROOM	W1/F10	39	35	4	10.3%	YES	99.1	99.1	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W13/F10	39.6	39.6	0	0.0%	YES												
OLD BREWERY GARDENS TOWER (CONTINUED)																					
	R2	RESIDENTIAL	BEDROOM	W2/F10	39	34.6	4.4	11.3%	YES	98	98	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	LKD	W3/F10	38.9	34.2	4.7	12.1%	YES	98.8	98.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM	W4/F10	38.9	33.9	5	12.9%	YES	98.8	97.8	0.1	1.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM	W5/F10	38.8	33.5	5.3	13.7%	YES	97.7	89.6	1.1	8.3%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM	W6/F10	38.8	33.3	5.5	14.2%	YES	97.8	97.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM	W7/F10	38.8	33	5.8	14.9%	YES	98.4	98.4	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8 (3)	RESIDENTIAL	LKD	W8/F10	38.6	32.4	6.2	16.1%	YES	100	100	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM	W9/F10	38.4	31.6	6.8	17.7%	YES	93	87.5	0.6	5.9%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM	W10/F10	38.2	31	7.2	18.8%	YES	90.9	84.1	0.7	7.5%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM	W11/F10	37.9	30.4	7.5	19.8%	YES	96.5	91	0.7	5.7%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC (WINDOW)					NSL					APSH (ROOM)						
					EX.	PR.	LOSS	LOSS	MEETS	EX.	PR.	LOSS	LOSS	MEETS	EX.		PR.		LOSS %		MEETS
					%	%	%	%	CRITERIA	%	%	SOM	%	CRITERIA	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	CRITERIA
			BEDROOM	W12/F10	25.5	23.4	2.1	8.2%	YES												
F11	R1	RESIDENTIAL	BEDROOM	W1/F11	39.1	35.4	3.7	9.5%	YES	99.2	99.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W13/F11	39.6	39.6	0	0.0%	YES												
	R2	RESIDENTIAL	BEDROOM	W2/F11	39.1	35	4.1	10.5%	YES	98	98	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	LKD	W3/F11	39.1	34.7	4.4	11.3%	YES	98.8	98.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM	W4/F11	39.1	34.4	4.7	12.0%	YES	98.8	97.8	0.1	1.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM	W5/F11	39	34.1	4.9	12.6%	YES	97.7	89.8	1.1	8.1%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM	W6/F11	39	33.9	5.1	13.1%	YES	97.8	97.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM	W7/F11	39	33.6	5.4	13.8%	YES	98.4	98.4	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8 (3)	RESIDENTIAL	LKD	W8/F11	39	33.1	5.9	15.1%	YES	100	100	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM	W9/F11	38.9	32.4	6.5	16.7%	YES	93	88.1	0.5	5.4%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM	W10/F11	38.7	31.9	6.8	17.6%	YES	91	84.5	0.7	7.1%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM	W11/F11	38.6	31.4	7.2	18.7%	YES	96.6	92.9	0.5	3.9%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W12/F11	28.2	26.2	2	7.1%	YES												
F12	R1	RESIDENTIAL	BEDROOM	W1/F12	39.2	35.8	3.4	8.7%	YES	99.2	99.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W13/F12	39.6	39.6	0	0.0%	YES												
	R2	RESIDENTIAL	BEDROOM	W2/F12	39.2	35.4	3.8	9.7%	YES	98	98	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	LKD	W3/F12	39.2	35.1	4.1	10.5%	YES	98.8	98.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM	W4/F12	39.2	34.8	4.4	11.2%	YES	98.8	97.3	0.1	1.5%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM	W5/F12	39.1	34.5	4.6	11.8%	YES	97.7	88	1.3	9.9%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM	W6/F12	39.1	34.4	4.7	12.0%	YES	97.8	97.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
OLD BREWERY GARDENS TOWER (CONTINUED)																					
	R7	RESIDENTIAL	BEDROOM	W7/F12	39.2	34.1	5.1	13.0%	YES	98.4	98.4	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8 (3)	RESIDENTIAL	LKD	W8/F12	39.1	33.7	5.4	13.8%	YES	100	100	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM	W9/F12	39.1	33.1	6	15.3%	YES	93.1	88.2	0.5	5.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM	W10/F12	39	32.6	6.4	16.4%	YES	91.1	84.7	0.7	7.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM	W11/F12	38.9	32.2	6.7	17.2%	YES	96.7	93.2	0.4	3.6%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W12/F12	30.8	28.9	1.9	6.2%	YES												
F13	R1	RESIDENTIAL	BEDROOM	W1/F13	39.2	36.1	3.1	7.9%	YES	99.2	99.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W13/F13	39.6	39.6	0	0.0%	YES												
	R2	RESIDENTIAL	BEDROOM	W2/F13	39.2	35.8	3.4	8.7%	YES	98	98	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	LKD	W3/F13	39.2	35.5	3.7	9.4%	YES	98.8	98.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM	W4/F13	39.2	35.2	4	10.2%	YES	98.8	98.2	0.1	0.7%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A

					VSC (WINDOW)					NSL					APSH (ROOM)							
FLOOR	ROOM	PROPERTY	ROOM	WINDOW	EX.	PR.	LOSS	LOSS	MEETS	EX.	PR.	LOSS	LOSS	MEETS	EX.		PR.		LOSS %		MEETS	
					%	%		%	CRITERIA		%	%	SQM	%	CRITERIA	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL		WINTER
	R5	RESIDENTIAL	BEDROOM	W5/F13	39.2	35	4.2	10.7%	YES	97.7	88.9	12	9.1%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R6	RESIDENTIAL	BEDROOM	W6/F13	39.2	34.8	4.4	11.2%	YES	97.8	97.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R7	RESIDENTIAL	BEDROOM	W7/F13	39.2	34.6	4.6	11.7%	YES	98.4	98.4	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R8 (3)	RESIDENTIAL	LKD	W8/F13	39.2	34.2	5	12.8%	YES	100	100	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R9	RESIDENTIAL	BEDROOM	W9/F13	39.1	33.7	5.4	13.8%	YES	93.1	88.3	0.5	5.1%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R10	RESIDENTIAL	BEDROOM	W10/F13	39.1	33.3	5.8	14.8%	YES	91.2	85	0.7	6.8%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R11	RESIDENTIAL	BEDROOM	W11/F13	39	32.9	6.1	15.6%	YES	97.8	97.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W12/F13	33.4	31.8	1.6	4.8%	YES													
F14	R1	RESIDENTIAL	BEDROOM	W1/F14	39.3	36.5	2.8	7.1%	YES	99.2	99.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W13/F14	39.6	39.6	0	0.0%	YES													
	R2	RESIDENTIAL	BEDROOM	W2/F14	39.3	36.2	3.1	7.9%	YES	98	98	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R3 (3)	RESIDENTIAL	LKD	W3/F14	39.3	35.9	3.4	8.7%	YES	98.8	98.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R4	RESIDENTIAL	BEDROOM	W4/F14	39.3	35.7	3.6	9.2%	YES	98.8	98.7	0.0	0.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R5	RESIDENTIAL	BEDROOM	W5/F14	39.2	35.4	3.8	9.7%	YES	97.7	89.7	1.1	8.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R6	RESIDENTIAL	BEDROOM	W6/F14	39.2	35.3	3.9	9.9%	YES	97.8	97.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R7	RESIDENTIAL	BEDROOM	W7/F14	39.3	35.1	4.2	10.7%	YES	98.4	98.4	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R8 (3)	RESIDENTIAL	LKD	W8/F14	39.2	34.7	4.5	11.5%	YES	100	100	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R9	RESIDENTIAL	BEDROOM	W9/F14	39.2	34.3	4.9	12.5%	YES	93.1	88.7	0.5	4.7%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R10	RESIDENTIAL	BEDROOM	W10/F14	39.2	33.9	5.3	13.5%	YES	91.2	85.6	0.6	6.1%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R11	RESIDENTIAL	BEDROOM	W11/F14	39.1	33.6	5.5	14.1%	YES	99.2	99.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
OLD BREWERY GARDENS TOWER (CONTINUED)																						
			BEDROOM	W12/F14	36.2	34.7	1.5	4.1%	YES													
F15	R1	RESIDENTIAL	BEDROOM	W1/F15	39.3	36.8	2.5	6.4%	YES	99.2	99.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W13/F15	39.6	39.6	0	0.0%	YES													
	R2	RESIDENTIAL	BEDROOM	W2/F15	39.3	36.6	2.7	6.9%	YES	98	98	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R3 (3)	RESIDENTIAL	LKD	W3/F15	39.3	36.3	3	7.6%	YES	98.8	98.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R4	RESIDENTIAL	BEDROOM	W4/F15	39.3	36.1	3.2	8.1%	YES	98.8	98.7	0.0	0.1%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R5	RESIDENTIAL	BEDROOM	W5/F15	39.2	35.9	3.3	8.4%	YES	97.7	91.2	0.9	6.7%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R6	RESIDENTIAL	BEDROOM	W6/F15	39.2	35.8	3.4	8.7%	YES	97.8	97.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R7	RESIDENTIAL	BEDROOM	W7/F15	39.3	35.6	3.7	9.4%	YES	98.4	98.4	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R8 (3)	RESIDENTIAL	LKD	W8/F15	39.3	35.3	4	10.2%	YES	100	100	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R9	RESIDENTIAL	BEDROOM	W9/F15	39.3	34.9	4.4	11.2%	YES	93.1	89.9	0.3	3.3%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R10	RESIDENTIAL	BEDROOM	W10/F15	39.3	34.6	4.7	12.0%	YES	91.2	87.2	0.4	4.4%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

					VSC (WINDOW)					NSL					APSH (ROOM)							
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX.	PR.	LOSS	LOSS	MEETS	EX.	PR.	LOSS	LOSS	MEETS	EX		PR.		LOSS %		MEETS	
					%	%		%	CRITERIA	%	%	SQM	%	CRITERIA	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER		
	R11	RESIDENTIAL	BEDROOM	W11/F15	39.3	34.3	5	12.7%	YES	99.2	99.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
F16			BEDROOM	W12/F15	38.7	37.4	1.3	3.4%	YES													
	R1	RESIDENTIAL	BEDROOM	W1/F16	39.3	37.2	2.1	5.3%	YES	99.2	99.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W13/F16	39.6	39.6	0	0.0%	YES													
	R2	RESIDENTIAL	BEDROOM	W2/F16	39.3	36.9	2.4	6.1%	YES	98	98	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R3 (3)	RESIDENTIAL	LKD	W3/F16	39.3	36.7	2.6	6.6%	YES	98.8	98.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R4	RESIDENTIAL	BEDROOM	W4/F16	39.3	36.5	2.8	7.1%	YES	98.8	98.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R5	RESIDENTIAL	BEDROOM	W5/F16	39.3	36.4	2.9	7.4%	YES	97.7	93.4	0.6	4.4%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R6	RESIDENTIAL	BEDROOM	W6/F16	39.3	36.3	3	7.6%	YES	97.8	97.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R7	RESIDENTIAL	BEDROOM	W7/F16	39.3	36.1	3.2	8.1%	YES	98.4	98.4	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R8 (3)	RESIDENTIAL	LKD	W8/F16	39.3	35.8	3.5	8.9%	YES	100	100	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R9	RESIDENTIAL	BEDROOM	W9/F16	39.3	35.5	3.8	9.7%	YES	93.1	92	0.1	11%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R10	RESIDENTIAL	BEDROOM	W10/F16	39.3	35.3	4	10.2%	YES	91.2	89.4	0.2	2.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R11	RESIDENTIAL	BEDROOM	W11/F16	39.3	35	4.3	10.9%	YES	99.2	99.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W12/F16	39.5	38.5	1	2.5%	YES													
F17	R1	RESIDENTIAL	BEDROOM	W1/F17	39.3	37.5	1.8	4.6%	YES	99.2	99.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W13/F17	39.6	39.6	0	0.0%	YES													
	R2	RESIDENTIAL	BEDROOM	W2/F17	39.3	37.3	2	5.1%	YES	98	98	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R3 (3)	RESIDENTIAL	LKD	W3/F17	39.3	37.1	2.2	5.6%	YES	98.8	98.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
OLD BREWERY GARDENS TOWER (CONTINUED)																						
	R4	RESIDENTIAL	BEDROOM	W4/F17	39.4	37	2.4	6.1%	YES	98.8	98.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R5	RESIDENTIAL	BEDROOM	W5/F17	39.3	36.8	2.5	6.4%	YES	97.7	94.8	0.4	2.9%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R6	RESIDENTIAL	BEDROOM	W6/F17	39.3	36.8	2.5	6.4%	YES	97.8	97.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R7	RESIDENTIAL	BEDROOM	W7/F17	39.4	36.6	2.8	7.1%	YES	98.4	98.4	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R8 (3)	RESIDENTIAL	LKD	W8/F17	39.4	36.4	3	7.6%	YES	100	100	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R9	RESIDENTIAL	BEDROOM	W9/F17	39.3	36.1	3.2	8.1%	YES	93.1	93.1	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R10	RESIDENTIAL	BEDROOM	W10/F17	39.3	35.9	3.4	8.7%	YES	91.2	91.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R11	RESIDENTIAL	BEDROOM	W11/F17	39.3	35.7	3.6	9.2%	YES	99.2	99.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W12/F17	39.5	38.7	0.8	2.0%	YES													
F18	R1	RESIDENTIAL	BEDROOM	W1/F18	39.4	37.8	1.6	4.1%	YES	99.2	99.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
			BEDROOM	W13/F18	39.6	39.6	0	0.0%	YES													
	R2	RESIDENTIAL	BEDROOM	W2/F18	39.4	37.6	1.8	4.6%	YES	98	98	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	R3 (3)	RESIDENTIAL	LKD	W3/F18	39.4	37.5	1.9	4.8%	YES	98.8	98.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC (WINDOW)					NSL					APSH (ROOM)						
					EX.	PR.	LOSS	LOSS	MEETS	EX.	PR.	LOSS	LOSS	MEETS	EX.		PR.		LOSS %		MEETS
					%	%	%	%	CRITERIA	%	%	SOM	%	CRITERIA	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	CRITERIA
	R4	RESIDENTIAL	BEDROOM	W4/F18	39.4	37.4	2	5.1%	YES	98.8	98.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM	W5/F18	39.3	37.2	2.1	5.3%	YES	97.7	96.9	0.1	0.8%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM	W6/F18	39.3	37.2	2.1	5.3%	YES	97.8	97.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM	W7/F18	39.4	37.1	2.3	5.8%	YES	98.4	98.4	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8 (3)	RESIDENTIAL	LKD	W8/F18	39.4	36.9	2.5	6.3%	YES	100	100	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM	W9/F18	39.4	36.7	2.7	6.9%	YES	93.1	93.1	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM	W10/F18	39.4	36.5	2.9	7.4%	YES	91.2	91.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM	W11/F18	39.4	36.3	3.1	7.9%	YES	99.2	99.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W12/F18	39.5	38.8	0.7	1.8%	YES												
F19	R1	RESIDENTIAL	BEDROOM	W1/F19	39.4	38.1	1.3	3.3%	YES	99.2	99.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W13/F19	39.6	39.6	0	0.0%	YES												
	R2	RESIDENTIAL	BEDROOM	W2/F19	39.4	38	1.4	3.6%	YES	98	98	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	LKD	W3/F19	39.4	37.8	1.6	4.1%	YES	98.8	98.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM	W4/F19	39.4	37.8	1.6	4.1%	YES	98.8	98.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM	W5/F19	39.3	37.6	1.7	4.3%	YES	97.7	97.7	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM	W6/F19	39.3	37.6	1.7	4.3%	YES	97.8	97.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM	W7/F19	39.4	37.6	1.8	4.6%	YES	98.4	98.4	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8 (3)	RESIDENTIAL	LKD	W8/F19	39.4	37.4	2	5.1%	YES	100	100	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
OLD BREWERY GARDENS TOWER (CONTINUED)																					
	R9	RESIDENTIAL	BEDROOM	W9/F19	39.4	37.2	2.2	5.6%	YES	93.1	93.1	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM	W10/F19	39.4	37	2.4	6.1%	YES	91.2	91.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM	W11/F19	39.4	36.9	2.5	6.3%	YES	99.2	99.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W12/F19	39.6	39	0.6	1.5%	YES												
F20	R1	RESIDENTIAL	BEDROOM	W1/F20	39.4	38.4	1	2.5%	YES	99.2	99.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W13/F20	39.6	39.6	0	0.0%	YES												
	R2	RESIDENTIAL	BEDROOM	W2/F20	39.4	38.3	1.1	2.8%	YES	98	98	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	LKD	W3/F20	39.4	38.2	1.2	3.0%	YES	98.8	98.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM	W4/F20	39.4	38.1	1.3	3.3%	YES	98.8	98.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM	W5/F20	39.3	38.1	1.2	3.1%	YES	97.7	97.7	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM	W6/F20	39.3	38	1.3	3.3%	YES	97.8	97.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM	W7/F20	39.4	38	1.4	3.6%	YES	98.4	98.4	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8 (3)	RESIDENTIAL	LKD	W8/F20	39.4	37.9	1.5	3.8%	YES	100	100	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM	W9/F20	39.4	37.7	1.7	4.3%	YES	93.1	93.1	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A

					VSC (WINDOW)					NSL					APSH (ROOM)						
FLOOR	ROOM	PROPERTY	ROOM	WINDOW	EX.	PR.	LOSS	LOSS	MEETS	EX.	PR.	LOSS	LOSS	MEETS	EX.		PR.		LOSS %		MEETS
		TYPE	USE	%	%		%	CRITERIA	%			%	SQM	%	CRITERIA	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	
	R10	RESIDENTIAL	BEDROOM	W10/F20	39.4	37.6	1.8	4.6%	YES	91.2	91.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM	W11/F20	39.4	37.5	1.9	4.8%	YES	99.2	99.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W12/F20	39.6	39.1	0.5	1.3%	YES												
F21	R1	RESIDENTIAL	BEDROOM	W1/F21	39.4	38.7	0.7	1.8%	YES	99.2	99.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W13/F21	39.6	39.6	0	0.0%	YES												
	R2	RESIDENTIAL	BEDROOM	W2/F21	39.4	38.6	0.8	2.0%	YES	98	98	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	LKD	W3/F21	39.4	38.5	0.9	2.3%	YES	98.8	98.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM	W4/F21	39.4	38.5	0.9	2.3%	YES	98.8	98.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM	W5/F21	39.3	38.4	0.9	2.3%	YES	97.7	97.7	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM	W6/F21	39.3	38.4	0.9	2.3%	YES	97.8	97.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM	W7/F21	39.4	38.4	1	2.5%	YES	98.4	98.4	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8 (3)	RESIDENTIAL	LKD	W8/F21	39.4	38.3	1.1	2.8%	YES	100	100	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM	W9/F21	39.4	38.2	1.2	3.0%	YES	93.1	93.1	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM	W10/F21	39.4	38.1	1.3	3.3%	YES	91.2	91.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM	W11/F21	39.4	38.1	1.3	3.3%	YES	99.2	99.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W12/F21	39.6	39.3	0.3	0.8%	YES												
F22	R1	RESIDENTIAL	BEDROOM	W1/F22	39.4	39	0.4	1.0%	YES	99.2	99.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
OLD BREWERY GARDENS TOWER (CONTINUED)																					
			BEDROOM	W13/F22	39.6	39.6	0	0.0%	YES												
	R2	RESIDENTIAL	BEDROOM	W2/F22	39.4	38.9	0.5	1.3%	YES	98	98	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	LKD	W3/F22	39.4	38.9	0.5	1.3%	YES	98.8	98.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM	W4/F22	39.4	38.8	0.6	1.5%	YES	98.8	98.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM	W5/F22	39.3	38.8	0.5	1.3%	YES	97.7	97.7	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM	W6/F22	39.3	38.7	0.6	1.5%	YES	97.8	97.8	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM	W7/F22	39.4	38.8	0.6	1.5%	YES	98.4	98.4	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8 (3)	RESIDENTIAL	LKD	W8/F22	39.4	38.8	0.6	1.5%	YES	100	100	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM	W9/F22	39.4	38.7	0.7	1.8%	YES	93.1	93.1	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM	W10/F22	39.4	38.6	0.8	2.0%	YES	91.2	91.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM	W11/F22	39.4	38.6	0.8	2.0%	YES	99.2	99.2	0.0	0.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM	W12/F22	39.6	39.4	0.2	0.5%	YES												
TRAVELODGE																					
F01	R1	RESIDENTIAL	BEDROOM	W1/F01	10.4	5.8	4.6	44.2%	NO	19.1	13.4	0.7	29.9%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC (WINDOW)					NSL					APSH (ROOM)						
					EX.	PR.	LOSS	LOSS	MEETS	EX.	PR.	LOSS	LOSS	MEETS	EX.		PR.		LOSS %		MEETS
					%	%	%	%	CRITERIA	%	%	SOM	%	CRITERIA	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	CRITERIA
	R2	RESIDENTIAL	BEDROOM	W2/F01	13.3	7.2	6.1	45.9%	NO	27.2	23	0.5	15.6%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM	W3/F01	16.1	8.6	7.5	46.6%	NO	42.3	36.6	0.7	13.4%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM	W4/F01	20.3	11.4	8.9	43.8%	NO	70.2	64.7	0.7	7.8%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM	W5/F01	27.5	18.6	8.9	32.4%	NO	90.7	80.7	1.2	11.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM	W6/F01	27.5	19.5	8	29.1%	NO	84.5	76.7	0.9	9.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM	W7/F01	25.9	18.6	7.3	28.2%	NO	90.4	82.3	1.0	8.9%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	BEDROOM	W8/F01	27.9	21.5	6.4	22.9%	NO	94.3	89.2	0.9	5.3%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM	W9/F01	28.1	22.4	5.7	20.3%	NO	91.2	86.8	0.8	4.8%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM	W10/F01	28.4	23.4	5	17.6%	YES	97	93.9	0.5	3.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM	W11/F01	18.3	9	9.3	50.8%	NO	63.5	50	1.6	21.3%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R12	RESIDENTIAL	BEDROOM	W12/F01	15.2	8.4	6.8	44.7%	NO	28.1	13.1	1.8	53.3%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R13	RESIDENTIAL	BEDROOM	W13/F01	12.8	7.8	5	39.1%	NO	21.9	12.4	1.1	43.2%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R14	RESIDENTIAL	BEDROOM	W14/F01	10.3	6.7	3.6	35.0%	NO	15.9	11.2	0.6	29.8%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R15	RESIDENTIAL	BEDROOM	W15/F01	14.2	8.5	5.7	40.1%	NO	78.8	64.1	1.8	18.6%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R16	RESIDENTIAL	BEDROOM	W16/F01	16.2	10.7	5.5	34.0%	NO	85.5	53.8	3.8	37.1%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R17	RESIDENTIAL	BEDROOM	W17/F01	16.1	9.8	6.3	39.1%	NO	83.3	66.5	2.0	20.1%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
TRAVELODGE (CONTINUED)																					
	R18	RESIDENTIAL	BEDROOM	W18/F01	14.3	7.3	7	49.0%	NO	74.4	57.9	2.0	22.2%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F02	R1	RESIDENTIAL	BEDROOM	W1/F02	12.4	8	4.4	35.5%	NO	22.1	18.4	0.4	16.8%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM	W2/F02	15.7	9.7	6	38.2%	NO	30.3	26.2	0.5	13.6%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM	W3/F02	18.5	11.1	7.4	40.0%	NO	44.6	39	0.7	12.6%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM	W4/F02	22.4	13.7	8.7	38.8%	NO	72.3	66.8	0.7	7.6%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM	W5/F02	28.1	19	9.1	32.4%	NO	90.8	81.5	1.1	10.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM	W6/F02	28.1	19.9	8.2	29.2%	NO	84.8	77.1	0.9	9.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM	W7/F02	26.5	19	7.5	28.3%	NO	90.7	82.9	0.9	8.6%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	BEDROOM	W8/F02	28.6	22	6.6	23.1%	NO	94.5	89.8	0.8	4.9%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM	W9/F02	28.8	22.9	5.9	20.5%	NO	91.5	87.1	0.8	4.7%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM	W10/F02	29.1	24	5.1	17.5%	YES	97	94.3	0.5	2.9%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM	W11/F02	20.7	11.2	9.5	45.9%	NO	66.3	53.5	1.6	19.3%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R12	RESIDENTIAL	BEDROOM	W12/F02	17.8	10.7	7.1	39.9%	NO	31.9	18.8	1.6	41.2%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R13	RESIDENTIAL	BEDROOM	W13/F02	15.3	9.8	5.5	35.9%	NO	25.1	17.3	0.9	31.2%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R14	RESIDENTIAL	BEDROOM	W14/F02	12.5	8.3	4.2	33.6%	NO	19.3	15.6	0.5	19.6%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R15	RESIDENTIAL	BEDROOM	W15/F02	15.5	9.3	6.2	40.0%	NO	80.2	64.5	1.9	19.6%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A

					VSC (WINDOW)					NSL					APSH (ROOM)						
FLOOR	ROOM	PROPERTY	ROOM	WINDOW	EX.	PR.	LOSS	LOSS	MEETS	EX.	PR.	LOSS	LOSS	MEETS	EX.		PR.		LOSS %		MEETS
		TYPE	USE	%	%	%	CRITERIA	%	%		SQM	%	CRITERIA	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER		
F03	R16	RESIDENTIAL	BEDROOM	W16/F02	17.9	11.9	6	33.5%	NO	86.9	54.7	3.9	37.0%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R17	RESIDENTIAL	BEDROOM	W17/F02	17.8	11.4	6.4	36.0%	NO	84.7	68.5	2.0	19.1%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R18	RESIDENTIAL	BEDROOM	W18/F02	15.5	8.6	6.9	44.5%	NO	75.3	60	1.9	20.4%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R1	RESIDENTIAL	BEDROOM	W1/F03	15.4	11.1	4.3	27.9%	NO	30.1	28.3	0.2	5.8%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM	W2/F03	19.1	13.3	5.8	30.4%	NO	37.7	33.8	0.5	10.6%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM	W3/F03	21.8	14.6	7.2	33.0%	NO	51.6	46	0.7	11.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM	W4/F03	25.3	16.7	8.6	34.0%	NO	77.6	72	0.7	7.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM	W5/F03	28.8	19.4	9.4	32.6%	NO	90.9	81.6	11	10.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM	W6/F03	28.8	20.3	8.5	29.5%	NO	84.9	77.9	0.9	8.3%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM	W7/F03	27.2	19.4	7.8	28.7%	NO	91.1	83.2	1.0	8.7%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	BEDROOM	W8/F03	29.3	22.5	6.8	23.2%	NO	94.7	90.2	0.8	4.8%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM	W9/F03	29.5	23.5	6	20.3%	NO	91.6	87.7	0.7	4.3%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM	W10/F03	29.8	24.6	5.2	17.4%	YES	97.1	94.6	0.5	2.6%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM	W11/F03	23.7	14.1	9.6	40.5%	NO	72.2	59.3	1.6	17.9%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R12	RESIDENTIAL	BEDROOM	W12/F03	21.2	13.6	7.6	35.8%	NO	39.3	28.6	1.3	27.1%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
TRAVELEDGE (CONTINUED)																					
	R13	RESIDENTIAL	BEDROOM	W13/F03	18.8	12.6	6.2	33.0%	NO	31.2	25.4	0.7	18.5%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R14	RESIDENTIAL	BEDROOM	W14/F03	15.7	10.5	5.2	33.1%	NO	26.3	23.3	0.4	11.5%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R15	RESIDENTIAL	BEDROOM	W15/F03	17.2	10.1	7.1	41.3%	NO	82.3	61.6	2.5	25.1%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R16	RESIDENTIAL	BEDROOM	W16/F03	20.4	13.3	7.1	34.8%	NO	91	55.5	4.3	39.0%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R17	RESIDENTIAL	BEDROOM	W17/F03	20.3	13.8	6.5	32.0%	NO	86.9	72.9	1.7	16.1%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R18	RESIDENTIAL	BEDROOM	W18/F03	17.1	10.4	6.7	39.2%	NO	75.6	60.5	1.8	20.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F04	R1	RESIDENTIAL	BEDROOM	W1/F04	19.4	15.4	4	20.6%	NO	50.9	49.2	0.2	3.4%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM	W2/F04	23.6	18.2	5.4	22.9%	NO	62.1	58.5	0.4	5.8%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM	W3/F04	26.1	19.2	6.9	26.4%	NO	70.6	65.9	0.6	6.7%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM	W4/F04	28.9	20.6	8.3	28.7%	NO	91.3	85.8	0.7	6.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM	W5/F04	29.5	19.8	9.7	32.9%	NO	90.9	82.5	1.0	9.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM	W6/F04	29.5	20.8	8.7	29.5%	NO	85.6	78.4	0.9	8.4%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM	W7/F04	27.8	19.9	7.9	28.4%	NO	91.4	83.5	1.0	8.7%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	BEDROOM	W8/F04	29.9	23	6.9	23.1%	NO	94.8	90.8	0.7	4.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM	W9/F04	30.2	24.1	6.1	20.2%	NO	91.8	88	0.7	4.1%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM	W10/F04	30.4	25.2	5.2	17.1%	YES	97.2	94.7	0.4	2.6%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM	W11/F04	26.5	16.9	9.6	36.2%	NO	86.9	75.2	1.4	13.4%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A


					VSC (WINDOW)					NSL					APSH (ROOM)						
FLOOR	ROOM	PROPERTY	ROOM	WINDOW	EX.	PR.	LOSS	LOSS	MEETS	EX.	PR.	LOSS	LOSS	MEETS	EX.		PR.		LOSS %		MEETS
		TYPE	USE		%	%	%	%	CRITERIA			SOM	%	CRITERIA	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	
	R12	RESIDENTIAL	BEDROOM	W12/F04	24.7	16.6	8.1	32.8%	NO	58.3	53.1	0.6	9.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R13	RESIDENTIAL	BEDROOM	W13/F04	22.9	15.8	7.1	31.0%	NO	48.6	44.3	0.5	8.9%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R14	RESIDENTIAL	BEDROOM	W14/F04	19.9	13.7	6.2	31.2%	NO	43.9	41.4	0.3	5.5%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R15	RESIDENTIAL	BEDROOM	W15/F04	19.5	11.2	8.3	42.6%	NO	85.4	62.7	2.8	26.6%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R16	RESIDENTIAL	BEDROOM	W16/F04	24	15	9	37.5%	NO	94.4	59.5	4.2	36.9%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R17	RESIDENTIAL	BEDROOM	W17/F04	23.9	16.8	7.1	29.7%	NO	92.3	78.7	1.7	14.8%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R18	RESIDENTIAL	BEDROOM	W18/F04	19.3	12.8	6.5	33.7%	NO	77.6	63.1	1.8	18.8%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F05	R1	RESIDENTIAL	BEDROOM	W1/F05	17.5	14.6	2.9	16.6%	YES	52.6	51.4	0.1	2.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM	W2/F05	25	21.2	3.8	15.2%	YES	67	65.5	0.2	2.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM	W3/F05	29	24	5	17.2%	YES	90.5	87.3	0.4	3.5%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM	W4/F05	31	24.7	6.3	20.3%	NO	94.4	89.9	0.5	4.7%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM	W5/F05	32.8	25	7.8	23.8%	NO	98.2	91.7	0.8	6.6%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM	W6/F05	30.2	20.3	9.9	32.8%	NO	91.4	82.8	1.0	9.4%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM	W7/F05	30.2	21.3	8.9	29.5%	NO	85.9	79.4	0.8	7.6%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
TRAVELODGE (CONTINUED)																					
	R8	RESIDENTIAL	BEDROOM	W8/F05	28.5	20.5	8	28.1%	NO	92.1	84.2	1.0	8.5%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM	W9/F05	30.6	23.6	7	22.9%	NO	94.9	91	0.7	4.1%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM	W10/F05	30.8	24.6	6.2	20.1%	NO	92.2	88.6	0.6	3.9%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM	W11/F05	31.1	25.7	5.4	17.4%	YES	97.2	94.7	0.4	2.6%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R12	RESIDENTIAL	BEDROOM	W12/F05	29.5	19.9	9.6	32.5%	NO	96.6	88.2	1.0	8.7%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R13	RESIDENTIAL	BEDROOM	W13/F05	28.4	20.2	8.2	28.9%	NO	86.3	81.7	0.6	5.3%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R14	RESIDENTIAL	BEDROOM	W14/F05	27	19.8	7.2	26.7%	NO	87.6	84.1	0.4	4.0%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R15	RESIDENTIAL	BEDROOM	W15/F05	24.2	17.6	6.6	27.3%	NO	70	67.8	0.3	3.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R16	RESIDENTIAL	BEDROOM	W16/F05	22	12.7	9.3	42.3%	NO	90.6	64.7	3.1	28.5%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R17	RESIDENTIAL	BEDROOM	W17/F05	28.7	17.5	11.2	39.0%	NO	96.2	63.8	3.9	33.7%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R18	RESIDENTIAL	BEDROOM	W18/F05	28.9	20.1	8.8	30.4%	NO	95.3	80.3	1.8	15.7%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R19	RESIDENTIAL	BEDROOM	W19/F05	22.3	16.3	6	26.9%	NO	84.9	71	1.7	16.3%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F06	R1	RESIDENTIAL	BEDROOM	W1/F06	23.8	21.3	2.5	10.5%	YES	88.2	87.6	0.1	0.6%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM	W2/F06	32.1	28.7	3.4	10.6%	YES	88.8	87.8	0.1	11%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM	W3/F06	31.2	24.1	7.1	22.8%	NO	94.9	91.1	0.7	4.1%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM	W4/F06	31.4	25.2	6.2	19.7%	YES	92.3	88.9	0.6	3.8%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM	W5/F06	31.7	26.3	5.4	17.0%	YES	97.2	94.7	0.4	2.6%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM	W6/F06	29.9	23.4	6.5	21.7%	NO	95.8	93.7	0.3	2.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A

					VSC (WINDOW)					NSL					APSH (ROOM)						
FLOOR	ROOM	PROPERTY	ROOM	WINDOW	EX.	PR.	LOSS	LOSS	MEETS	EX.	PR.	LOSS	LOSS	MEETS	EX.		PR.		LOSS %		MEETS
		TYPE	USE		%	%		%	CRITERIA	%	%	SOM	%	CRITERIA	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	
	R7	RESIDENTIAL	BEDROOM	W7/F06	24.7	15.5	9.2	37.2%	NO	92.5	68.2	2.9	26.2%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	BEDROOM	W8/F06	32.4	21.2	11.2	34.6%	NO	97.9	66.7	3.8	31.9%	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM	W9/F06	34.1	23.5	10.6	31.1%	NO	97.9	83	1.8	15.2%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM	W10/F06	27.7	21.9	5.8	20.9%	NO	95.1	76.5	2.3	19.5%	YES	N/A	N/A	N/A	N/A	N/A	N/A	N/A

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD1

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F01	R1	RESIDENTIAL	LKD	26.6	97.2	94.1	0.8	3.1
F01	R2	RESIDENTIAL	BEDROOM	7.8	98.2	97.6	0.1	0.7
F01	R3	RESIDENTIAL	LKD	26.3	90.4	72	4.8	20.4
F01	R4	RESIDENTIAL	BEDROOM	14.0	85	59.9	3.5	29.6
F01	R5	RESIDENTIAL	BEDROOM	13.1	53.9	29.8	3.2	44.8

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD2

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F01	R6	RESIDENTIAL	LKD	25.8	74.9	50.9	6.2	32.1
F01	R7	RESIDENTIAL	BEDROOM	7.4	85.2	85.1	0.0	0
F01	R8	RESIDENTIAL	LKD	24.5	60.4	60.1	0.1	0.5
F01	R9	RESIDENTIAL	BEDROOM	9.3	81.9	81.6	0.0	0.4
F01	R10	RESIDENTIAL	LKD	24.1	79.6	79.1	0.1	0.7

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD3

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F01	R11	RESIDENTIAL	BEDROOM	9.6	59.4	59.4	0.0	0
F01	R12	RESIDENTIAL	LKD	23.8	54.4	54.4	0.0	0
F01	R13	RESIDENTIAL	BEDROOM	12.9	95.5	91.2	0.5	4.4
F01	R14	RESIDENTIAL	LKD	27.0	99.2	98.8	0.1	0.5

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-REL02-IS01-DD4

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F02	R1	RESIDENTIAL	LKD	30.8	93.1	88.5	1.4	4.9
F02	R2	RESIDENTIAL	BEDROOM	10.3	97.5	96.3	0.1	1.2
F02	R3	RESIDENTIAL	BEDROOM	11.8	99.9	99.9	0.0	0
F02	R4	RESIDENTIAL	BEDROOM	8.9	95.9	88.4	0.7	7.8
F02	R5	RESIDENTIAL	BEDROOM	12.0	69.4	60.9	1.0	12.2
F02	R6	RESIDENTIAL	BEDROOM	11.8	76.4	60.6	1.9	20.7

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD5

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F02	R7	RESIDENTIAL	BEDROOM	11.8	57.1	44.5	1.5	22.2
F02	R8	RESIDENTIAL	BEDROOM	11.8	69.9	56.7	1.6	19
F02	R9	RESIDENTIAL	BEDROOM	12.7	50.8	50.7	0.0	0.2
F02	R10	RESIDENTIAL	BEDROOM	11.7	80.1	79.9	0.0	0.3
F02	R11	RESIDENTIAL	BEDROOM	11.8	76.1	75.8	0.0	0.4
F02	R12	RESIDENTIAL	BEDROOM	11.7	73.1	72.7	0.1	0.7

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD6

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F02	R13	RESIDENTIAL	BEDROOM	11.8	56.3	56.1	0.0	0.3
F02	R14	RESIDENTIAL	BEDROOM	11.8	48.7	48.7	0.0	0
F02	R15	RESIDENTIAL	BEDROOM	11.5	93.8	87	0.8	7.2
F02	R16	RESIDENTIAL	BEDROOM	11.9	99.4	92.8	0.8	6.6
F02	R17	RESIDENTIAL	BEDROOM	15.6	98.5	87.8	1.7	10.8
F02	R18	RESIDENTIAL	BEDROOM	12.7	99.1	97.4	0.2	1.7

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD7

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F03	R1	RESIDENTIAL	LKD	30.7	93.6	89.1	1.4	4.8
F03	R2	RESIDENTIAL	BEDROOM	10.8	97.6	97	0.1	0.7
F03	R3	RESIDENTIAL	LKD	18.7	99.9	99.9	0.0	0
F03	R4	RESIDENTIAL	BEDROOM	8.5	95.3	90.3	0.4	5.3
F03	R5	RESIDENTIAL	LKD	24.3	95.2	85.5	2.4	10.2
F03	R6	RESIDENTIAL	BEDROOM	10.6	97.6	93.6	0.4	4

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD8

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F03	R7	RESIDENTIAL	BEDROOM	8.9	60.6	60.5	0.0	0.2
F03	R8	RESIDENTIAL	LKD	22.4	66.8	66.8	0.0	0
F03	R9	RESIDENTIAL	BEDROOM	10.2	96.1	95.2	0.1	0.9
F03	R10	RESIDENTIAL	LKD	27.5	81.3	80.6	0.2	0.9
F03	R11	RESIDENTIAL	BEDROOM	11.3	64.5	64.3	0.0	0.3
F03	R12	RESIDENTIAL	BEDROOM	12.8	58.1	58	0.0	0.2

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD9

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F03	R13	RESIDENTIAL	LKD	34.1	90.2	85.1	1.7	5.7
F03	R14	RESIDENTIAL	BEDROOM	12.2	96.8	95.6	0.1	1.2
F03	R15	RESIDENTIAL	BEDROOM	15.8	98.4	87.9	1.7	10.7
F03	R16	RESIDENTIAL	BEDROOM	12.7	99	97.5	0.2	1.5

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD10

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F04	R1	RESIDENTIAL	LKD	30.7	94	89.9	1.3	4.3
F04	R2	RESIDENTIAL	BEDROOM	10.8	97.7	97.3	0.0	0.4
F04	R3	RESIDENTIAL	LKD	18.7	99.9	99.9	0.0	0
F04	R4	RESIDENTIAL	BEDROOM	8.5	96.1	90.6	0.5	5.7
F04	R5	RESIDENTIAL	LKD	24.3	95.4	86.5	2.2	9.3
F04	R6	RESIDENTIAL	BEDROOM	10.6	97.6	94.5	0.3	3.2

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD11

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F04	R7	RESIDENTIAL	BEDROOM	8.9	61.1	61.1	0.0	0
F04	R8	RESIDENTIAL	LKD	22.4	70	70	0.0	0
F04	R9	RESIDENTIAL	BEDROOM	10.2	96.7	95.8	0.1	0.9
F04	R10	RESIDENTIAL	LKD	27.5	84.2	83.5	0.2	0.8
F04	R11	RESIDENTIAL	BEDROOM	11.3	67.6	67.4	0.0	0.3
F04	R12	RESIDENTIAL	BEDROOM	12.8	61	60.9	0.0	0.2

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD12

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F04	R13	RESIDENTIAL	LKD	34.1	90.5	85.4	1.7	5.7
F04	R14	RESIDENTIAL	BEDROOM	12.2	96.8	95.6	0.1	1.2
F04	R15	RESIDENTIAL	BEDROOM	15.7	98.5	89.6	1.4	9.1
F04	R16	RESIDENTIAL	BEDROOM	12.7	99	97.6	0.2	1.4

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD13

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F05	R1	RESIDENTIAL	LKD	30.7	94.4	90.7	1.1	3.9
F05	R2	RESIDENTIAL	BEDROOM	10.8	97.7	97.4	0.0	0.3
F05	R3	RESIDENTIAL	LKD	18.7	99.9	99.9	0.0	0
F05	R4	RESIDENTIAL	BEDROOM	8.5	96.9	93	0.3	4
F05	R5	RESIDENTIAL	LKD	24.3	95.7	87	2.1	9
F05	R6	RESIDENTIAL	BEDROOM	10.6	97.6	94.6	0.3	3.1

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD14

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F05	R7	RESIDENTIAL	BEDROOM	8.9	61.7	61.7	0.0	0
F05	R8	RESIDENTIAL	LKD	22.4	74.4	74.4	0.0	0
F05	R9	RESIDENTIAL	BEDROOM	10.2	97.5	96.6	0.1	0.9
F05	R10	RESIDENTIAL	LKD	27.5	88	87.3	0.2	0.8
F05	R11	RESIDENTIAL	BEDROOM	11.3	71.3	71.2	0.0	0.2
F05	R12	RESIDENTIAL	BEDROOM	12.8	64.5	64.4	0.0	0.2

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD15

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F05	R13	RESIDENTIAL	LKD	34.1	91.3	86.7	1.5	5
F05	R14	RESIDENTIAL	BEDROOM	12.2	96.8	95.6	0.1	1.2
F05	R15	RESIDENTIAL	BEDROOM	15.7	98.6	90.2	1.3	8.5
F05	R16	RESIDENTIAL	BEDROOM	12.7	99	97.6	0.2	1.4

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD16

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F06	R1	RESIDENTIAL	LKD	30.7	94.6	91.5	0.9	3.2
F06	R2	RESIDENTIAL	BEDROOM	10.8	97.8	97.4	0.0	0.3
F06	R3	RESIDENTIAL	LKD	18.7	99.9	99.9	0.0	0
F06	R4	RESIDENTIAL	BEDROOM	8.5	97.4	93.4	0.3	4
F06	R5	RESIDENTIAL	LKD	24.3	96.3	87.8	2.0	8.7
F06	R6	RESIDENTIAL	BEDROOM	10.6	97.6	94.7	0.3	2.9

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD17

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F06	R7	RESIDENTIAL	BEDROOM	8.9	62.3	62.3	0.0	0
F06	R8	RESIDENTIAL	LKD	22.4	81	81	0.0	0
F06	R9	RESIDENTIAL	BEDROOM	10.2	97.5	96.7	0.1	0.8
F06	R10	RESIDENTIAL	LKD	27.5	93	92.3	0.2	0.8
F06	R11	RESIDENTIAL	BEDROOM	11.3	74.8	74.7	0.0	0.1
F06	R12	RESIDENTIAL	BEDROOM	12.8	68.1	68	0.0	0.1

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD18

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F06	R13	RESIDENTIAL	LKD	34.1	93.3	88.9	1.5	4.7
F06	R14	RESIDENTIAL	BEDROOM	12.2	97	95.8	0.1	1.2
F06	R15	RESIDENTIAL	BEDROOM	15.7	98.6	90.5	1.3	8.2
F06	R16	RESIDENTIAL	BEDROOM	12.7	99	97.6	0.2	1.5

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD19

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F07

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F07	R1	RESIDENTIAL	LKD	30.7	94.7	92.3	0.7	2.5
F07	R2	RESIDENTIAL	BEDROOM	10.8	97.8	97.2	0.1	0.6
F07	R3	RESIDENTIAL	LKD	18.7	99.9	99.9	0.0	0
F07	R4	RESIDENTIAL	BEDROOM	8.5	97.7	91.3	0.5	6.5
F07	R5	RESIDENTIAL	LKD	24.3	97.2	87.7	2.3	9.8
F07	R6	RESIDENTIAL	BEDROOM	10.6	97.6	94.6	0.3	3

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD20

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F07

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F07	R7	RESIDENTIAL	BEDROOM	8.9	63.2	63.2	0.0	0
F07	R8	RESIDENTIAL	LKD	22.4	86.2	86.2	0.0	0
F07	R9	RESIDENTIAL	BEDROOM	10.2	97.5	96.7	0.1	0.8
F07	R10	RESIDENTIAL	LKD	27.5	95.8	95.1	0.2	0.7
F07	R11	RESIDENTIAL	BEDROOM	11.3	79.5	79.5	0.0	0.1
F07	R12	RESIDENTIAL	BEDROOM	12.8	73.4	73.3	0.0	0.1

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD21

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F07

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F07	R13	RESIDENTIAL	LKD	34.1	95.8	91.5	1.5	4.5
F07	R14	RESIDENTIAL	BEDROOM	12.2	97	95.8	0.1	1.2
F07	R15	RESIDENTIAL	BEDROOM	15.7	98.6	90.5	1.3	8.2
F07	R16	RESIDENTIAL	BEDROOM	12.7	99	97.6	0.2	1.4

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-REL02-IS01-DD22

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F08

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F08	R1	RESIDENTIAL	LKD	30.7	94.7	92.7	0.6	2.1
F08	R2	RESIDENTIAL	BEDROOM	10.8	97.7	97.3	0.1	0.5
F08	R3	RESIDENTIAL	LKD	18.7	99.9	99.9	0.0	0
F08	R4	RESIDENTIAL	BEDROOM	8.5	97.7	92.2	0.5	5.7
F08	R5	RESIDENTIAL	LKD	24.3	98.5	88.5	2.5	10.2
F08	R6	RESIDENTIAL	BEDROOM	10.6	97.6	95.3	0.2	2.3

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD23

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F08

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F08	R7	RESIDENTIAL	BEDROOM	8.9	65	65	0.0	0
F08	R8	RESIDENTIAL	LKD	22.4	89.5	89.5	0.0	0
F08	R9	RESIDENTIAL	BEDROOM	10.2	97.5	96.8	0.1	0.7
F08	R10	RESIDENTIAL	LKD	27.5	97	96.3	0.2	0.7
F08	R11	RESIDENTIAL	BEDROOM	11.3	87.9	87.8	0.0	0
F08	R12	RESIDENTIAL	BEDROOM	12.8	81.4	81.3	0.0	0.1

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD24

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F08

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F08	R13	RESIDENTIAL	LKD	34.1	97.1	92.9	1.5	4.4
F08	R14	RESIDENTIAL	BEDROOM	12.2	97.5	96.4	0.1	1.2
F08	R15	RESIDENTIAL	BEDROOM	15.7	98.6	90.4	1.3	8.2
F08	R16	RESIDENTIAL	BEDROOM	12.7	99	97.4	0.2	1.7

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-REL02-IS01-DD25

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F09

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F09	R1	RESIDENTIAL	LKD	30.7	94.7	93.4	0.4	1.4
F09	R2	RESIDENTIAL	BEDROOM	10.8	97.8	97.7	0.0	0.1
F09	R3	RESIDENTIAL	LKD	18.7	99.9	99.9	0.0	0
F09	R4	RESIDENTIAL	BEDROOM	8.5	97.7	91.4	0.5	6.5
F09	R5	RESIDENTIAL	LKD	24.3	98.8	87.6	2.7	11.3
F09	R6	RESIDENTIAL	BEDROOM	10.6	97.6	95.4	0.2	2.2

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD26

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F09

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F09	R7	RESIDENTIAL	BEDROOM	8.9	69	69	0.0	0
F09	R8	RESIDENTIAL	LKD	22.4	94.1	94.1	0.0	0
F09	R9	RESIDENTIAL	BEDROOM	10.2	97.5	96.9	0.1	0.6
F09	R10	RESIDENTIAL	LKD	27.5	98.3	97.7	0.2	0.6
F09	R11	RESIDENTIAL	BEDROOM	11.3	96.7	96.7	0.0	0
F09	R12	RESIDENTIAL	BEDROOM	12.8	90.1	90.1	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD27

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F09

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F09	R13	RESIDENTIAL	LKD	34.1	98.3	94.1	1.5	4.3
F09	R14	RESIDENTIAL	BEDROOM	12.2	97.6	96.8	0.1	0.8
F09	R15	RESIDENTIAL	BEDROOM	15.7	98.6	90.2	1.3	8.5
F09	R16	RESIDENTIAL	BEDROOM	12.7	99	97.4	0.2	1.7

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-REL02-IS01-DD28

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F10

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F10	R1	RESIDENTIAL	LKD	30.7	94.8	93.6	0.4	1.2
F10	R2	RESIDENTIAL	BEDROOM	10.8	97.7	97.7	0.0	0
F10	R3	RESIDENTIAL	LKD	18.7	99.9	99.9	0.0	0
F10	R4	RESIDENTIAL	BEDROOM	8.5	97.8	93.6	0.4	4.2
F10	R5	RESIDENTIAL	LKD	24.3	98.8	86.9	2.9	12.1
F10	R6	RESIDENTIAL	BEDROOM	10.6	97.6	95.2	0.3	2.5

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD29

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F10

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F10	R7	RESIDENTIAL	BEDROOM	8.9	78.6	78.6	0.0	0
F10	R8	RESIDENTIAL	LKD	22.4	98.3	98.3	0.0	0
F10	R9	RESIDENTIAL	BEDROOM	10.2	97.5	97	0.0	0.4
F10	R10	RESIDENTIAL	LKD	27.5	99.6	99	0.1	0.5
F10	R11	RESIDENTIAL	BEDROOM	11.3	96.8	96.8	0.0	0
F10	R12	RESIDENTIAL	BEDROOM	12.8	93.9	93.9	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD30

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F10

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F10	R13	RESIDENTIAL	LKD	34.1	99.3	95.1	1.4	4.2
F10	R14	RESIDENTIAL	BEDROOM	12.2	98.9	97.8	0.1	1.2
F10	R15	RESIDENTIAL	BEDROOM	15.7	98.6	86.1	2.0	12.7
F10	R16	RESIDENTIAL	BEDROOM	12.7	99	97.1	0.2	1.9

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD31

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F11

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F11	R1	RESIDENTIAL	LKD	30.7	94.8	94.3	0.1	0.5
F11	R2	RESIDENTIAL	BEDROOM	10.8	97.8	97.8	0.0	0
F11	R3	RESIDENTIAL	LKD	18.7	99.9	99.9	0.0	0
F11	R4	RESIDENTIAL	BEDROOM	8.5	97.8	96.4	0.1	1.5
F11	R5	RESIDENTIAL	LKD	24.3	98.9	89	2.4	10
F11	R6	RESIDENTIAL	BEDROOM	10.6	97.6	95.7	0.2	2

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD32

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F11

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F11	R7	RESIDENTIAL	BEDROOM	8.9	97.5	97.5	0.0	0
F11	R8	RESIDENTIAL	LKD	22.4	100	100	0.0	0
F11	R9	RESIDENTIAL	BEDROOM	10.2	97.5	97.2	0.0	0.2
F11	R10	RESIDENTIAL	LKD	27.5	99.6	99.2	0.1	0.4
F11	R11	RESIDENTIAL	BEDROOM	11.3	96.8	96.8	0.0	0
F11	R12	RESIDENTIAL	BEDROOM	12.8	94	94	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD33

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



F11

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F11	R13	RESIDENTIAL	LKD	34.1	99.5	95.3	1.4	4.2
F11	R14	RESIDENTIAL	BEDROOM	12.2	99	97.8	0.1	1.2
F11	R15	RESIDENTIAL	BEDROOM	15.7	98.6	81.8	2.6	17.1
F11	R16	RESIDENTIAL	BEDROOM	12.7	99	97.1	0.2	2




NSL CONTOURS



PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD34

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS								
F12	R1	RESIDENTIAL	LKD	20.7	99.7	99.7	0.0	0
F12	R2	RESIDENTIAL	LKD	20.4	100	100	0.0	0
F13	R1	RESIDENTIAL	BEDROOM	18.8	99.3	88.5	2.0	10.9
F13	R2	RESIDENTIAL	LKD	54.7	100	100	0.0	0
F14	R1	RESIDENTIAL	BEDROOM	18.8	99.2	90.1	1.7	9.1
F14	R2	RESIDENTIAL	LKD	54.7	100	100	0.0	0
F15	R1	RESIDENTIAL	BEDROOM	18.8	99.2	95.1	0.8	4.2
F15	R2	RESIDENTIAL	LKD	54.7	100	100	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD35

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F01	R1	RESIDENTIAL	BEDROOM	10.0	98.8	98.5	0.0	0.4
F01	R2	RESIDENTIAL	BEDROOM	9.8	98.1	98.1	0.0	0
F01	R3	RESIDENTIAL	LKD	26.0	98.9	98.9	0.0	0
F01	R4	RESIDENTIAL	BEDROOM	8.1	98.7	96.6	0.2	2.2
F01	R5	RESIDENTIAL	BEDROOM	13.3	96.2	85.3	1.4	11.3
F01	R6	RESIDENTIAL	BEDROOM	13.3	97.8	97.7	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD36

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F01	R7	RESIDENTIAL	BEDROOM	8.4	98.4	98.4	0.0	0
F01	R8	RESIDENTIAL	LKD	23.7	100	99.9	0.0	0.1
F01	R9	RESIDENTIAL	BEDROOM	10.9	73.2	52.6	2.2	28.2
F01	R10	RESIDENTIAL	BEDROOM	10.5	71.1	47.2	2.5	33.7
F01	R11	RESIDENTIAL	BEDROOM	12.8	92.1	83.7	1.1	9.1

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD37

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F02	R1	RESIDENTIAL	BEDROOM	10.0	99	98.6	0.0	0.4
F02	R2	RESIDENTIAL	BEDROOM	9.8	98	98	0.0	0
F02	R3	RESIDENTIAL	LKD	26.0	98.8	98.8	0.0	0
F02	R4	RESIDENTIAL	BEDROOM	8.1	98.8	97.1	0.1	1.7
F02	R5	RESIDENTIAL	BEDROOM	13.3	96.9	86.2	1.4	11
F02	R6	RESIDENTIAL	BEDROOM	13.3	97.8	97.7	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD38

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F02	R7	RESIDENTIAL	BEDROOM	8.4	98.4	98.4	0.0	0
F02	R8	RESIDENTIAL	LKD	23.7	100	100	0.0	0
F02	R9	RESIDENTIAL	BEDROOM	10.9	73.9	53.8	2.2	27.2
F02	R10	RESIDENTIAL	BEDROOM	10.5	71.8	48.4	2.5	32.6
F02	R11	RESIDENTIAL	BEDROOM	12.8	92.6	84.9	1.0	8.3

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD39

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F03	R1	RESIDENTIAL	BEDROOM	10.0	99.1	98.7	0.0	0.4
F03	R2	RESIDENTIAL	BEDROOM	9.8	98	98	0.0	0
F03	R3	RESIDENTIAL	LKD	26.0	98.8	98.8	0.0	0
F03	R4	RESIDENTIAL	BEDROOM	8.1	98.8	97.4	0.1	1.5
F03	R5	RESIDENTIAL	BEDROOM	13.3	97.3	87	1.4	10.6
F03	R6	RESIDENTIAL	BEDROOM	13.3	97.8	97.8	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD40

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F03	R7	RESIDENTIAL	BEDROOM	8.4	98.4	98.4	0.0	0
F03	R8	RESIDENTIAL	LKD	23.7	100	100	0.0	0
F03	R9	RESIDENTIAL	BEDROOM	10.9	75.1	55.7	2.1	25.7
F03	R10	RESIDENTIAL	BEDROOM	10.5	72.7	50.2	2.4	31
F03	R11	RESIDENTIAL	BEDROOM	12.8	93.1	85.6	1.0	8.1

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD41

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F04	R1	RESIDENTIAL	BEDROOM	10.0	99.1	99.1	0.0	0
F04	R2	RESIDENTIAL	BEDROOM	9.8	98	98	0.0	0
F04	R3	RESIDENTIAL	LKD	26.0	98.8	98.8	0.0	0
F04	R4	RESIDENTIAL	BEDROOM	8.1	98.8	97.5	0.1	1.3
F04	R5	RESIDENTIAL	BEDROOM	13.3	97.6	86.8	1.4	11
F04	R6	RESIDENTIAL	BEDROOM	13.3	97.8	97.8	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD42

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F04	R7	RESIDENTIAL	BEDROOM	8.4	98.4	98.4	0.0	0
F04	R8	RESIDENTIAL	LKD	23.7	100	100	0.0	0
F04	R9	RESIDENTIAL	BEDROOM	10.9	76.4	58	2.0	24.1
F04	R10	RESIDENTIAL	BEDROOM	10.5	74.2	53.7	2.2	27.6
F04	R11	RESIDENTIAL	BEDROOM	12.8	94.4	87.1	0.9	7.7

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD43

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F05	R1	RESIDENTIAL	BEDROOM	10.0	99.1	99.1	0.0	0
F05	R2	RESIDENTIAL	BEDROOM	9.8	98	98	0.0	0
F05	R3	RESIDENTIAL	LKD	26.0	98.8	98.8	0.0	0
F05	R4	RESIDENTIAL	BEDROOM	8.1	98.8	97.7	0.1	1.2
F05	R5	RESIDENTIAL	BEDROOM	13.3	97.7	87.6	1.3	10.3
F05	R6	RESIDENTIAL	BEDROOM	13.3	97.8	97.8	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD44

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F05	R7	RESIDENTIAL	BEDROOM	8.4	98.4	98.4	0.0	0
F05	R8	RESIDENTIAL	LKD	23.7	100	100	0.0	0
F05	R9	RESIDENTIAL	BEDROOM	10.9	79.2	61.9	1.9	21.7
F05	R10	RESIDENTIAL	BEDROOM	10.5	76.8	56.8	2.1	26.1
F05	R11	RESIDENTIAL	BEDROOM	12.8	95.3	88.4	0.9	7.3

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD45

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F06	R1	RESIDENTIAL	BEDROOM	10.0	99.1	99.1	0.0	0
F06	R2	RESIDENTIAL	BEDROOM	9.8	98	98	0.0	0
F06	R3	RESIDENTIAL	LKD	26.0	98.8	98.8	0.0	0
F06	R4	RESIDENTIAL	BEDROOM	8.1	98.8	97.7	0.1	1.2
F06	R5	RESIDENTIAL	BEDROOM	13.3	97.7	88	1.3	9.9
F06	R6	RESIDENTIAL	BEDROOM	13.3	97.8	97.8	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD46

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F06	R7	RESIDENTIAL	BEDROOM	8.4	98.4	98.4	0.0	0
F06	R8	RESIDENTIAL	LKD	23.7	100	100	0.0	0
F06	R9	RESIDENTIAL	BEDROOM	10.9	83.6	65.1	2.0	22.1
F06	R10	RESIDENTIAL	BEDROOM	10.5	80.9	61.2	2.1	24.4
F06	R11	RESIDENTIAL	BEDROOM	12.8	95.8	85.9	1.3	10.3

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD47

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F07

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F07	R1	RESIDENTIAL	BEDROOM	10.0	99.1	99.1	0.0	0
F07	R2	RESIDENTIAL	BEDROOM	9.8	98	98	0.0	0
F07	R3	RESIDENTIAL	LKD	26.0	98.8	98.8	0.0	0
F07	R4	RESIDENTIAL	BEDROOM	8.1	98.8	97.8	0.1	1.1
F07	R5	RESIDENTIAL	BEDROOM	13.3	97.7	88.6	1.2	9.3
F07	R6	RESIDENTIAL	BEDROOM	13.3	97.8	97.8	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD48

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F07

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F07	R7	RESIDENTIAL	BEDROOM	8.4	98.4	98.4	0.0	0
F07	R8	RESIDENTIAL	LKD	23.7	100	100	0.0	0
F07	R9	RESIDENTIAL	BEDROOM	10.9	90.4	74.4	1.7	17.8
F07	R10	RESIDENTIAL	BEDROOM	10.5	88	70.4	1.8	19.9
F07	R11	RESIDENTIAL	BEDROOM	12.8	96.1	85.8	1.3	10.6

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD49

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



F08

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F08	R1	RESIDENTIAL	BEDROOM	10.0	99.1	99.1	0.0	0
F08	R2	RESIDENTIAL	BEDROOM	9.8	98	98	0.0	0
F08	R3	RESIDENTIAL	LKD	26.0	98.8	98.8	0.0	0
F08	R4	RESIDENTIAL	BEDROOM	8.1	98.8	97.8	0.1	1.1
F08	R5	RESIDENTIAL	BEDROOM	13.3	97.7	89.2	1.1	8.7
F08	R6	RESIDENTIAL	BEDROOM	13.3	97.8	97.8	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD50

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F08

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F08	R7	RESIDENTIAL	BEDROOM	8.4	98.4	98.4	0.0	0
F08	R8	RESIDENTIAL	LKD	23.7	100	100	0.0	0
F08	R9	RESIDENTIAL	BEDROOM	10.9	92.7	80.8	1.3	12.8
F08	R10	RESIDENTIAL	BEDROOM	10.5	90.6	77.1	1.4	15
F08	R11	RESIDENTIAL	BEDROOM	12.8	96.4	86.3	1.3	10.4

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD51

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



F09

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F09	R1	RESIDENTIAL	BEDROOM	10.0	99.1	99.1	0.0	0
F09	R2	RESIDENTIAL	BEDROOM	9.8	98	98	0.0	0
F09	R3	RESIDENTIAL	LKD	26.0	98.8	98.8	0.0	0
F09	R4	RESIDENTIAL	BEDROOM	8.1	98.8	97.8	0.1	1
F09	R5	RESIDENTIAL	BEDROOM	13.3	97.7	89.4	1.1	8.5
F09	R6	RESIDENTIAL	BEDROOM	13.3	97.8	97.8	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-REL02-IS01-DD52

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F09

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F09	R7	RESIDENTIAL	BEDROOM	8.4	98.4	98.4	0.0	0
F09	R8	RESIDENTIAL	LKD	23.7	100	100	0.0	0
F09	R9	RESIDENTIAL	BEDROOM	10.9	93	84	1.0	9.6
F09	R10	RESIDENTIAL	BEDROOM	10.5	90.9	80.5	1.1	11.4
F09	R11	RESIDENTIAL	BEDROOM	12.8	96.5	88.2	1.1	8.5

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD53

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



F10

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F10	R1	RESIDENTIAL	BEDROOM	10.0	99.1	99.1	0.0	0
F10	R2	RESIDENTIAL	BEDROOM	9.8	98	98	0.0	0
F10	R3	RESIDENTIAL	LKD	26.0	98.8	98.8	0.0	0
F10	R4	RESIDENTIAL	BEDROOM	8.1	98.8	97.8	0.1	1
F10	R5	RESIDENTIAL	BEDROOM	13.3	97.7	89.6	1.1	8.3
F10	R6	RESIDENTIAL	BEDROOM	13.3	97.8	97.8	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD54

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F10

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F10	R7	RESIDENTIAL	BEDROOM	8.4	98.4	98.4	0.0	0
F10	R8	RESIDENTIAL	LKD	23.7	100	100	0.0	0
F10	R9	RESIDENTIAL	BEDROOM	10.9	93	87.5	0.6	5.9
F10	R10	RESIDENTIAL	BEDROOM	10.5	90.9	84.1	0.7	7.5
F10	R11	RESIDENTIAL	BEDROOM	12.8	96.5	91	0.7	5.7

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD55

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F11

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F11	R1	RESIDENTIAL	BEDROOM	10.0	99.2	99.2	0.0	0
F11	R2	RESIDENTIAL	BEDROOM	9.8	98	98	0.0	0
F11	R3	RESIDENTIAL	LKD	26.0	98.8	98.8	0.0	0
F11	R4	RESIDENTIAL	BEDROOM	8.1	98.8	97.8	0.1	1
F11	R5	RESIDENTIAL	BEDROOM	13.3	97.7	89.8	1.1	8.1
F11	R6	RESIDENTIAL	BEDROOM	13.3	97.8	97.8	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD56

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F11

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F11	R7	RESIDENTIAL	BEDROOM	8.4	98.4	98.4	0.0	0
F11	R8	RESIDENTIAL	LKD	23.7	100	100	0.0	0
F11	R9	RESIDENTIAL	BEDROOM	10.9	93	88.1	0.5	5.4
F11	R10	RESIDENTIAL	BEDROOM	10.5	91	84.5	0.7	7.1
F11	R11	RESIDENTIAL	BEDROOM	12.8	96.6	92.9	0.5	3.9

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD57

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F12

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F12	R1	RESIDENTIAL	BEDROOM	10.0	99.2	99.2	0.0	0
F12	R2	RESIDENTIAL	BEDROOM	9.8	98	98	0.0	0
F12	R3	RESIDENTIAL	LKD	26.0	98.8	98.8	0.0	0
F12	R4	RESIDENTIAL	BEDROOM	8.1	98.8	97.3	0.1	1.5
F12	R5	RESIDENTIAL	BEDROOM	13.3	97.7	88	1.3	9.9
F12	R6	RESIDENTIAL	BEDROOM	13.3	97.8	97.8	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD58

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F12

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F12	R7	RESIDENTIAL	BEDROOM	8.4	98.4	98.4	0.0	0
F12	R8	RESIDENTIAL	LKD	23.7	100	100	0.0	0
F12	R9	RESIDENTIAL	BEDROOM	10.9	93.1	88.2	0.5	5.2
F12	R10	RESIDENTIAL	BEDROOM	10.5	91.1	84.7	0.7	7
F12	R11	RESIDENTIAL	BEDROOM	12.8	96.7	93.2	0.4	3.6

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD59

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



F13

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F13	R1	RESIDENTIAL	BEDROOM	10.0	99.2	99.2	0.0	0
F13	R2	RESIDENTIAL	BEDROOM	9.8	98	98	0.0	0
F13	R3	RESIDENTIAL	LKD	26.0	98.8	98.8	0.0	0
F13	R4	RESIDENTIAL	BEDROOM	8.1	98.8	98.2	0.1	0.7
F13	R5	RESIDENTIAL	BEDROOM	13.3	97.7	88.9	1.2	9.1
F13	R6	RESIDENTIAL	BEDROOM	13.3	97.8	97.8	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD60

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F13

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F13	R7	RESIDENTIAL	BEDROOM	8.4	98.4	98.4	0.0	0
F13	R8	RESIDENTIAL	LKD	23.7	100	100	0.0	0
F13	R9	RESIDENTIAL	BEDROOM	10.9	93.1	88.3	0.5	5.1
F13	R10	RESIDENTIAL	BEDROOM	10.5	91.2	85	0.7	6.8
F13	R11	RESIDENTIAL	BEDROOM	12.8	97.8	97.8	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD61

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



F14

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F14	R1	RESIDENTIAL	BEDROOM	10.0	99.2	99.2	0.0	0
F14	R2	RESIDENTIAL	BEDROOM	9.8	98	98	0.0	0
F14	R3	RESIDENTIAL	LKD	26.0	98.8	98.8	0.0	0
F14	R4	RESIDENTIAL	BEDROOM	8.1	98.8	98.7	0.0	0.2
F14	R5	RESIDENTIAL	BEDROOM	13.3	97.7	89.7	1.1	8.2
F14	R6	RESIDENTIAL	BEDROOM	13.3	97.8	97.8	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD62

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F14

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F14	R7	RESIDENTIAL	BEDROOM	8.4	98.4	98.4	0.0	0
F14	R8	RESIDENTIAL	LKD	23.7	100	100	0.0	0
F14	R9	RESIDENTIAL	BEDROOM	10.9	93.1	88.7	0.5	4.7
F14	R10	RESIDENTIAL	BEDROOM	10.5	91.2	85.6	0.6	6.1
F14	R11	RESIDENTIAL	BEDROOM	12.8	99.2	99.2	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD63

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F15

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F15	R1	RESIDENTIAL	BEDROOM	10.0	99.2	99.2	0.0	0
F15	R2	RESIDENTIAL	BEDROOM	9.8	98	98	0.0	0
F15	R3	RESIDENTIAL	LKD	26.0	98.8	98.8	0.0	0
F15	R4	RESIDENTIAL	BEDROOM	8.1	98.8	98.7	0.0	0.1
F15	R5	RESIDENTIAL	BEDROOM	13.3	97.7	91.2	0.9	6.7
F15	R6	RESIDENTIAL	BEDROOM	13.3	97.8	97.8	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD64

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F15

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F15	R7	RESIDENTIAL	BEDROOM	8.4	98.4	98.4	0.0	0
F15	R8	RESIDENTIAL	LKD	23.7	100	100	0.0	0
F15	R9	RESIDENTIAL	BEDROOM	10.9	93.1	89.9	0.3	3.3
F15	R10	RESIDENTIAL	BEDROOM	10.5	91.2	87.2	0.4	4.4
F15	R11	RESIDENTIAL	BEDROOM	12.8	99.2	99.2	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD65

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F16

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F16	R1	RESIDENTIAL	BEDROOM	10.0	99.2	99.2	0.0	0
F16	R2	RESIDENTIAL	BEDROOM	9.8	98	98	0.0	0
F16	R3	RESIDENTIAL	LKD	26.0	98.8	98.8	0.0	0
F16	R4	RESIDENTIAL	BEDROOM	8.1	98.8	98.8	0.0	0
F16	R5	RESIDENTIAL	BEDROOM	13.3	97.7	93.4	0.6	4.4
F16	R6	RESIDENTIAL	BEDROOM	13.3	97.8	97.8	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD66

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F16

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F16	R7	RESIDENTIAL	BEDROOM	8.4	98.4	98.4	0.0	0
F16	R8	RESIDENTIAL	LKD	23.7	100	100	0.0	0
F16	R9	RESIDENTIAL	BEDROOM	10.9	93.1	92	0.1	1.1
F16	R10	RESIDENTIAL	BEDROOM	10.5	91.2	89.4	0.2	2
F16	R11	RESIDENTIAL	BEDROOM	12.8	99.2	99.2	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD67

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



F17

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F17	R1	RESIDENTIAL	BEDROOM	10.0	99.2	99.2	0.0	0
F17	R2	RESIDENTIAL	BEDROOM	9.8	98	98	0.0	0
F17	R3	RESIDENTIAL	LKD	26.0	98.8	98.8	0.0	0
F17	R4	RESIDENTIAL	BEDROOM	8.1	98.8	98.8	0.0	0
F17	R5	RESIDENTIAL	BEDROOM	13.3	97.7	94.8	0.4	2.9
F17	R6	RESIDENTIAL	BEDROOM	13.3	97.8	97.8	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD68

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F17

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F17	R7	RESIDENTIAL	BEDROOM	8.4	98.4	98.4	0.0	0
F17	R8	RESIDENTIAL	LKD	23.7	100	100	0.0	0
F17	R9	RESIDENTIAL	BEDROOM	10.9	93.1	93.1	0.0	0
F17	R10	RESIDENTIAL	BEDROOM	10.5	91.2	91.2	0.0	0
F17	R11	RESIDENTIAL	BEDROOM	12.8	99.2	99.2	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD69

KEY:

- GAIN
 LOSS
 MAINTAINED LIT AREA
 1 METRE GRID



F18

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F18	R1	RESIDENTIAL	BEDROOM	10.0	99.2	99.2	0.0	0
F18	R2	RESIDENTIAL	BEDROOM	9.8	98	98	0.0	0
F18	R3	RESIDENTIAL	LKD	26.0	98.8	98.8	0.0	0
F18	R4	RESIDENTIAL	BEDROOM	8.1	98.8	98.8	0.0	0
F18	R5	RESIDENTIAL	BEDROOM	13.3	97.7	96.9	0.1	0.8
F18	R6	RESIDENTIAL	BEDROOM	13.3	97.8	97.8	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD70

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F18

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F18	R7	RESIDENTIAL	BEDROOM	8.4	98.4	98.4	0.0	0
F18	R8	RESIDENTIAL	LKD	23.7	100	100	0.0	0
F18	R9	RESIDENTIAL	BEDROOM	10.9	93.1	93.1	0.0	0
F18	R10	RESIDENTIAL	BEDROOM	10.5	91.2	91.2	0.0	0
F18	R11	RESIDENTIAL	BEDROOM	12.8	99.2	99.2	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD71

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



F19

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F19	R1	RESIDENTIAL	BEDROOM	10.0	99.2	99.2	0.0	0
F19	R2	RESIDENTIAL	BEDROOM	9.8	98	98	0.0	0
F19	R3	RESIDENTIAL	LKD	26.0	98.8	98.8	0.0	0
F19	R4	RESIDENTIAL	BEDROOM	8.1	98.8	98.8	0.0	0
F19	R5	RESIDENTIAL	BEDROOM	13.3	97.7	97.7	0.0	0
F19	R6	RESIDENTIAL	BEDROOM	13.3	97.8	97.8	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-REL02-IS01-DD72

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F19

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F19	R7	RESIDENTIAL	BEDROOM	8.4	98.4	98.4	0.0	0
F19	R8	RESIDENTIAL	LKD	23.7	100	100	0.0	0
F19	R9	RESIDENTIAL	BEDROOM	10.9	93.1	93.1	0.0	0
F19	R10	RESIDENTIAL	BEDROOM	10.5	91.2	91.2	0.0	0
F19	R11	RESIDENTIAL	BEDROOM	12.8	99.2	99.2	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD73

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F20

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F20	R1	RESIDENTIAL	BEDROOM	10.0	99.2	99.2	0.0	0
F20	R2	RESIDENTIAL	BEDROOM	9.8	98	98	0.0	0
F20	R3	RESIDENTIAL	LKD	26.0	98.8	98.8	0.0	0
F20	R4	RESIDENTIAL	BEDROOM	8.1	98.8	98.8	0.0	0
F20	R5	RESIDENTIAL	BEDROOM	13.3	97.7	97.7	0.0	0
F20	R6	RESIDENTIAL	BEDROOM	13.3	97.8	97.8	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD74

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F20

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F20	R7	RESIDENTIAL	BEDROOM	8.4	98.4	98.4	0.0	0
F20	R8	RESIDENTIAL	LKD	23.7	100	100	0.0	0
F20	R9	RESIDENTIAL	BEDROOM	10.9	93.1	93.1	0.0	0
F20	R10	RESIDENTIAL	BEDROOM	10.5	91.2	91.2	0.0	0
F20	R11	RESIDENTIAL	BEDROOM	12.8	99.2	99.2	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD75

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



F21

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F21	R1	RESIDENTIAL	BEDROOM	10.0	99.2	99.2	0.0	0
F21	R2	RESIDENTIAL	BEDROOM	9.8	98	98	0.0	0
F21	R3	RESIDENTIAL	LKD	26.0	98.8	98.8	0.0	0
F21	R4	RESIDENTIAL	BEDROOM	8.1	98.8	98.8	0.0	0
F21	R5	RESIDENTIAL	BEDROOM	13.3	97.7	97.7	0.0	0
F21	R6	RESIDENTIAL	BEDROOM	13.3	97.8	97.8	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD76

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F21

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F21	R7	RESIDENTIAL	BEDROOM	8.4	98.4	98.4	0.0	0
F21	R8	RESIDENTIAL	LKD	23.7	100	100	0.0	0
F21	R9	RESIDENTIAL	BEDROOM	10.9	93.1	93.1	0.0	0
F21	R10	RESIDENTIAL	BEDROOM	10.5	91.2	91.2	0.0	0
F21	R11	RESIDENTIAL	BEDROOM	12.8	99.2	99.2	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD77

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F22

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F22	R1	RESIDENTIAL	BEDROOM	10.0	99.2	99.2	0.0	0
F22	R2	RESIDENTIAL	BEDROOM	9.8	98	98	0.0	0
F22	R3	RESIDENTIAL	LKD	26.0	98.8	98.8	0.0	0
F22	R4	RESIDENTIAL	BEDROOM	8.1	98.8	98.8	0.0	0
F22	R5	RESIDENTIAL	BEDROOM	13.3	97.7	97.7	0.0	0
F22	R6	RESIDENTIAL	BEDROOM	13.3	97.8	97.8	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: OLD BREWERY GARDENS TOWER
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD78

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F22

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
OLD BREWERY GARDENS TOWER								
F22	R7	RESIDENTIAL	BEDROOM	8.4	98.4	98.4	0.0	0
F22	R8	RESIDENTIAL	LKD	23.7	100	100	0.0	0
F22	R9	RESIDENTIAL	BEDROOM	10.9	93.1	93.1	0.0	0
F22	R10	RESIDENTIAL	BEDROOM	10.5	91.2	91.2	0.0	0
F22	R11	RESIDENTIAL	BEDROOM	12.8	99.2	99.2	0.0	0

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: TRAVELODGE
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD79

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRAVELODGE								
F01	R1	RESIDENTIAL	BEDROOM	12.1	19.1	13.4	0.7	29.9
F01	R2	RESIDENTIAL	BEDROOM	12.1	27.2	23	0.5	15.6
F01	R3	RESIDENTIAL	BEDROOM	12.1	42.3	36.6	0.7	13.4
F01	R4	RESIDENTIAL	BEDROOM	12.1	70.2	64.7	0.7	7.8
F01	R5	RESIDENTIAL	BEDROOM	12.1	90.7	80.7	1.2	11
F01	R6	RESIDENTIAL	BEDROOM	12.1	84.5	76.7	0.9	9.2

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: TRAVELODGE
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD80

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRAVELODGE								
F01	R7	RESIDENTIAL	BEDROOM	12.1	90.4	82.3	1.0	8.9
F01	R8	RESIDENTIAL	BEDROOM	17.7	94.3	89.2	0.9	5.3
F01	R9	RESIDENTIAL	BEDROOM	17.7	91.2	86.8	0.8	4.8
F01	R10	RESIDENTIAL	BEDROOM	17.7	97	93.9	0.5	3.2
F01	R11	RESIDENTIAL	BEDROOM	12.1	63.5	50	1.6	21.3
F01	R12	RESIDENTIAL	BEDROOM	12.1	28.1	13.1	1.8	53.3

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: TRAVELODGE
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD81

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F01

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRAVELODGE								
F01	R13	RESIDENTIAL	BEDROOM	12.1	21.9	12.4	1.1	43.2
F01	R14	RESIDENTIAL	BEDROOM	12.1	15.9	11.2	0.6	29.8
F01	R15	RESIDENTIAL	BEDROOM	12.1	78.8	64.1	1.8	18.6
F01	R16	RESIDENTIAL	BEDROOM	12.1	85.5	53.8	3.8	37.1
F01	R17	RESIDENTIAL	BEDROOM	12.1	83.3	66.5	2.0	20.1
F01	R18	RESIDENTIAL	BEDROOM	12.1	74.4	57.9	2.0	22.2

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: TRAVELODGE
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD82

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRAVELODGE								
F02	R1	RESIDENTIAL	BEDROOM	12.1	22.1	18.4	0.4	16.8
F02	R2	RESIDENTIAL	BEDROOM	12.1	30.3	26.2	0.5	13.6
F02	R3	RESIDENTIAL	BEDROOM	12.1	44.6	39	0.7	12.6
F02	R4	RESIDENTIAL	BEDROOM	12.1	72.3	66.8	0.7	7.6
F02	R5	RESIDENTIAL	BEDROOM	12.1	90.8	81.5	1.1	10.2
F02	R6	RESIDENTIAL	BEDROOM	12.1	84.8	77.1	0.9	9

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: TRAVELODGE
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD83

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRAVELODGE								
F02	R7	RESIDENTIAL	BEDROOM	12.1	90.7	82.9	0.9	8.6
F02	R8	RESIDENTIAL	BEDROOM	17.7	94.5	89.8	0.8	4.9
F02	R9	RESIDENTIAL	BEDROOM	17.7	91.5	87.1	0.8	4.7
F02	R10	RESIDENTIAL	BEDROOM	17.7	97	94.3	0.5	2.9
F02	R11	RESIDENTIAL	BEDROOM	12.1	66.3	53.5	1.6	19.3
F02	R12	RESIDENTIAL	BEDROOM	12.1	31.9	18.8	1.6	41.2

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: TRAVELODGE
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD84

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F02

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRAVELODGE								
F02	R13	RESIDENTIAL	BEDROOM	12.1	25.1	17.3	0.9	31.2
F02	R14	RESIDENTIAL	BEDROOM	12.1	19.3	15.6	0.5	19.6
F02	R15	RESIDENTIAL	BEDROOM	12.1	80.2	64.5	1.9	19.6
F02	R16	RESIDENTIAL	BEDROOM	12.1	86.9	54.7	3.9	37
F02	R17	RESIDENTIAL	BEDROOM	12.1	84.7	68.5	2.0	19.1
F02	R18	RESIDENTIAL	BEDROOM	12.1	75.3	60	1.9	20.4

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: TRAVELODGE
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD85

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRAVELODGE								
F03	R1	RESIDENTIAL	BEDROOM	12.1	30.1	28.3	0.2	5.8
F03	R2	RESIDENTIAL	BEDROOM	12.1	37.7	33.8	0.5	10.6
F03	R3	RESIDENTIAL	BEDROOM	12.1	51.6	46	0.7	11
F03	R4	RESIDENTIAL	BEDROOM	12.1	77.6	72	0.7	7.2
F03	R5	RESIDENTIAL	BEDROOM	12.1	90.9	81.6	1.1	10.2
F03	R6	RESIDENTIAL	BEDROOM	12.1	84.9	77.9	0.9	8.3

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: TRAVELODGE
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD86

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRAVELODGE								
F03	R7	RESIDENTIAL	BEDROOM	12.1	91.1	83.2	1.0	8.7
F03	R8	RESIDENTIAL	BEDROOM	17.7	94.7	90.2	0.8	4.8
F03	R9	RESIDENTIAL	BEDROOM	17.7	91.6	87.7	0.7	4.3
F03	R10	RESIDENTIAL	BEDROOM	17.7	97.1	94.6	0.5	2.6
F03	R11	RESIDENTIAL	BEDROOM	12.1	72.2	59.3	1.6	17.9
F03	R12	RESIDENTIAL	BEDROOM	12.1	39.3	28.6	1.3	27.1

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: TRAVELODGE
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD87

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F03

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRAVELODGE								
F03	R13	RESIDENTIAL	BEDROOM	12.1	31.2	25.4	0.7	18.5
F03	R14	RESIDENTIAL	BEDROOM	12.1	26.3	23.3	0.4	11.5
F03	R15	RESIDENTIAL	BEDROOM	12.1	82.3	61.6	2.5	25.1
F03	R16	RESIDENTIAL	BEDROOM	12.1	91	55.5	4.3	39
F03	R17	RESIDENTIAL	BEDROOM	12.1	86.9	72.9	1.7	16.1
F03	R18	RESIDENTIAL	BEDROOM	12.1	75.6	60.5	1.8	20

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: TRAVELODGE
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD88

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID





F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRAVELODGE								
F04	R1	RESIDENTIAL	BEDROOM	12.1	50.9	49.2	0.2	3.4
F04	R2	RESIDENTIAL	BEDROOM	12.1	62.1	58.5	0.4	5.8
F04	R3	RESIDENTIAL	BEDROOM	12.1	70.6	65.9	0.6	6.7
F04	R4	RESIDENTIAL	BEDROOM	12.1	91.3	85.8	0.7	6
F04	R5	RESIDENTIAL	BEDROOM	12.1	90.9	82.5	1.0	9.2
F04	R6	RESIDENTIAL	BEDROOM	12.1	85.6	78.4	0.9	8.4

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: TRAVELODGE
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD89

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRAVELODGE								
F04	R7	RESIDENTIAL	BEDROOM	12.1	91.4	83.5	1.0	8.7
F04	R8	RESIDENTIAL	BEDROOM	17.7	94.8	90.8	0.7	4.2
F04	R9	RESIDENTIAL	BEDROOM	17.7	91.8	88	0.7	4.1
F04	R10	RESIDENTIAL	BEDROOM	17.7	97.2	94.7	0.4	2.6
F04	R11	RESIDENTIAL	BEDROOM	12.1	86.9	75.2	1.4	13.4
F04	R12	RESIDENTIAL	BEDROOM	12.1	58.3	53.1	0.6	9

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: TRAVELODGE
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD90

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F04

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRAVELODGE								
F04	R13	RESIDENTIAL	BEDROOM	12.1	48.6	44.3	0.5	8.9
F04	R14	RESIDENTIAL	BEDROOM	12.1	43.9	41.4	0.3	5.5
F04	R15	RESIDENTIAL	BEDROOM	12.1	85.4	62.7	2.8	26.6
F04	R16	RESIDENTIAL	BEDROOM	12.1	94.4	59.5	4.2	36.9
F04	R17	RESIDENTIAL	BEDROOM	12.1	92.3	78.7	1.7	14.8
F04	R18	RESIDENTIAL	BEDROOM	12.1	77.6	63.1	1.8	18.8

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: TRAVELODGE
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD91

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRAVELODGE								
F05	R1	RESIDENTIAL	BEDROOM	12.1	52.6	51.4	0.1	2.2
F05	R2	RESIDENTIAL	BEDROOM	12.1	67	65.5	0.2	2.2
F05	R3	RESIDENTIAL	BEDROOM	12.1	90.5	87.3	0.4	3.5
F05	R4	RESIDENTIAL	BEDROOM	12.1	94.4	89.9	0.5	4.7
F05	R5	RESIDENTIAL	BEDROOM	12.1	98.2	91.7	0.8	6.6

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: TRAVELODGE
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD92

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



F05


FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRAVELODGE								
F05	R6	RESIDENTIAL	BEDROOM	12.1	91.4	82.8	1.0	9.4
F05	R7	RESIDENTIAL	BEDROOM	12.1	85.9	79.4	0.8	7.6
F05	R8	RESIDENTIAL	BEDROOM	12.1	92.1	84.2	1.0	8.5
F05	R9	RESIDENTIAL	BEDROOM	17.7	94.9	91	0.7	4.1
F05	R10	RESIDENTIAL	BEDROOM	17.7	92.2	88.6	0.6	3.9

NSL CONTOURS



PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: TRAVELODGE
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD93

KEY:
 GAIN
 LOSS
 MAINTAINED LIT AREA
 1 METRE GRID




F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRAVELODGE								
F05	R11	RESIDENTIAL	BEDROOM	17.7	97.2	94.7	0.4	2.6
F05	R12	RESIDENTIAL	BEDROOM	12.1	96.6	88.2	1.0	8.7
F05	R13	RESIDENTIAL	BEDROOM	12.1	86.3	81.7	0.6	5.3
F05	R14	RESIDENTIAL	BEDROOM	12.1	87.6	84.1	0.4	4
F05	R15	RESIDENTIAL	BEDROOM	12.1	70	67.8	0.3	3.2

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: TRAVELODGE
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD94

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F05

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRAVELODGE								
F05	R16	RESIDENTIAL	BEDROOM	12.1	90.6	64.7	3.1	28.5
F05	R17	RESIDENTIAL	BEDROOM	12.1	96.2	63.8	3.9	33.7
F05	R18	RESIDENTIAL	BEDROOM	12.1	95.3	80.3	1.8	15.7
F05	R19	RESIDENTIAL	BEDROOM	12.1	84.9	71	1.7	16.3

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: TRAVELODGE
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD95

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID




F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRAVELODGE								
F06	R1	RESIDENTIAL	BEDROOM	12.1	88.2	87.6	0.1	0.6
F06	R2	RESIDENTIAL	BEDROOM	12.1	88.8	87.8	0.1	1.1
F06	R3	RESIDENTIAL	BEDROOM	17.7	94.9	91.1	0.7	4.1
F06	R4	RESIDENTIAL	BEDROOM	17.7	92.3	88.9	0.6	3.8
F06	R5	RESIDENTIAL	BEDROOM	17.7	97.2	94.7	0.4	2.6

PROJECT: 1474 - BODDINGTONS, MANCHESTER
 REPORT TITLE: EXISTING VS. PROPOSED
 ADDRESS: TRAVELODGE
 DATE: 22/11/2021
 SCHEME IR: IR20
 DRAWING No.: 1474-RELO2-IS01-DD96

KEY:

- GAIN
- LOSS
- MAINTAINED LIT AREA
- 1 METRE GRID



F06

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM AREA-sqm	EXISTING %	PROPOSED %	LOSS-sqm	LOSS %
TRAVELODGE								
F06	R6	RESIDENTIAL	BEDROOM	12.1	95.8	93.7	0.3	2.2
F06	R7	RESIDENTIAL	BEDROOM	12.1	92.5	68.2	2.9	26.2
F06	R8	RESIDENTIAL	BEDROOM	12.1	97.9	66.7	3.8	31.9
F06	R9	RESIDENTIAL	BEDROOM	12.1	97.9	83	1.8	15.2
F06	R10	RESIDENTIAL	BEDROOM	12.1	95.1	76.5	2.3	19.5