

10094

Holiday Inn Manchester Airport

Revision	Date	Description	Drawn By	Checked By
P01	29/04/2021	Initial schedule based on drawings provided	RW	DMcC
P02	25/04/2021	Additional production details & fixing / supply points noted	RW	DMcC
P03	17/06/2021	Lighting lux levels changed to 300 cd/sq. m.	RW	DMcC



SIGN TYPE 01 - Holiday Inn South Elevation



- TYPE 01**
- 3429x4267mm overall dimensions.
 - 2159x2159mm Signcomp flexface sign with UV stable print and pressure sensitive laminate, incorporating internal premium tube style illumination as per brand.
 - 826mm high built-up aluminium letters with acrylic faces. Printed translucent 3M vinyl to face with UV matt overlay. Internal Illumination via Tetra Power LED lighting.
 - All in accordance with HI brand standards.
 - Power to be provided to signage locations by others.

Fixing: As per detail


Quantity: 1no.

Font: As per brand

Colours: Pantone 362C Green

NOTE: Signage illumination not to exceed 300 cd/sq. m

Lettering Weights	
Logo	35kg
H	6kg
o	3.5kg
l	2.25kg
i	2.2kg
d	4.55kg
a	3.65kg
y	2.65kg
l	2.65kg
n	3.6kg
n	3.6kg
TOTAL	72.05kg



Notes:

Colour References:

 Pantone 362C

FOR REVIEW

DO NOT MANUFACTURE
FROM THIS DOCUMENT

Drawing No:

Revision:

P03

Start Date: 29/04/2021

Rev. Date: 17/06/2021

Drawn By: RW

Checked By: DMcc


Client:

BCEGI

Project:

Holiday Inn

SIGN TYPE 01 - Holiday Inn South Elevation



Notes:

Colour References:

Pantone 362C

FOR REVIEW
DO NOT MANUFACTURE
FROM THIS DOCUMENT

Drawing No:

Revision:

P03

Start Date: 29/04/2021

Rev. Date: 17/06/2021

Drawn By: RW

Checked By: DMcc


Client:

BCEGI

Project:

Holiday Inn

- Fixing Points
- Electrical feed location



ascot
EST. 1938
inspired signage and
architectural creations

SIGN TYPE 02 - Holiday Inn West Elevation



- TYPE 02**
- 4394x5486mm overall dimensions.
 - 2769x2769mm Signcomp flexface sign with UV stable print and pressure sensitive laminate, incorporating internal premium tube style illumination as per brand.
 - 1060mm high built-up aluminium letters with acrylic faces. Printed translucent 3M vinyl to face with UV matt overlay. Internal Illumination via Tetra Power LED lighting.
 - All in accordance with HI brand standards.
 - Power to be provided to signage locations by others.

Fixing: As per detail


Quantity: 1no.

Font: As per brand

Colours: Pantone 362C Green

NOTE: Signage illumination not to exceed 300 cd/sq. m

Lettering Weights	
Logo	60kg
H	8.59kg
o	5.11kg
l	3.15kg
i	3.2kg
d	6.75kg
a	5.4kg
y	7.45kg
l	3.85kg
n	5.15kg
n	5.15kg
TOTAL	102.4kg



Notes:

Colour References:

 Pantone 362C

FOR REVIEW

DO NOT MANUFACTURE
FROM THIS DOCUMENT

Drawing No:

Revision:

P03

Start Date: 29/04/2021

Rev. Date: 17/06/2021

Drawn By: RW

Checked By: DMcc


Client:

BCEGI

Project:

Holiday Inn

SIGN TYPE 02 - Holiday Inn West Elevation



Notes:

Colour References:

 Pantone 362C

FOR REVIEW
DO NOT MANUFACTURE
FROM THIS DOCUMENT

Drawing No:

Revision:

P03

Start Date: 29/04/2021

Rev. Date: 17/06/2021

Drawn By: RW

Checked By: DMcC

Client:

BCEGI

Project:


Holiday Inn



SIGN TYPE 02 - Holiday Inn West Elevation - **Setting Out**

 **Fixing Points**

 **Electrical feed location**



Notes:

Colour References:

 Pantone 362C

FOR REVIEW

DO NOT MANUFACTURE
FROM THIS DOCUMENT

Drawing No:

Revision:

P03

Start Date: 29/04/2021

Rev. Date: 17/06/2021

Drawn By: RW

Checked By: DMcC

Client:

BCEGI

Project:

Holiday Inn



inspired signage and
architectural creations

SIGN TYPE 03 - Holiday Inn North Elevation



- TYPE 03**
- 3429x4267mm overall dimensions.
 - 2159x2159mm Signcomp flexface sign with UV stable print and pressure sensitive laminate, incorporating internal premium tube style illumination as per brand.
 - 826mm high built-up aluminium letters with acrylic faces. Printed translucent 3M vinyl to face with UV matt overlay. Internal Illumination via Tetra Power LED lighting.
 - All in accordance with HI brand standards.
 - Power to be provided to signage locations by others.

Fixing: As per detail


Quantity: 1no.

Font: As per brand

Colours: Pantone 362C Green

NOTE: Signage illumination not to exceed 300 cd/sq. m

Lettering Weights	
Logo	35kg
H	6kg
o	3.5kg
l	2.25kg
i	2.2kg
d	4.55kg
a	3.65kg
y	2.65kg
l	2.65kg
n	3.6kg
n	3.6kg
TOTAL	72.05kg



Notes:

Colour References:

 Pantone 362C

FOR REVIEW
DO NOT MANUFACTURE
FROM THIS DOCUMENT

Drawing No:

Revision:

P03

Start Date: 29/04/2021

Rev. Date: 17/06/2021

Drawn By: RW

Checked By: DMcc

Client:

BCEGI

Project:

Holiday Inn

Architectural elevation drawing of a building facade, showing a grid of levels and corresponding material specifications for the facade elements.

Levels (Left Side):

- Roof Level: +97.670
- Plant Screen: +96.270
- Parapet Level: +94.770
- Level 7: +93.670
- Level 6: +90.000
- Level 5: +87.000
- Level 4: +84.000
- Level 3: +81.000
- Level 2: +78.000
- Level 1: +75.000
- Level 0: +70.500

Material Specifications (Right Side):

- Pale gold canopy flashing
- Dark grey louvered panel
- Pale Gold Anodised Aluminium Extruded Fins
- Curtain walling look-a-like glazing (back painted glass to match frame)
- Curtain walling glazing with dark grey framing
- Curtain walling look-a-like glazing (back painted glass to match frame)
- Dark grey louvered panel

Signage and Dimensions (Center):

- Top of Sign: +93.670
- Sign Dimensions: 4000 (width), 2150 (height), 2150 (width), 4267 (height), 4500 (width), 3429 (width), 1100 (height), 826 (width), 1100 (height).
- Sign Text: "H Holiday Inn"

Other Annotations:


- Roof Level: +97.620
- Parapet Level: +94.770
- Level 0: EGL +70.480, EGL +69.800, EGL +69.568, EGL +68.965
- Level 1: +74.435

© Ascot Signs Ltd

SIGN TYPE 03 - Holiday Inn North Elevation - **Setting Out**

 Fixing Points

 Electrical feed location



Notes:

Colour References:

 Pantone 362C

FOR REVIEW

DO NOT MANUFACTURE
FROM THIS DOCUMENT

Drawing No:

Revision:

P03

Start Date: 29/04/2021

Rev. Date: 17/06/2021

Drawn By: RW

Checked By: DMcC

Client:

BCEGI

Project:

Holiday Inn

SIGN TYPE 04 - Holiday Inn East Elevation




- TYPE 04**
- 1499x1861mm overall dimensions.
 - 940x940mm Signcomp flexface sign with UV stable print and pressure sensitive laminate, incorporating internal premium tube style illumination as per brand.
 - 356mm high built-up aluminium letters with acrylic faces. Printed translucent 3M vinyl to face with UV matt overlay. Internal Illumination via Tetra Power LED lighting.
 - All in accordance with HI brand standards.
 - Power to be provided to signage location by others.

Fixing: As per detail
Quantity: 1no.
Font: As per brand
Colours: Pantone 362C Green

NOTE: Signage illumination not to exceed 300 cd/sq. m

Lettering Weights	
Logo	10kg
H	1kg
o	0.65kg
l	0.45kg
i	0.45kg
d	0.8kg
a	0.65kg
y	0.85kg
I	0.5kg
n	0.65kg
n	0.65kg
TOTAL	16.65kg



Notes:

Colour References:

 Pantone 362C

FOR REVIEW
DO NOT MANUFACTURE
FROM THIS DOCUMENT

Drawing No:

Revision:

P03

Start Date: 29/04/2021

Rev. Date: 17/06/2021

Drawn By: RW

Checked By: DMcc

Client:

BCEGI

Project:

Holiday Inn

SIGN TYPE 04 - Holiday Inn East Elevation



Notes:

Colour References:

Pantone 362C

FOR REVIEW
DO NOT MANUFACTURE
FROM THIS DOCUMENT

Drawing No:

Revision:

P03

Start Date: 29/04/2021

Rev. Date: 17/06/2021

Drawn By: RW

Checked By: DMcC

Client:


BCEGI

Project:

Holiday Inn

SIGN TYPE 04 - Holiday Inn East Elevation - **Setting Out**

-  Fixing Points
-  Electrical feed location



Notes:

Colour References:

 Pantone 362C

FOR REVIEW
DO NOT MANUFACTURE
FROM THIS DOCUMENT

Drawing No:

Revision:

P03

Start Date: 29/04/2021

Rev. Date: 17/06/2021

Drawn By: RW

Checked By: DMcc


Client:

BCEGI

Project:

Holiday Inn

FIXING DETAIL TO EQUITONE CLADDING



DRILL SCREW DATA

Bi-metal Standard Tek
Bonded Hex Washer Head Tek 3
For 1.2mm - 4.0mm Steel



Designed For -	Fastening in aluminium sheeting and panels
Head Style -	Hexagonal
Drive -	5/16" Hex Head
Thread Form -	Coarse thread (Tek 3)
Shank Material -	Stainless steel
Material Grade -	AISI 304/ EN 1.4301 (A2)

KEY POINTS

High carbon, high performance drill point ensures superior drilling characteristics, giving accurate drilling every time

Bi-metal fasteners have a hardened carbon steel drilling point (SAE C1022) brazed to a stainless steel (AISI 304/ EN 1.4301 (A2)) body and head

A2 provides corrosion protection to ensure long-term fastener integrity

TECHNICAL DATA

Unfactored pull out values	
5.5mm Diameter	
Steel thickness	Tek 3 Drill Point
1.2mm	1.7kN
1.6mm	2.1kN
2.0mm	2.5kN
2.5mm	3.2kN
3.0mm	4.3kN
4.0mm	5.5kN

PRODUCT RANGE

CODE	SIZE	BOX/ BAG	CARTON
BMBW5.5-25-3	5.5 x 25mm	200	2,000
BMBW5.5-38-3	5.5 x 38mm	200	2,000
BMBW5.5-50-3	5.5 x 50mm	100	1,000
BMBW5.5-75-3	5.5 x 75mm	100	1,000
BMBW5.5-100-3	5.5 x 100mm	100	1,000

Notes:

Colour References:

 Pantone 362C

FOR REVIEW

DO NOT MANUFACTURE
FROM THIS DOCUMENT

Drawing No:

Revision:

P03

Start Date: 29/04/2021

Rev. Date: 17/06/2021

Drawn By: RW

Checked By: DMcc

Client:

BCEGI

Project:

Holiday Inn



inspired signage and
architectural creations

SIGN TYPE 05 - Totem Signage



TYPE 05

- Header logo: Illuminated box complete with translucent acrylic faces. Sides & top to be painted green.
- Header panel text: Face panel finished white. Internally illuminated fret cut, routed & pushed through letters with translucent green vinyl. “@” is applied to face panel.
- Lower white panel: Formed aluminium panels finished white.
- Green pedestal: Formed aluminium base painted green front & back. Sides to illuminate.
- Base cover: Fabricated base cover with a brushed finish.
- All in accordance with HI brand standards.
- Power to be provided to signage location by others.

Fixing:	Bolt fixings to concrete base
Quantity:	1no.
Font:	As per brand
Colours:	Pantone 362C Stainless steel RAL 9003 White

Notes:

Colour References:	
Pantone 362C	RAL 9003 White

FOR REVIEW
DO NOT MANUFACTURE
FROM THIS DOCUMENT

Drawing No:	
Revision:	P03

Start Date:	29/04/2021
Rev. Date:	17/06/2021
Drawn By:	RW
Checked By:	DMcC

Client:	BCEGI
Project:	Holiday Inn