



RCP LEGEND

Existing Lighting to be re-used throughout Switching and lighting relocations as marked.

Contractor to allow for new lighting and controls to newly formed cleaners cup'd.

Contractor to validate existing system, make good and re-lamp as required.


Emergency lighting test to be undertaken to BS 5266. Non compliant items to be resolved to meet statutory regulation.

Add & relocate fire detection items, as required, in line with statutory requirement.

Fire Detection / Alarm test to be undertaken to BS 5839. Non compliant items to be resolved to meet statutory regulation.

High Level Double Data Point. Exact Locations to be agreed with Historic England IT and subject to Heat Map Survey

▲HL



CONSTRUCTION GROUP CONSULTANCY
23 Austin Friars
London
EC2N 2QP
T: +44 (0)207 377 8430
F: +44 (0)207 377 8431
W: www.cgc.co.uk

REV	DATE	REVISION	DRAWN
T	03/12/21	ISSUED FOR TENDER	SB
--	--	--	--
--	--	--	--
--	--	--	--
--	--	--	--
--	--	--	--
--	--	--	--

Client:	Historic England
Project:	Manchester - Canada House
Drawing Title:	Reflected Ceiling Plan - Level 03
Project Number:	202102
Scale:	1:100
Date:	03/12/21
Drawing No:	50(03)001
Rev:	T
Status:	☐ Information ☒ Tender ☐ Construction ☐ As Built