

C/D Width at 90 Deg (inc Hardware) 1123.2mm
C/D Width at 90 Deg (exc Hardware) 1123.2mm

Frame Profile

Meeting Style

Threshold Detail

IRONMONGERY BREAKDOWN

7 off Single Fire Rated

Door Leaf Construction:
45mm thick, constructed from two 1.5mm thick galvanised steel skins bonded to a structural rockwool core


Frame Construction:
1.5mm thick galvanised steel, pressed to form a Single Rebate profile.

5 x Standard Dog Bolt Hinge
Geze TS2000NV Closer
Push Plate 100mm x 450mm rounded corners SSS
Entrance Handle 400 x 19mm
FIRE DOOR KEEP LOCKED 76MM DIA
1 x PLATE FOR MAGLOCK ING.





Jacking Screws

200mm(w) x 1000mm(h) Indoor Vision With Firelite (9mm)

Prep for Maglock by others



75 Pull Side



Push Side

Free Area (m2) of Louvers	0
U-Value (W/m2K)	2.2
Mastic	By Others
dB Rating	35
Sec Rating	None
Fire Rating	30 Minutes
Active Leaf Width	1206

Fixing Type	Masonry
Seals	Smoke Seals
Finish	Matt
Colour	Leaf Powder Coat RAL 7004
	Frame Powder Coat RAL 7015
Frame Material	1.5 Galv
Leaf Material	1.5 Galv
Leaf Infil	Rockwool

Swing Direction	In
Hinged	Right
Structural Opening Width	1300
Structural Opening Height	2110
Frame Width	1290
Frame Height	2100

07/09/2021

Quote No: 63219-5-4

Drawing Status

S3 - Review & Comment

ROTEC
Trust | Confidence | Reassurance

Rotec Security Solutions,
Lytham Drive, Branhall,
Stockport. SK7 2LD

This Drawing is the property of Rotec Security Solutions and no reproduction thereof may be made in whole or in part without permission.

Project Vinci - The Christie MTCP

Drawing Title D-BI-001 Steel Door, D-0-009 Steel Door,
D-I-001 Steel Door, D-2-005 Steel Door,
D-3-001 Steel Door, D-4-005 Steel Door, D-5-001 Steel Door,

Project no. Sheet Revision
A4 P01

Project Director Volume Level Type Role Number
TCP-RDT-XX-XX-DR-X-000002