









Type F - 1no. required.

Note: this is a plan view of the lift shaft rooflight.

External Window Legend

1 : 20

EXTERNAL WINDOWS

1. All sizes stated are approximate dimensions, Contractor to site check all opening dimensions prior to manufacture of units.
2. All glazing below 800mm to windows to comply with BS 6206 and Approved Building Regulation Documents for glazing in critical locations and safe breakage and to be Toughened or Laminated Glass. The height of the openable windows are dictated by the existing position and configurations of the window due to the existing structure.
3. All windows to be glazed to BS 6262.
4. Windows to be in accordance with BS 644, BS 7950, BS 8213 and BS 6375 Pts 1, 2 and 3.
5. New Mansard opening windows to be fitted with friction stays and limiters restricting openings to 100mm with unlock facilities for window cleaning. Eye hooks to be fitted to adjacent roof truss legs to allow clipping of harness for cleaning of external glass.
6. To achieve minimum window energy rating of class B as determined by the British Fenestration Rating Council or a minimum U value of 1.5 W/m²°K.
7. Where new windows are to be supplied and fixed windows to be factory primed of Accoya timber replacement windows to match the existing sizes and configurations, opening lights to be as indicated on the window elevation types.

- BOWKER SADLER PARTNERSHIP LIMITED
- THIS DRAWING IS THE SUBJECT OF COPYRIGHT WHICH VESTS IN BOWKER SADLER PARTNERSHIP LIMITED. IT IS AN INFRINGEMENT OF COPYRIGHT TO REPRODUCE THIS DRAWING, BY WHATEVER MEANS, INCLUDING ELECTRONIC, WITHOUT THE EXPRESS WRITTEN CONSENT OF BOWKER SADLER PARTNERSHIP LIMITED WHICH RESERVES ALL ITS RIGHTS
- BOWKER SADLER PARTNERSHIP LIMITED ASSIGNS ITS RIGHTS TO BE IDENTIFIED AS THE AUTHOR OF THIS DESIGN
- DRAWING NOT TO BE SCALED.
- REPORT ERRORS & OMISSIONS TO ARCHITECT.
- CHECK ALL DIMENSIONS ON SITE
- DRAWING TO BE READ IN CONJUNCTION WITH THE HEALTH AND SAFETY PLAN AND ALL RELEVANT RISK ASSESSMENTS

REV.	DATE	DRN	CHKD.	
PROJECT				
Princess House, 105-107 Princess Street Manchester				
CLIENT				
Lapwine Ltd				
DRAWING				
Window types and Specification				
SCALE	SHEET SIZE	DRAWN	CHECKED	DATE
1 : 20	@ A1	CP	Checker	25.7.2019

BOWKER SADLER ARCHITECTURE
A: Hatherlow House, Hatherlow, Romiley, Stockport SK6 3DY
T: 0161 406 7333
E: office@bowker-sadler.co.uk
W: www.bowker-sadler.co.uk

JOB No 18-094	DRAWING No 5004	REVISION
STATUS TENDER		

