

Chester Road

Proposed External Lighting

DBL/SK / Lighting Refused
15/09/21.

South Elevation Lighting

Main entrance approach.

Ambient lighting provided by soffit recessed down lights.
Feature lighting to structural pillars and planters.



RNM ELECTRICAL

Stairways

Wall recessed miniature spot lights, providing light directly on changes of level.



UR-EKA
LIGHTING & CONTROLS LTD

North Elevation Lighting

Rear exit and landscaping to east building


Ambient lighting provided by soffit recessed down lights.
Feature lighting to planters and building columns.



RNM ELECTRICAL

Rear of west building

Ambient lighting provided by soffit recessed down lights.
Feature lighting to planters and building columns.



UR-EKA
LIGHTING & CONTROLS LTD

Aerial View

Periphery marked by bollard lights, to give a feeling of security. It is essential that the perimeter of an outdoor lit area has a defined boundary. Without a physical structure, this can be simulated by lighting. Without this, the surrounding areas can appear dark and foreboding.



Ambient Soffit Recessed Lights ●





- The CIMBRI recessed down light is 150mm diameter with a recessing depth of 132mm.
- The luminaire is sealed to IP65 from the optical side.
- It utilises a 18.5w 2150 lm light engine.
- The CIMBRI has a medium wide beam optic to maximise the distribution for the given mounting height.

Perimeter Bollard Lights



- The Tripo bollard stands at 800mm high.
- It has a 360 degree distribution.
- It utilises a 8.5w 750 lm light engine.
- The Tripo produces zero upward light.

Feature Wall Marker Lights



- The Mark Square stands at 800mm high.
- It has a downward asymmetric distribution.
- It utilises a 1.2w 120 lm light engine.
- The Mark is 40mm² and 28mm deep
- Remote driver can power up to 10 luminaires.

PG 8

Ground Recessed Feature Light



- The Trim CC for walk over 1000kg max
- It has a narrow flood optic.
- It utilises a 4w 410 lm light engine.
- The Trim CC is 65mm² wide and 86mm deep
- Remote driver can power up to 2 luminaires.