

GENERAL NOTES

1. DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ALL RELEVANT SPECIFICATIONS, ENGINEERS, ARCHITECTS & SERVICES DRAWINGS, INCLUDING APPROVED BUILDERS WORK DRAWINGS. CONTRACTOR TO NOTIFY ENGINEER OF DISCREPANCIES BETWEEN STRUCTURAL DRAWINGS AND SPECIFICATIONS OR OTHER DRAWINGS.
2. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS NOTED OTHERWISE.
3. DO NOT SCALE FROM THIS DRAWING, WORK TO DIMENSIONS OR CO-ORDINATES PROVIDED. ALL LEVELS ARE IN METRES AND ALL DIMENSIONS ARE IN MILLIMETRES, UNLESS OTHERWISE NOTED. ANY AMBIGUITIES, OMISSIONS AND ERRORS ON DRAWINGS, SHALL BE BROUGHT TO THE ENGINEERS ATTENTION IMMEDIATELY.

MANHOLE SCHEDULE									
MANHOLE NO.	MANHOLE CO-ORDINATES	COVER LEVEL (m)	DEPTH TO INVERT (m)	MANHOLE SIZE	MANHOLE TYPE	PIPE IN NAME, INVERT LEVEL (m) & DIA	PIPE OUT NAME, INVERT LEVEL (m) & DIA	COVER SIZE (mm) & GRADE	COMMENTS
S01	E:383144.720 N:397077.157	33.150	0.659	450	IC	From CHANNEL, IL=32.491, 100mmØ	To S02, IL=32.491, 150mmØ	600 x 600 D400	CAST IRON COVER & FRAME
S02	E:383160.290 N:397042.347	33.195	1.022	450	IC	From S01 , IL=32.173, 150mmØ From CHANNEL 3, IL=32.173, 100mmØ	To S03, IL=32.173, 150mmØ	600 x 600 D400	CAST IRON COVER & FRAME
S03	E:383173.760 N:397048.525	33.203	1.154	450	IC	From S02, IL=32.049, 150mmØ	To S04, IL=32.049, 150mmØ	600 x 600 D400	CAST IRON COVER & FRAME
S04	E:383173.451 N:397050.706	33.200	1.172	450	IC	From S03, IL=32.028, 150mmØ	To S05, IL=32.028, 150mmØ	600 x 600 D400	CAST IRON COVER & FRAME
S05	E:383179.461 N:397053.547	33.200	1.302	600	IC	From S04, IL=31.898, 150mmØ	To S06, IL=31.898, 225mmØ	600 x 600 D400	CAST IRON COVER & FRAME
S06	E:383167.395 N:397080.162	33.207	1.448	600	IC	From CHANNEL 5, IL=31.759, 100mmØ From S05, IL=31.759, 225mmØ	To S08, IL=31.759, 225mmØ	600 x 600 D400	CAST IRON COVER & FRAME
S07	E:383157.293 N:397101.547	33.203	1.051	450	IC	From RWP 05, IL=32.152, 100mmØ From CHANNEL 6, IL=32.152, 100mmØ	To S08, IL=32.152, 150mmØ	600 x 600 D400	CAST IRON COVER & FRAME
S08	E:383160.785 N:397094.174	33.204	1.519	600	IC	From S06, IL=31.685, 225mmØ From S07, IL=31.685, 150mmØ	To TANK , IL=31.685, 225mmØ	600 x 600 D400	CAST IRON COVER & FRAME

MANHOLE SCHEDULE									
MANHOLE NO.	MANHOLE CO-ORDINATES	COVER LEVEL (m)	DEPTH TO INVERT (m)	MANHOLE SIZE	MANHOLE TYPE	PIPE IN NAME, INVERT LEVEL (m) & DIA	PIPE OUT NAME, INVERT LEVEL (m) & DIA	COVER SIZE (mm) & GRADE	COMMENTS
F01	E:383158.213 N:397045.927	33.179	0.784	450	IC	From GL08, IL=32.395, 100mmØ From SVP01, IL=32.395, 100mmØ	To F02, IL=32.395, 150mmØ	600 x 600 D400	CAST IRON COVER & FRAME
F02	E:383147.673 N:397069.056	33.170	1.029	450	IC	From F01, IL=32.141, 150mmØ	To F03, IL=32.141, 150mmØ	600 x 600 D400	CAST IRON COVER & FRAME
F03	E:383150.499 N:397070.519	33.202	1.089	450	IC	From F02, IL=32.113, 150mmØ From SVP05, IL=32.113, 100mmØ From SVP04, IL=32.113, 100mmØ	To F04, IL=32.113, 150mmØ	600 x 600 D400	CAST IRON COVER & FRAME
F04	E:383137.531 N:397097.020	33.192	1.325	450	IC	From SVP17, IL=31.867, 100mmØ From F03, IL=31.867, 150mmØ From SVP19, IL=31.867, 100mmØ From SVP18, IL=31.867, 100mmØ	To EX FW , IL=31.867, 150mmØ	600 x 600 D400	CAST IRON COVER & FRAME

CONSTRUCTION RECORD DRAWING

THE INFORMATION SHOWN ON THIS CONSTRUCTION RECORD DRAWING IS BASED ON THE LATEST ISSUED CONSTRUCTION DRAWINGS WHICH HAVE BEEN MODIFIED AS NECESSARY WITH INFORMATION SUPPLIED BY THE CONTRACTOR TO INCORPORATE CHANGES MADE DURING CONSTRUCTION. INFORMATION OBTAINED FROM THIRD PARTIES HAS NOT BEEN INDEPENDENTLY VERIFIED BY SCOTT HUGHES DESIGN AND MAY NOT BE WHOLLY ACCURATE. ANY PARTY SEEKING TO USE THIS DRAWING MUST FIRST VERIFY ITS FITNESS FOR THE INTENDED PURPOSE WITH SUITABLE SITE INSPECTIONS/INVESTIGATIONS AS DEEMED APPROPRIATE.

C3	16.08.21	AS	EJD	CONSTRUCTION RECORD	
C2	11.01.21	EJD	PG	FOUL UPDATED	
C1	11.11.20	EJD	PG	ISSUED FOR CONSTRUCTION	
P1	14.10.20	EJD	PG	TENDER ISSUE	
No	DATE	DRAWN	REV'D ENG.	AMENDMENT	

STATUS	PURPOSE OF ISSUE
CR	CONSTRUCTION RECORD

COPYRIGHT:
The concepts and the information contained in this document are the copyright of Scott Hughes Design Ltd. Use or copying of the document in whole or in part without written permission of Scott Hughes Design Ltd. constitutes an infringement of copyright.



Scott Hughes Design Ltd.
The Flint Glass Works,
64 Jersey Street,
Manchester M4 6JW
t. 0161 605 0831
f. 0161 605 0832
e.mail@scotthughesdesign.co.uk
Reg No. 4899745

CLIENT

MANCHESTER CITY COUNCIL

PROJECT

SEN SCHOOLS
NORTH HULME

DRAFTER

AS

ENGINEER

EJD

TITLE

PROJECT REFERENCE: 3577
MANHOLE SCHEDULE

SCALE

1-250

SHEET

A1

DRAWING No

NHE-SHD-02-XX-DR-C-90105

REV

C3