

PROPOSED MANHOLES											
MH REF	CL (mAOD)	IL (mAOD)	DEPTH TO SOFFIT (m)	DS PIPE DIA (mm)	MH DIA (mm)	MH TYPE	COVER SIZE (mm)	COVER CLASS	COMMENTS	EASTING	NORTHING
FW1	37.40	36.380	0.870	150	450	PPIC	450X450	B125	SINGLE SEALED RECESSED COVER	384296.09	397217.14
FW2	37.38	36.310	0.970	100	450	PPIC	450X450	D400	SINGLE SEALED RECESSED COVER	384308.05	397223.53
FW3	37.38	36.405	0.875	100	450	PPIC	450X450	D400	SINGLE SEALED RECESSED COVER	manhole built in different location, coordinates not provided	
FW4	37.38	36.287	0.993	100	450	PPIC	450X450	D400	SINGLE SEALED RECESSED COVER		384345.32
CW1	37.40	36.375	0.875	150	450	PPIC	450X450	A15	DOUBLE SEALED RECESSED COVER, EXISTING PIPE LEVEL UNKNOWN, ESTIMATED LEVEL SHOWN	384312.12	397201.63
CW2	37.40	35.765	1.485	150	450	PPIC	450X450	A15	DOUBLE SEALED RECESSED COVER, RESTRICTED ACCESS 350DIA	384335.31	397213.72
CW3	37.40	35.705	1.545	150	450	PPIC	450X450	A15	DOUBLE SEALED RECESSED COVER, RESTRICTED ACCESS 350DIA	384337.97	397213.02
CW4	37.40	36.700	0.550	150	450	PPIC	450X450	A15	DOUBLE SEALED RECESSED COVER	384317.88	397219.14
CW5	37.29	36.302	0.838	150	600	PPIC	600X600	D400	SINGLE SEALED RECESSED COVER	384299.45	397223.11
EX238	37.19	36.060	0.980	150	1800	TYPE 2 PCC	750X675 MIN	D400	SINGLE SEALED RECESSED COVER	384313.62	397228.12
SW01	37.37	36.563	0.657	150	1050	TYPE 2 PCC	750X675 MIN	D400	SINGLE SEALED RECESSED COVER	384349.79	397220.21

EXISTING MANHOLES
IF IT IS FOUND THAT BENCHING CANNOT BE
CONSTRUCTED SATISFACTORILY WITHIN
MANHOLES TO BE RE-USED, THEN THESE
MANHOLES WILL REQUIRE RECONSTRUCTING.

LANDSCAPE ARCHITECT TO CONFIRM REQUIREMENTS FOR
RECESSED COVERS.

EXISTING EXTERNAL MANHOLE COVERS TO BE ADJUSTED
TO MATCH PROPOSED LEVELS

INTERNAL MANHOLE COVERS MAY REQUIRE REPLACEMENT,
NEW MANHOLE COVERS HAVE BEEN INSTALLED AFTER
CCTV SURVEY, SIZES TO BE CONFIRMED

GENERAL NOTES:

1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECTS AND ENGINEERS DRAWINGS AND SPECIFICATIONS.
2. DO NOT SCALE THIS DRAWING. ANY AMBIGUITIES, OMISSIONS AND ERRORS ON DRAWINGS SHALL BE BROUGHT TO THE ENGINEERS ATTENTION IMMEDIATELY. ALL DIMENSIONS MUST BE CHECKED / VERIFIED ON SITE.
3. ALL DIMENSIONS ARE IN METRES UNLESS NOTED OTHERWISE.
4. COVER LEVELS, GULLY POSITIONS, AND BUILDING LOCATION ARE APPROXIMATE AND SHALL BE CONFIRMED BY ARCHITECT/LANDSCAPE ARCHITECT. CONTRACTOR TO ALLOW FOR ADJUSTMENT TO SUIT AGREED POSITIONS AND FINISHED LEVELS, AND CONFIRM ALL COVER LEVELS ON SITE.
5. ALL PROPRIETARY PRODUCT TO BE INSTALLED IN STRICT ACCORDANCE WITH THE MANUFACTURERS REQUIREMENTS, INSTRUCTIONS AND RECOMMENDATIONS.
6. ALL INTERNAL COVERS TO HAVE MECHANICALLY JOINTED CORNERS AND DOUBLE SEALED WITH RECESSED TRAY TO ALLOW FOR FINISHES.
7. ALL MANHOLE COVERS IN BLOCK/SLAB AND EXTERNAL PAVING AREAS TO HAVE RECESSED COVERS OF THE APPROPRIATE GRADE TO ACCEPT ARCHITECT'S PAVING PROPOSAL. TBC BY LANDSCAPE ARCHITECT
8. COVER LEVELS BASED ON LANDSCAPE GENERAL ARRANGEMENTS P3000415-BDP-00(9-J)L201 REV P1
9. FOR DRAINAGE LAYOUT & FULL NOTES REFER TO DWG 071857-CUR-00-XX-DR-C-92500

CR2	FINAL CONSTRUCTION ISSUE	07.10.21	MW	MW
CR1	FINAL CONSTRUCTION ISSUE	22.09.21	MW	MW
C05	COVER LEVELS UPDATED	24.05.21	MW	MW
C04	CW1 COORDINATES UPDATED	27.10.20	MW	MW
C03	SW01 COORDINATES UPDATED	18.05.20	MW	MW
C02	MANHOLE NAME CHANGED TO FW1	01.05.20	MW	MW
C01	STAGE 5	30.04.20	MW	MW
Rev:	Description:	Date:	By:	Chkd:



Merchant Exchange, 17-19 Whitworth Street West, Manchester, M1 5WG
0161 236 2394
manchester@curtins.com
www.curtins.com

Civils & Structures • Transport Planning • Environmental • Infrastructure • Geotechnical • Conservation & Heritage • Principal Designer
Birmingham • Bristol • Cambridge • Cardiff • Douglas • Dublin • Edinburgh • Glasgow • Kendal • Leeds • Liverpool • London • Manchester • Nottingham

Status:

CONSTRUCTION RECORDS

Project:

MMU INSTITUTE FOR SPORT

Drg Title:

MANHOLE SCHEDULE

Size:	Date:	Drawn By:	Designed By:	Checked By:			
A2	30.04.20	MW	MW	MW			
Scale:	N/A						
Project No:	Originator:	Volume:	Level:	Type:	Role:	Category / Number:	Rev:
1016B - CUR - 00 - XX - DR - C - 92510 - CR2							

I:\na6402\Projects\07 1001 - 072000\071857-MMU Accommodation for Growth\04-Production\4A-Models-Drawings\CCAD\921