



Project Name: Northenden College	Project No. 13969	Co-ords: 382175.00 - 390174.00 Level: 32.47	Date 19/05/2020
Location: Wythenshawe	Client: Cushman and Wakefield	Dimensions (m): 1.70 Depth 2.00	Scale 1:30 Logged E Fearn

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
	1.60	ES		0.60	31.87		Black brown slightly gravelly medium SAND (TOPSOIL) with frequent rootlets. Gravel is fine to coarse angular to rounded of mudstone.	
							Light yellow brown slightly gravelly medium SAND. Gravel is fine to coarse angular to sub-rounded of mudstone and sandstone.	1
				2.00	30.47		End of Pit at 2.00m	2
								3
								4

Trial Pit Photographs



Trial Pit 113





Trial Pit 113 Spoil

Remarks: 1. Complete.

Stability: Stable.

Project Name: Northenden College	Project No. 13969	Co-ords: 382194.00 - 390171.00 Level: 33.03	Date 19/05/2020
Location: Wythenshawe	Dimensions (m): 1.90 Depth 2.00		Scale 1:30
Client: Cushman and Wakefield			Logged E Fearn

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
	0.30	ES		0.40	32.63		Black brown slightly gravelly medium SAND (TOPSOIL) with frequent rootlets. Gravel is fine to coarse angular to sub-rounded of mudstone.	
				1.10	31.93		Light yellow brown gravelly medium SAND. Gravel is fine to coarse angular to sub-rounded of sandstone and mudstone.	1
	1.30	ES					Light grey slightly clayey gravelly coarse SAND. Gravel is fine to coarse angular to sub-rounded of mudstone and sandstone.	
				2.00	31.03		End of Pit at 2.00m	2
								3
								4

Trial Pit Photographs



Trial Pit 114




Trial Pit 114 Spoil

Remarks: 1. Complete.

Stability: Stable.

Project Name: Northenden College	Project No. 13969	Co-ords: 382213.00 - 390115.00 Level: 32.90	Date 19/05/2020
Location: Wythenshawe		Dimensions (m): 1.80 Depth 1.70	Scale 1:30
Client: Cushman and Wakefield			Logged E Fearn

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
	0.90	ES		0.40	32.50		Black brown slightly gravelly medium SAND (TOPSOIL) with frequent rootlets. Gravel is fine to coarse angular to sub-rounded of mudstone.	
							Light yellow brown slightly gravelly medium SAND with occasional cobbles. Gravel is fine to coarse angular to sub-rounded of mudstone and sandstone. Cobbles are angular to sub-angular of sandstone.	1
				1.70	31.20		End of Pit at 1.70m	2
								3
								4

Trial Pit Photographs



Trial Pit 115




Trial Pit 115 Spoil

Remarks: 1. Complete.

Stability: Stable.

Project Name: Northenden College	Project No. 13969	Co-ords: 382241.00 - 390139.00 Level: 32.76	Date 19/05/2020
Location: Wythenshawe		Dimensions (m): 1.80 Depth 1.80	Scale 1:30
Client: Cushman and Wakefield			Logged E Fearn

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
	0.10	ES		0.30	32.46		Black brown slightly gravelly medium SAND (TOPSOIL) with frequent rootlets. Gravel is fine to coarse angular to sub-rounded of mudstone.	
	1.00	ES		1.80	30.96		Light yellow brown slightly gravelly medium SAND. Gravel is fine to coarse angular to sub-rounded of mudstone and sandstone.	1
							End of Pit at 1.80m	2
								3
								4

Trial Pit Photographs



Trial Pit 116




Trial Pit 116 Spoil

Remarks: 1. Complete.

Stability: Stable.

Project Name: Northenden College	Project No. 13969	Co-ords: 382230.00 - 390171.00 Level: 32.40	Date 19/05/2020
Location: Wythenshawe		Dimensions (m): 1.60 Depth 1.90	Scale 1:30
Client: Cushman and Wakefield			Logged E Fearn

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
	1.60	ES		0.30	32.10		Black brown slightly gravelly medium SAND (TOPSOIL) with frequent rootlets. Gravel is fine to coarse angular to sub-rounded of mudstone.	
				1.90	30.50		Light yellow brown slightly gravelly medium SAND. Gravel is fine to coarse angular to sub-rounded of mudstone and sandstone.	1
							End of Pit at 1.90m	2
								3
								4



Trial Pit Photographs



Remarks: 1. Complete.

Stability: Stable.

Project Name: Northenden College	Project No. 13969	Co-ords: 382205.00 - 390195.00 Level: 32.17	Date 19/05/2020
Location: Wythenshawe	Dimensions (m): 1.60 Depth 2.00 0.60		Scale 1:30
Client: Cushman and Wakefield			Logged E Fearn

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
	1.00 1.00	B ES		0.40	31.77		Black brown slightly gravelly medium SAND (TOPSOIL) with frequent rootlets. Gravel is fine to coarse angular to sub-rounded of mudstone.	
							Light grey brown slightly clayey gravelly medium SAND. Gravel is fine to coarse angular to sub-rounded of mudstone and sandstone.	1
				2.00	30.17		End of Pit at 2.00m	2
								3
								4

Trial Pit Photographs



Trial Pit 118



Trial Pit 118 Spoil

Remarks: 1. Complete.

Stability: Stable.