






ELECTRICAL LEGEND	
	4FT NON CORROSIVE
	500W HOLOGEN FLOOD LIGHT
	SPOT LIGHTS - RECESSED INTO RAFT - FED TO CENTRE
	LED LIGHTS
	600 X 600 FOUR TUBE HIGH FREQUENCY MODULAR RECESSED LIGHT FITTING C/W PRISMATIC DIFFUSERS. 'E' DENOTES FITTING WITH EMERGENCY PACK
	PENDENT LIGHT FITTING
	SOCKETS FOR COLDROOM & FREEZER ROOM
	SOCKETS FOR AWNINGS & PROJECTION SIGN
	FLY CATCHER
	HAND DRYER FOR TOILETS
	OVER DOOR HEATER
	CANOPY BULKHEAD LIGHTS
	SPEAKERS
	EXTRACTOR
	DOUBLE SWITCHED SOCKETS
	BT 1 TELEPHONE LINE 1
	BT 2 TELEPHONE LINE 2
	ALARM SENSOR PYRONIX DUAL TECH TBC CONFIRMED BY SPECIALIST
	ALARM DOOR CONTACT/SHUTTER CONTACT/BREAK GLASS
	CCTV TBC BY SPECIALIST
	PANIC ALARM BUTTON IN COUNTER
	APPLIANCE SUPPLY TO BE CONFIRMED
	NETWORK POINTS
	LED

FIRE ALARM DESIGNED TO BS5839-1 2002 TYPE L1 SPEC
ALL VOIDS ABOVE 800MM WILL REQUIRE AUTOMATIC DETECTION. PLEASE PROTECT ALL OTHER ROOMS NOT SHOWN ON DRAWING

	MAIN FIRE ALARM PANEL FP565 4 ZONE
	FIRE ALARM OPTICAL SMOKE DETECTOR COMPLETE WITH BASE SMS2020P
	FIRE ALARM CALL POINT SMS7445224NM
	FIRE ALARM SOUNDER/BEACON
	HIGH TEMPERATURE HEAT DETECTOR TBC CONFIRMED BY SPECIALIST
	LINK TO FIRE ALARM
	BW NM3 BULKHEAD (IP65) RECESS
	EMERGENCY EXIT BOX ABOVE DOORWAY
	DISABLED TOILET ALARM
	OPERATIONS BOARD

SERVICES KEY :

- ▶ 28MM GAS IN Cu
- ⊗ WASTE/DRAIN
- WASTE 150MM
- WATER (COLD) 15MM Cu
- ◐ WATER (HOT) 15MM Cu



NOTE:
ALL SERVICES TO BE
CONFIRMED
BY SPECIALIST CONTRACTORS
SPEAKERS, LIGHTING, CCTV,
SECURITY ALARM
AND FIRE ALARM TO BE
CONFIRMED
BY SPECIALIST CONTRACTORS

THIS DESIGN IS THE COPYRIGHT OF LDS AND MUST NOT BE REPRODUCED EITHER WHOLLY OR IN PART WITHOUT PRIOR WRITTEN CONSENT. IT IS THE RESPONSIBILITY OF THE ON SITE MANAGER TO CONFIRM ALL MEASUREMENTS.

129 WATERLOO ROAD
MANCHESTER
M8 8BT



Title: **Proposed Plan & Elevation**

Scale: **1:100**

REVISIONS

1		
2		
3		
4		
5		