


Project Name: Northenden College	Project No. 13969	Co-ords: 382210.00 - 390232.00 Level: 32.58	Date 19/05/2020
Location: Wythenshawe		Dimensions (m): 1.80 Depth 2.00	Scale 1:30
Client: Cushman and Wakefield			Logged E Fearn

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
	0.20	ES		0.30	32.28		Black brown slightly gravelly medium SAND (TOPSOIL) with frequent rootlets. Gravel is fine to coarse angular to sub-rounded of mudstone.	
	1.40	ES		2.00	30.58		Light yellow brown slightly gravelly medium SAND. Gravel is fine to coarse angular to sub-rounded of mudstone and sandstone.	1
							End of Pit at 2.00m	2
								3
								4


Trial Pit Photographs



Remarks: 1. Complete.

Stability: Stable.

Project Name: Northenden College	Project No. 13969	Co-ords: 382233.00 - 390201.00 Level: 32.42	Date 19/05/2020
Location: Wythenshawe		Dimensions (m): 1.80 Depth 1.80	Scale 1:30
Client: Cushman and Wakefield			Logged E Fearn

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
	0.90	ES		0.30	32.12		Black brown slightly gravelly medium SAND (TOPSOIL) with frequent rootlets. Gravel is fine to coarse angular to sub-angular of mudstone.	
				1.80	30.62		Light yellow grey brown slightly clayey gravelly medium SAND with occasional cobbles. Gravel is fine to coarse angular to rounded of mudstone and sandstone. Cobbles are sub-angular of mudstone.	1
							End of Pit at 1.80m	2
								3
								4


Trial Pit Photographs



Remarks: 1. Complete.

Stability: Stable.

Project Name: Northenden College	Project No. 13969	Co-ords: 382267.00 - 390239.00 Level: 32.80	Date 19/05/2020
Location: Wythenshawe	Client: Cushman and Wakefield	Dimensions (m): 1.40 Depth 2.00	Scale 1:30 Logged E Fearn

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
	0.20	ES		0.40	32.40		Black brown slightly gravelly medium SAND (TOPSOIL) with frequent rootlets. Gravel is fine to coarse angular to sub-rounded of mudstone.	
							Light yellow brown slightly gravelly medium SAND with occasional cobbles. Gravel is fine to coarse angular to sub-angular of mudstone and sandstone. Cobbles are sub-angular of mudstone.	1
	1.90	ES		1.80	31.00		Light brown coarse SAND.	2
				2.00	30.80		End of Pit at 2.00m	3
								4

Trial Pit Photographs



Trial Pit 121 Spoil




Trial Pit 121 Spoil

Remarks: 1. Complete.

Stability: Unstable.

Project Name: Northenden College	Project No. 13969	Co-ords: 382249.00 - 390277.00 Level: 32.59	Date 19/05/2020
Location: Wythenshawe		Dimensions (m): 1.90 Depth 2.10	Scale 1:30
Client: Cushman and Wakefield			Logged E Fearn

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
				0.40	32.19		Black brown slightly gravelly medium SAND (TOPSOIL) with frequent rootlets. Gravel is fine to coarse angular to sub-rounded of mudstone.	
	1.20 1.20	B ES					Light yellow brown gravelly medium SAND with occasional cobbles. Gravel is fine to coarse angular to sub-rounded of mudstone and sandstone. Cobbles are angular of sandstone.	1
				2.10	30.49		End of Pit at 2.10m	2
								3
								4

Trial Pit Photographs




Trial Pit 122

Trial Pit 122 Spoil

Remarks: 1. Complete.

Stability: Stable.

Project Name: Northenden College	Project No. 13969	Co-ords: 382224.00 - 390278.00 Level: 32.81	Date 20/05/2020
Location: Wythenshawe		Dimensions (m): 2.10 Depth 2.00	Scale 1:30
Client: Cushman and Wakefield			Logged E Fearn

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
	0.30	ES		0.40	32.41		Black brown slightly clayey gravelly medium SAND (TOPSOIL) with frequent rootlets. Gravel is fine to coarse angular to sub-rounded of mudstone.	
				0.80	32.01		Dark brown yellow clayey medium SAND.	
	1.10	ES					Light brown gravelly medium SAND. Gravel is fine to coarse angular to sub-angular of mudstone and sandstone.	1
				2.00	30.81		End of Pit at 2.00m	2
								3
								4

Trial Pit Photographs



Trial Pit 123



Trial Pit 123 Spoil

Remarks: 1. Complete.

Stability: Stable.

Project Name: Northenden College	Project No. 13969	Co-ords: 382193.00 - 390283.00 Level: 32.59	Date 20/05/2020
Location: Wythenshawe		Dimensions (m): 1.40 Depth 1.80	Scale 1:30
Client: Cushman and Wakefield			Logged E Fearn

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
	0.30	ES		0.10 0.20 0.40	32.49 32.39 32.19	MADE GROUND: Asphalt. MADE GROUND: Black very sandy gravel. Gravel is fine to coarse angular to sub-rounded of asphalt and mudstone. MADE GROUND: Dark brown clayey medium SAND with occasional gravel. Gravel is fine to coarse angular to rounded of brick. Light yellow brown gravelly medium SAND. Gravel is fine to coarse angular to sub-rounded of sandstone and mudstone.		
	1.00	ES		1.80	30.79	End of Pit at 1.80m		

Trial Pit Photographs



Trial Pit 124



Trial Pit 124 Spoil

Remarks: 1. Complete.

Stability: Unstable.

Project Name: Northenden College	Project No. 13969	Co-ords: 382147.00 - 390289.00 Level: 32.53	Date 20/05/2020
Location: Wythenshawe		Dimensions (m): 1.00 1.50 Depth 1.80	Scale 1:30
Client: Cushman and Wakefield			Logged E Fearn

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
	Depth	Type	Results					
				0.10	32.43		MADE GROUND: Asphalt.	
				0.40	32.13		MADE GROUND: Grey sandy gravel (MOT). Gravel is fine to coarse angular to rounded of limestone.	
	1.00	ES					Light brown clayey gravelly medium SAND. Gravel is fine to coarse angular to rounded of mudstone.	1
				1.80	30.73		End of Pit at 1.80m	2
								3
								4

Trial Pit Photographs



Trial Pit 125



Trial Pit 125 Spoil

Remarks: 1. Complete.

Stability: Unstable.