DOOR SCHEDULE 4TH-5TH

Mark	Level	Type	Door Location	NBS Reference	S.O Width	S.O. Height	Partition Thickness	Fire Rating	Acoustic Rating	Door Lever Handle	Door Push / Pull Handle	Door Kick Plate	Multi-Point Cylinder Lock	Security by Design	Door Closer	Door Viewer	Thumb Turn Lock	Vision Panel	Door Stop	Finish	Fire Rated Grille	Architrave Detail	Comments
BS - 04 - Fourth Floor																							
D.401.01	BS - 04 - Fourth Floor	A1	Apartment Entrance	L2/0420B	910	2110	147	FD30S	RW 35 dB	YES			YES	BS PAS 24	YES		YES		YES	Laminate - TBC		Detail 1	
D.400.01	BS - 04 - Fourth Floor	A2	Corridor	L2/0420B	910	2110	147	FD30S	RW 40 dB		YES	YES			YES			YES		Laminate - TBC		Detail 1	
D.402.01	BS - 04 - Fourth Floor	A1	Apartment Entrance	L2/0420B	910	2110	147	FD30S	RW 35 dB	YES			YES	BS PAS 24	YES		YES		YES	Laminate - TBC		Detail 1	
D.403.01	BS - 04 - Fourth Floor	A1	Apartment Entrance	L2/0420B	910	2110	147	FD30S	RW 35 dB	YES			YES	BS PAS 24	YES		YES		YES	Laminate - TBC		Detail 1	
D.404.01	BS - 04 - Fourth Floor	A1	Apartment Entrance	L2/0420B	910	2110	147	FD30S	RW 35 dB	YES			YES	BS PAS 24	YES		YES		YES	Laminate - TBC		Detail 1	
D.405.01	BS - 04 - Fourth Floor	A1	Apartment Entrance	L2/0420B	910	2110	147	FD30S	RW 35 dB	YES			YES	BS PAS 24	YES		YES		YES	Laminate - TBC		Detail 1	
D.406.01	BS - 04 - Fourth Floor	A1	Apartment Entrance	L2/0420B	910	2110	147	FD30S	RW 35 dB	YES			YES	BS PAS 24	YES		YES		YES	Laminate - TBC		Detail 1	
D.407.01	BS - 04 - Fourth Floor	A1	Apartment Entrance	L2/0420B	910	2110	147	FD30S	RW 35 dB	YES			YES	BS PAS 24	YES		YES		YES	Laminate - TBC		Detail 1	
D.408.01	BS - 04 - Fourth Floor	A1	Apartment Entrance	L2/0420B	910	2110	147	FD30S	RW 35 dB	YES			YES	BS PAS 24	YES		YES		YES	Laminate - TBC		Detail 1	
D.404.04	BS - 04 - Fourth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.404.03	BS - 04 - Fourth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.404.02	BS - 04 - Fourth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.403.04	BS - 04 - Fourth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.403.03	BS - 04 - Fourth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.403.02	BS - 04 - Fourth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.402.05	BS - 04 - Fourth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.402.04	BS - 04 - Fourth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.401.03	BS - 04 - Fourth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.405.03	BS - 04 - Fourth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.405.04	BS - 04 - Fourth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.407.03	BS - 04 - Fourth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.407.02	BS - 04 - Fourth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.406.06	BS - 04 - Fourth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.406.05	BS - 04 - Fourth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.406.04	BS - 04 - Fourth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.407.04	BS - 04 - Fourth Floor	B2	Bathroom	L2/0420A	710	2110	97	FD30		YES							YES			Laminate - TBC		Detail 5	
D.402.02	BS - 04 - Fourth Floor	B2	Bathroom	L2/0420A	710	2110	97	FD30		YES							YES			Laminate - TBC		Detail 5	
D.401.05	BS - 04 - Fourth Floor	B2	Bathroom	L2/0420A	710	2110	97	FD30		YES							YES			Laminate - TBC		Detail 5	
D.405.02	BS - 04 - Fourth Floor	B2	Bathroom	L2/0420A	710	2110	97	FD30		YES							YES			Laminate - TBC		Detail 5	
D.406.02	BS - 04 - Fourth Floor	B2	Bathroom	L2/0420A	710	2110	97	FD30		YES							YES			Laminate - TBC		Detail 5	
D.406.03	BS - 04 - Fourth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.407.05	BS - 04 - Fourth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.405.05	BS - 04 - Fourth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.401.04	BS - 04 - Fourth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.400.02	BS - 04 - Fourth Floor	A3	Plant Room	L2/0420C	910	2110	147	FD60S	RW 40 dB	YES		YES	YES		YES				YES	Laminate - TBC		Detail 4	
D.404.05	BS - 04 - Fourth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.405.06	BS - 04 - Fourth Floor	B2	Bathroom	L2/0420A	710	2110	97	FD30		YES							YES			Laminate - TBC		Detail 5	
D.403.05	BS - 04 - Fourth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.401.02	BS - 04 - Fourth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.408.04	BS - 04 - Fourth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.408.05	BS - 04 - Fourth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.408.03	BS - 04 - Fourth Floor	B2	Bathroom	L2/0420A	710	2110	97	FD30		YES							YES			Laminate - TBC		Detail 5	
D.408.02	BS - 04 - Fourth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.403.06	BS - 04 - Fourth Floor	B2	Bathroom	L2/0420A	710	2110	97	FD30		YES							YES			Laminate - TBC		Detail 5	
D.402.03	BS - 04 - Fourth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
BS - 05 - Fifth Floor																							
D.502.01	BS - 05 - Fifth Floor	A1	Apartment Entrance	L2/0420B	910	2110	147	FD30S	RW 35 dB	YES			YES	BS PAS 24	YES		YES		YES	Laminate - TBC		Detail 1	
D.500.01	BS - 05 - Fifth Floor	A2	Corridor	L2/0420B	910	2110	147	FD30S	RW 40 dB		YES	YES			YES			YES		Laminate - TBC		Detail 1	
D.504.01	BS - 05 - Fifth Floor	A1	Apartment Entrance	L2/0420B	910	2110	147	FD30S	RW 35 dB	YES			YES	BS PAS 24	YES		YES		YES	Laminate - TBC		Detail 1	
D.503.01	BS - 05 - Fifth Floor	A1	Apartment Entrance	L2/0420B	910	2110	147	FD30S	RW 35 dB	YES			YES	BS PAS 24	YES		YES		YES	Laminate - TBC		Detail 1	
D.506.01	BS - 05 - Fifth Floor	A1	Apartment Entrance	L2/0420B	910	2110	147	FD30S	RW 35 dB	YES			YES	BS PAS 24	YES		YES		YES	Laminate - TBC		Detail 1	
D.505.01	BS - 05 - Fifth Floor	A1	Apartment Entrance	L2/0420B	910	2110	147	FD30S	RW 35 dB	YES			YES	BS PAS 24	YES		YES		YES	Laminate - TBC		Detail 1	
D.501.04	BS - 05 - Fifth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.501.05	BS - 05 - Fifth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.503.04	BS - 05 - Fifth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.503.05	BS - 05 - Fifth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.503.06	BS - 05 - Fifth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.504.04	BS - 05 - Fifth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.504.03	BS - 05 - Fifth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.504.02	BS - 05 - Fifth Floor	B2	Bathroom	L2/0420A	710	2110	97	FD30		YES							YES			Laminate - TBC		Detail 5	
D.502.02	BS - 05 - Fifth Floor	B2	Bathroom	L2/0420A	710	2110	97	FD30		YES							YES			Laminate - TBC		Detail 5	
D.505.03	BS - 05 - Fifth Floor	B2	Bathroom	L2/0420A	710	2110	97	FD30		YES							YES			Laminate - TBC		Detail 5	
D.506.05	BS - 05 - Fifth Floor	B2	Bathroom	L2/0420A	710	2110	97	FD30		YES							YES			Laminate - TBC		Detail 5	
D.506.03	BS - 05 - Fifth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.506.02	BS - 05 - Fifth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.506.04	BS - 05 - Fifth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.505.07	BS - 05 - Fifth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.505.06	BS - 05 - Fifth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.505.04	BS - 05 - Fifth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.505.02	BS - 05 - Fifth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.500.02	BS - 05 - Fifth Floor	A3	Plant Room	L2/0420C	910	2110	147	FD60S	RW 40 dB	YES		YES	YES		YES				YES	Laminate - TBC		Detail 4	
D.506.06	BS - 05 - Fifth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.503.02	BS - 05 - Fifth Floor	B2	Bathroom	L2/0420A	710	2110	97	FD30		YES							YES			Laminate - TBC		Detail 5	
D.503.03	BS - 05 - Fifth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.502.03	BS - 05 - Fifth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.502.04	BS - 05 - Fifth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.502.05	BS - 05 - Fifth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.502.06	BS - 05 - Fifth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.501.06	BS - 05 - Fifth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.501.03	BS - 05 - Fifth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.501.02	BS - 05 - Fifth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.504.05	BS - 05 - Fifth Floor	B1	Internal Apartment	L2/0420A	810	2110	97	FD30		YES									YES	Laminate - TBC		Detail 5	
D.501.01	BS - 05 - Fifth Floor	A1	Apartment Entrance	L2/0420B	910	2110	147	FD30S	RW 35 dB	YES			YES	BS PAS 24	YES		YES		YES	Laminate - TBC		Detail 1	

Grand total: 82

GENERAL NOTES

1. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE STATED
2. ALL LEVELS ARE IN METRES UNLESS OTHERWISE STATED
3. DIMENSIONS ARE NOT TO BE SCALED FROM THE DRAWING
4. ALL WORK TO BE CARRIED OUT IN ACCORDANCE WITH THE CURRENT EDITION OF THE BUILDING REGULATIONS 1991 (INCLUDING AMENDMENTS) AND ALL RELEVANT BRITISH STANDARDS/CODES OF PRACTICE
5. CONTRACTOR IS RESPONSIBLE FOR THE CORRECT SETTING OUT OF THE WORKS ON SITE. ALL DIMENSIONS TO BE CHECKED PRIOR TO FABRICATION OF MATERIALS
6. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT DRAWINGS AND SPECIFICATIONS
7. THIS DRAWING SHALL NOT BE DUPLICATED WITHOUT THE EXPRESS WRITTEN PERMISSION OF BEECH DESIGN AND BUILD LIMITED

- DOORS ARE MEASURED CONSIDERING FFL. TO GET DIMENSIONS BETWEEN FINISH FLOOR LEVEL AND STRUCTURAL FLOOR LEVEL, PLEASE REFER TO DRAWINGS 013-MDB-BS-ZZ-DT-A-2211 (SKIRTING DETAILS)
- CHECK / MEASURE EXISTING OPENING SIZES ON-SITE PRIOR TO MAKE ANY ORDER
- DOOR GRILLES SHOULD BE FIRE RATED AS PER FIRE RESISTING DOOR PERFORMANCE
- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH NBS SPECIFICATION SECTION L20, P20 AND P21.
- THE SPECIALIST JOINERY SUB-CONTRACTOR IS TO PROVIDE A DOOR MANUFACTURERS SCHEDULE FOLLOWING THE ON SITE SURVEY OF THE 'AS BUILT' STRUCTURAL OPENINGS FOR APPROVAL BY THE ARCHITECT PRIOR TO THE FABRICATION OF THE DOORS COMMENCING.

ALL 3200 SERIES DRAWINGS ARE TO BE READ IN CONJUNCTION WITH HYDROCK FIRE STRATEGY AND NBS SPECIFICATION.

ALL EXTERNAL AND MAIN ENTRANCE DOORS ARE IN ABEYANCE AT THIS MOMENT IN TIME AS THE DETAIL NEEDS TO BE CONFIRMED WITH THE PLANNERS AS PART OF THE DISCHARGE OF PLANNING CONDITIONS.

Rev	Description	By	Date
A	ISSUED FOR TENDER	NP	12-04-21

CLIENT: MANCHESTER design+build

PROJECT: PICCADILLY WAREHOUSE

DRAWING TITLE: BLOOM STREET
INTERNAL WALL OPENINGS
DOOR, HATCH, LOUVRE
SCHEDULE SHEET 3 OF 3

DRAWING STATUS: TENDER

DRAWN: LD | CHECKED: NP

SCALE: As indicated | DATE: 09-04-21

DRAWING NUMBER: 013-MDB-BS-ZZ-SH-A-3202 | REV: A

(A1)