





System: Kawneer AA720 Window System	
Type	W05
Location	Atkinson Ele. GF
QTY	1no.
Hardware	None
Glazed	Externally
Opens	Fixed
Cill	None
Colour	RAL 7022 Matt (Interpon D SL822G)
Notes	* = Frame 50mm Wider than SO to Fit in Check Reveal Sizes Subject to Site Survey



System: Kawneer AA720 Window System	
Type	W06
Location	Atkinson Ele. GF
QTY	1no.
Hardware	None
Glazed	Externally
Opens	Fixed
Cill	None
Colour	RAL 7022 Matt (Interpon D SL822G)
Notes	* = Frame 50mm Wider than SO to Fit in Check Reveal Sizes Subject to Site Survey

This drawing (or any part thereof) may not be copied, transmitted or disclosed to any third party or unauthorized person without the prior written permission of Britplas.
Patent Publication No. 2446730A.
This drawing is to be read in conjunction with all other relevant drawings prepared by consultants and sub-contractors.
Do not scale from this drawing. Work only to printed dimensions.
Report any discrepancies to the Architect or representatives thereof.

Notes:
Suitable Primary/ Secondary Steelwork not by Britplas. Steelwork/ Concrete structure tolerance +/-18mm in any direction Non-accumulative.

Glazing :
SP1 - 32mm Ceramic Insulated Panel
6mm Clear HST Tgh'd - Outer
20mm Argon Cavity with Black Spacer Bar - Cavity
6mm Ceramic Painted Glass HST (RAL 7022) - Inner
+ 100mm Thk Class A1 Foil Backed Insulation

POINTING
Mastic colour **RAL 7022** (or nearest equivalent), to be applied as shown by Britplas

EPDM
EPDM by Britplas to Non Fire Rated Frames

RECEIVED

25-JUN-2020
Gilbert-Ash
BOUCHER ROAD

A1	Approval Issue	22/06/20	SD
Rev.	Description.	Date	Initials

Project Title

Moxey Hotel

Drawing Title

Window Schedule 07

FOR APPROVAL

britplas
Unit 18 Kingsland Grange,
Woolston, Warrington,
Cheshire, WA1 4RW.
Tel - (+44) 01925 824317
Fax - (+44) 01925 284110

Britplas Commercial Ltd

Project No.	Scale	DWG Sheet Size
6602	1:25	A3
Drawn By	Checked By	Date
DG	AH	16-06-20

Drawing Number	Rev.
BP-6602-E106	A1