


1. FOR GENERAL NOTES, SEE DRAWING S-00010
2. FOR STEEL AND PADSTONE REFERENCES, SEE SCHEDULES ON DRAWING S-00015/S-00016
3. DRAWINGS TO BE READ IN CONJUNCTION WITH ARCHITECTS DRAWINGS AND M&E ENGINEERS DRAWINGS
4. DRAWING TO BE READ IN CONJUNCTION WITH STRUCTURAL SPECIFICATION
5. ALL LEVELS AND SETTING OUT TO BE CONFIRMED BY ARCHITECT
6. ALL REINFORCED CONCRETE TO BE C30/37 UNO.
7. ALL CONCRETE BLINDING TO BE GEN 1 AND BULK MASS FILL TO BE GEN 3 UNO
8. ALL REINFORCEMENT TO BE GRADE 500 TO BS4449
9. STEELWORK:
INTERNAL: GENERAL SECTIONS AND PLATES S275JR, HOLLOW SECTIONS S355JRH
EXTERNAL: GENERAL SECTIONS AND PLATES S275JO, HOLLOW SECTIONS S355JOH
EXTERNAL STEELWORK TO BE GALVANISED. ALL INTERNAL STEELWORK TO BE PAINTED, AND SUITABLE FOR ENVIRONMENT CATEGORY C2, UNO (SEE STRUCTURAL SPECIFICATION)
10. FOR REMBOLL BWIC SCHEDULE OTH-RAM-TH-ZZ-SCH-S-1000 & S-1001 FOR WHERE BWIC ARE APPLIED.
11. FOR MASONRY NOTES, SEE DRAWING S-00010
12. FOR NEW LINTEL DETAILS, REFERRING TO LINTEL SCHEDULE OTH-RAM-TH-ZZ-SCH-S-1000 & 1001

PRIOR TO THE INSTALLATION / FABRICATION OF ANY SUPPORT, THE ACTUAL WIDTH OF THE WALL IS TO BE CONFIRMED ON SITE BY THE CONTRACTOR AND THE NUMBER OF LINTELS ADJUSTED TO SUIT. THIS IS TO BE REPORTED TO THE STRUCTURAL ENGINEER.

FOR ALL LINTELS IN NEW BRICKWORK LIFT SHAFTS, INCORPORATE
2 NO. LINTELS PER OPENING IN LINE WITH DETAIL TYPE 4 ON
S-5000.

FOR ALL LINTELS ASSOCIATED WITH LG FLOOR TRENCHES SEE
DRAWINGS S-4710, S-4711 AND S-4714

REFER TO ARUP1-EWN-000072 FOR BWIC ALTERATIONS



OUR
TOWN
HALL
PROJECT

RAMBOLL

www.ramboll.co.uk

Arkwright House, Parsonage, Manchester M3 2LF
+44 (0) 161 827 1890
www.Ramboll.com

DRAWING NO. **OTH-RAM-TH-LG-DWG-S-1000 C02** REV