




1. Setting out shall be undertaken using only the information given. Distances should not be scaled from this drawing.
2. All sewers shall be constructed in accordance with Design and Construction Guidance (DCG) Standards and United Utilities Details & Guidelines.
3. The minimum gravity pipe diameter under adoptable highways shall be 150mm
4. It is the responsibility of the Contractor to verify all information given with regards to existing services and drainage connections etc. prior to commencing the works. The rates shall include for hand dig around services where necessary. The Contractor shall adhere to the CDM Regulations at all times
8. All materials to bear the relevant B.S. Kitemark and comply fully with the specifications. All concrete & concrete products must use Sulphate resistant cement to withstand Class 3 condition (unless the site investigation report proves that sulphate attack from soils and groundwater will not occur).
9. All opening notices etc. as required under Highways Acts etc. are to be obtained prior to commencement of works. All works are to be inspected by L.A., NHBC or the Network Operator as applicable.
10. Where structured wall UPVC pipes (or similar approved) are used in adoptable drainage they shall be handled and laid in accordance with the manufacturers instructions and will be subject to post installation deformation testing prior to adoption.
A Class S Bed and Surround must be used for structured wall pipes
11. Trench backfill in highways to within 1m of highway shall, as directed by the Highway Authority be a suitable granular material all in accordance with Design and Construction Guidance (DCG) Standards.
12. Slab levels shall not be varied without reference to the Engineer for guidance.
13. Pipes have not been designed to accommodate construction traffic loading. The contractor is responsible for providing adequate protection to the pipes during construction.

Legend




Design based on Layout:
Williams Road, Gorton.
Proposed Site Plan, Dwg No.4402/101
Rev: A

Grid/Level datum based on Topo:
Williams Road, Gorton.
Topographical Survey,
Dwg No. RBS - 18/1178/001
Rev: B



Manhole Schedule



© Copyright The original of this drawing contained coloured symbols and/or features
Any black and white reproduction should not be relied upon.

APPROVAL

A	02.11.21	Logsection & Manhole Schedule added	LW	AJ
Rev.	Date	Revision	By	Appd.



Tel: 01244 684910
Email: admin@coopers.co.uk
Web: <http://coopers.co.uk>

Park House
Sandpiper Court
Chester Business Park
Chester
CH4 9QU

Client

MANGROVE ESTATES LTD

Project

CHATSWORTH MILL,
WILLIAMS ROAD, GORTON.

Title

S185 Sewer Diversion

DRAWING NUMBER 7588 / 01	SCALE at A1 1:250		REVISION A
	DATE	29.09.21	
	DRAWN	PJN	
	CHECKED	AJ	