

Excavation Method

Trial Pit

Dimensions

2 x 2 x 0.75

Ground Level (mOD)
Client
**Job
Number**

LKC 21 1053

Location
Dates



01/03/2021

Engineer

MC

Sheet

1/1

Depth (m)	Sample / Tests	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend	Water
					(0.20) 0.20	TOPSOIL		
					(0.80)	MADE GROUND: Silty sand with frequent bricks		
					1.00	Fine to coarse SAND		
					(1.00)			
					2.00	Complete at 2.00m		


Remarks

No groundwater encountered

Scale (approx)

1:50

Logged By

MC

Figure No.

LKC 21 1053.TP1

Excavation Method

C

Dimensions

2 x 2 x 0.75

Ground Level (mOD)
Client
**Job
Number**

LKC 21 1053

Location
Dates

01/03/2021

Engineer

MC

Sheet

1/1

Depth (m)	Sample / Tests	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend	Water
					(0.20) 0.20	Topsoil with frequent rootlets		
					(0.50) 0.70	MADE GROUND: Silty sand with occasional bricks		
					(1.30) 2.00	Fine to coarse SAND with frequent gravel.		
						Complete at 2.00m		


Remarks

No groundwater encountered

Scale (approx)

1:50

Logged By

MC

Figure No.

LKC 21 1053.TP2