



1. **WALKWAY STRUCTURE:** To Engineer's Specification
Material: Weathering Steel (Cor-ten)
2. **DECKING:**
Galvanized steel mesh deck
Slip/ Skid resistance: PTV to BS 7976-2 of 45 wet/ dry
3. **BALUSTRADE SUPPORT POSTS (VERTICAL):**
Material: Weathering Steel (Cor-ten)
Thickness: 80mm I-section tapering from 50mm to 100mm as shown.
4. **BALUSTRADE INFILL PANEL:**
Material: Stainless Steel structural wire-rope
5. **HANDRAIL:**
Material: Galvanized Steel
Size: 48mm diameter
Finish: Galvanized
6. **INTEGRATED SERVICES:**
Allow for integrated service runs to supply power and drivers for integrated light fittings. All services to be hidden.

General Notes

P00	05.03.21	PLANNING	SEW
Rev	Date	Reason for Issue	Chk

Keyplan

Scale Bar

Client
Mayfield Partnership

Project	Mayfield Park
---------	---------------

Drawing Title
Raised Walkway - Design Intent
 Section (Sheet 1 of 2)

Project Number 0345	Status PLANNING
Scale at A1 (A3) 1:10	Date 05.03.21
Drawn by FK	Checked by SEW
Drawing Number 0345-SEW-ZZ-ZZ-DR-L-PL3401	Revision P00