




19022 01 01 A202 A

CONSULTANT/REFERENCE DRAWING INDEX		
DRAWING NUMBER	DRAWING TITLE	DISCIPLINE



NOTE: Contractor to check all dimensions on site and on drawings, any discrepancies must be reported to the architect, only figured dimensions are to be taken. This drawing is the property of array architects, copyright is reserved by them and the drawing is issued on the condition that it is not amended, copied, reproduced, retained or disclosed in any unauthorised person, either wholly or in part without the written consent of array architects.

All works to comply with NATIONAL BUILDING REGULATIONS ACT 1985 OF 1977 and the latest edition of the SANS 10400 and any amendments thereto as well as the by-laws of the relevant local municipality.

These drawings are to be read in conjunction with structural engineer's, civil engineer's, or plumbing consultant's drawings where specified.

ROOFS: (in accordance with PART 1 of SANS 10400) refer to sections and structural engineer's drawings where specified all roof trims to be in accordance with PART 1 of SANS 10400.

WALLS: (in accordance with PART 1 of SANS 10400) refer to sections, provide brickwork every 10th course.

CEILING & CELLS: refer to sections.

D.P.C.'S: SABS approved throughout.

D.P.M.'S: (in accordance with PART 1 of SANS 10400) SABS approved throughout.

STRUCTURAL WORK: refer to structural engineer's details and specifications.

GLAZING: (in accordance with PART 1 of SANS 10400) SANS 10131 and 10131-1.

DRAINAGE: (in accordance with PART 1 of SANS 10400) SABS standards used throughout. 150mm deep and traps used with all waste fittings, all let's to be hipped at the surface and sealed with 150mm traps with side access, cleaning eyes, all 150mm traps to have 32mm waste pipes and 140mm down waste pipes to all other fittings.

GENERAL NOTES: all habitable rooms to have a minimum of 10% natural light and 15% natural ventilation to comply with the NATIONAL BUILDING REGULATIONS (SANS 10400) unless otherwise specified, refer to mechanical engineer's specification, all windows to have pre-tensioned double over, double frame in every course for 5 courses above lintel, brickwork to every fifth course of brickwork use figured dimensions only, do not scale off drawing.

2		A		20200505		Issued for APPROVAL		RV						
REV	NO	DATE	BY	ISSUE TYPE	DESCRIPTION	FOR TRADER	FOR TRADER	FOR TRADER	FOR TRADER					
CONSULTANT DRAWING NO:		DATE		DRAWN		SCALE		PAGE SIZE						
000 000 000		2020.03.12		RV		150		A0						

array architects

17 Jane Avenue, Borden, Sandringham
P.O. Box 4899, Sandringham 2128
Tel: +27 (0) 31 867 9100
Fax: +27 (0) 31 867 9100
Email: info@arrayarch.co.za
Website: www.arrayarch.co.za

PROJECT: The Peele
ALTERATIONS & ADDITIONS TO THE EXISTING
CARE FACILITY IN WYTHENSHAW, MANCHESTER

DRAWING DESCRIPTION: GROUND FLOOR PLAN
PART B

19022 01 01 A202 A