




C-0446 - Arkady Industrial Estate,
Newton Heath, Manchester


Outline material specifications



Euroclad build up cladding system with Dobel 200 XT micron plastisol outer finish



Euroclad 32/1000 R - WALL PROFILE outer sheet, colour Goosewing Grey



Dobel 200 XT Life Expectancy:

Total sheet life 40 years or more with correct maintenance.

CONTACT DETAILS

Euroclad Group Limited, Wentloog Corporate Park, Wentloog Road, Cardiff, CF3 2ER

Tel: +44 (0)2922 010101

www.euroclad.com

Dobel - SSAB Swedish Steel Group –

SSAB Dobel Coated Steel Limited, Narrowboat Way, Hurst Business Park, Brierley Hill,
West Midlands. DY5 1UF

Telephone: 01384 74660

Fax: 01384 77575

Flashings, trims, doors & window frames: Syntha Pulvin Steel Blue M4H0512



Trusted by approved applicators across Europe, Syntha Pulvin offers the highest quality of powder coatings available to architects and building construction professionals. Excellent exterior durability and colour retention Available from stock in BS and RAL colours

CONTACT DETAILS

Valspar Powder Coatings Ltd
Goodlass Road
Speke
Liverpool
L24 9HJ

T: +44 (0)151 486 0486
F: +44 (0)151 486 0484
E: synthapulvin@valspar.com

www.synthapulvin.co.uk

Ibstock Atlas Smooth Blue brick (Ibstock Code: 2249):



Atlas Smooth Blue

Product Information

Ibstock Code: 2249

Type: Wirecut

Facing Description: Smooth

Dry Brick Weight (kg): 2.4kg

Technical Specification (to BS EN 771-1)

Brick Dimensions (L x W x H mm): 215x102x65

Compressive Strength (N/mm²): 75

CONTACT DETAILS

Ibstock Brick Ltd, Leicester Road, Ibstock, Leicestershire

LE67 6HS

t: 01530 261999

Email: enquiries@ibstock.co.uk

<https://www.ibstockbrick.co.uk/contact-us/>