




PART OF MANGLE STREET ELEVATION

COPYRIGHT OF ATELIER MB LTD
DO NOT SCALE FROM THIS DRAWING
DIMENSIONS TO BE CHECKED ON SITE

All dimensions to be checked
on site prior to any
commencing work.

KEY

- Existing
- Proposed
- Downstand beams
- Existing to be removed
- Drawing reference
- 1/312 (TBC)

CDM Hazard Identification.
Refer to C(812) CDM Risk
Assessment and C(813)
CDM ID Sheet for details.

Note: Drawing to be
read in conjunction with
1665 C(423), 1665
C(802) NBS the External
works repair schedule
and the window repair
schedule.

**Existing windows with timber
boarding** - boarding to be carefully
removed and window to be repaired in
accordance with **item 11** in the
external repair schedule.

Areas of repointing
Mortar to be carefully hacked out and
replaced where missing as per NBS
C41/810-860 and **item 3** in the external
repair schedule

Generally
non-original and redundant fittings to be
carefully removed by hand

Stone and brick to be cleaned with the
Doff system in accordance with **items
12 and 13** of the external repairs
schedule (NBS clause M40)

① numbers on elevations refer to works on
the external repairs schedule

Working at height on roof, within
lightwells and when installing new lifts.
Risks:
- falls from height;

B	Window references added.	RD	AB
NY1			
A	Drawing revised following	AB	AB
19/11/2020	scaffold survey		
Rev	Note	DRN	CHK

8-16 Newton Street	
Mangle Street Part 2 Proposed Strip Out	
scheme	1665
drwg no.	C(222)
revision	B
scale	1:200 @ A3
date first drawn	Mar 19
drawn	VC
SK sketch E existing P proposed T tender C construction FI final issue	
www.ateliermb.co.uk	
t 0161 236 0051	
e architect@ateliermb.co.uk	