

RAINWATER SYSTEMS



Niagara Ogee 110mm Standard: BS EN 607, BS EN 12200 -1, BS EN 1462



Colours



Dimensions



Features & Benefits:

- A traditional ogee style profile.
- One of the highest capacity PVC-U domestic rainwater systems.
- Pre-fitted seal and retaining clip.
- Suitable for all properties, old and new.
- Can be connected to either 65mm Square, 68mm and 80mm Round downpipes.
- For an improved aesthetic gutter line when viewed from below, use RKN2 top hung bracket.

Product Colours Code

Gutter - 4m

	4m	B W BR AG	RGN4
--	----	---------------------------------------	------

90° Angle

	Internal	B W BR AG	RAN1
	External	B W BR AG	RAN2

135° Angle

	Internal	B W BR AG	RAN3
	External	B W BR AG	RAN4

Angle - Any Degree

		B W BR	RAN9
--	--	-----------------------------	------

FloPlast will fabricate any non-standard angle to special order

Running Outlet - Multi Fit

		B W BR AG	RON1
--	--	---------------------------------------	------

Connects to 65mm Square and 68mm Round Downpipe

Stopend Outlets - 65mm Square

	L/H	B W BR AG	RON2
	R/H	B W BR AG	RON3

For 68mm Round Downpipe see page 12.
For 65mm Square Downpipe see page 13.
For 80mm Round Downpipe see page 14.

Product Colours Code

Running Outlet - 80mm Round

		B W BR	RON4
---	--	-----------------------------	------

Stopend Outlets - 80mm Round

	L/H	B W BR	RON5
	R/H	B W BR	RON6

External Stopends

	L/H	B W BR AG	REN1
	R/H	B W BR AG	REN2

Internal Stopends

	L/H	B W BR AG	REN3
	R/H	B W BR AG	REN4

Fascia Bracket

		B W BR AG	RKN1
	Top Hung	B W BR	RKN2

Union Bracket

		B W BR	RUN1
---	--	-----------------------------	------

Niagara Gutter Adaptors

	Half Round	L/H	B W BR	RNR3
		R/H	B W BR	RNR4
	Square Line	L/H	B W BR	RNS3
		R/H	B W BR	RNS4

Important when ordering: Please add colour reference to code: **B** Black **W** White **G** Grey **AG** Anthracite Grey

For more information visit www.floplast.co.uk

RAINWATER SYSTEMS



68mm Round Downpipe and Fittings

Standard: BS EN 12200 -1



Colours



Dimensions



Features & Benefits:

- Traditional round profile.
- Can be used with Half Round, Hi-Cap and Niagara rainwater systems.
- Durable and lightweight.
- A practical, easy to install.
- Cost effective.
- Easy to cut using a fine toothed saw.
- Suitable for new build and refurbishment applications.

Product	Colour	Code
Pipe		



2.5m	B W BR G AG	RP2.5
4m	B W BR G AG	RP4
5.5m	B W BR G AG	RP5.5

Offset Bends



92 1/2°	B W BR G AG	RB1
---------	--	-----



112 1/2°	B W BR G AG	RB2
----------	--	-----

67 1/2° Branch



B W BR G AG	RY1
--	-----

Shoes



B W BR G AG	RB3
--	-----



With fixing lugs B W	RB4
------------------------------------	-----

Pipe Sockets



B W BR G AG	RS1
--	-----



With fixing lugs B W	RS2
------------------------------------	-----

Product	Colour	Code
Pipe Clips		



B W BR G AG	RC1
--	-----



Single Fix B W BR G	RC3
---	-----



With fixing lugs B W	RC4
------------------------------------	-----

Access Pipe



B W BR G AG	RX1
--	-----

Hopper: Connects to 65mm square & 68mm round downpipe



B W BR G	RHS1
--------------------------------------	------



Important when ordering: Please add colour reference to code: **B** Black **W** White **BR** Brown **G** Grey **AG** Anthracite Grey

RAINWATER SYSTEMS



65mm Square Downpipe and Fittings

Standard: BS EN 12200 -1



Colours



Dimensions

65



Features & Benefits:

- Attractive square profile.
- Can be used with Squareline and Niagara rainwater systems.
- Durable and lightweight.
- A practical, easy to install system.
- Cost effective.
- Easy to cut using a fine toothed saw.
- Suitable for new build and refurbishment applications.

Product	Colours	Code
Pipe		
	2.5m 	RPS2.5
	4m 	RPS4
	5.5m 	RPS5.5
Offset Bend		
	92½° 	RBS1
	112½° 	RBS2
Shoe		
		RBS3
	With fixing lugs 	RBS4
Adjustable Offset Bend		
		RBS5
Pipe Sockets		
		RSS1
	With fixing lugs 	RSS2

Product	Colours	Code
Pipe Clips		
		RCS1
	Flush 	RCS2
	Single Fix 	RCS3
	With fixing lugs 	RCS4 ³
Sq/Rd Downpipe Adaptor: Connects to 68mm round downpipe		
		RDS2
67½° Branch		
		RYS1
Square Access Pipe		
 		RXS1
Hopper: Connects to 65mm square & 68mm round downpipe		
		RHS1

Important when ordering: Please add colour reference to code:  Black  White  Brown  Grey  Anthracite Grey

For more information visit www.floplast.co.uk

RAINWATER SYSTEMS



80mm Round Downpipe and Fittings

Standard: BS EN 12200 -1



Colours



Dimensions



Features & Benefits:

- Large round profile.
- Can be used with Hi-Cap and Niagara rainwater systems.
- Durable and lightweight.
- A practical, easy to install system.
- Cost effective.
- Easy to cut using a fine toothed saw.
- Suitable for new build and refurbishment applications.

Product	Colours	Code
---------	---------	------

Pipe		
	4m	B W BR G
		RPH4

Product	Colours	Code
---------	---------	------

Offset Bend		
	92 1/2°	B W BR G
		RBH1
	112 1/2°	B W BR G
		RBH2

Product	Colours	Code
---------	---------	------

Shoe		
		B W BR G
		RBH3

Product	Colours	Code
---------	---------	------

Pipe Clip		
	Single Fix	B W BR G
		RCH3

Product	Colours	Code
---------	---------	------

67 1/2° Branch		
		B W BR G
		RYH1

Product	Colours	Code
---------	---------	------

Pipe Socket		
		B W BR G
		RSH1

80mm Rainwater Adaptor: Connects 110mm Drainage

	B	D97
--	----------	-----

Product	Colours	Code
---------	---------	------

Hopper		
	B W BR G	RHH1



Important when ordering: Please add colour reference to code: **B** Black **W** White **BR** Brown **G** Grey **AG** Anthracite Grey



Spares Gutter Clips

Product	Colours	Code
Half Round Gutter Clip		
	B W BR G AG CI	RRC1
Square Line Gutter Clip		
	B W BR AG	RRSC1
Hi-Cap Gutter Clip		
	B W BR G AG CI	RRHC1
Niagara Ogee Gutter Clip		
	B W BR AG CI	RRNC1
XtraFlo Gutter Clip		
	B W G	RRXC1



Spares Gutter Seals

Product	Code
Half Round Gutter Seal	
	RRS1
Square Line Gutter Seal	
	RRSS1
Hi-Cap Gutter Seal	
	RRHS1


Product	Code
Niagara Ogee Gutter Seal	
	RRNS1
MiniFlo Gutter Seal	
	RRMS1
XtraFlo Gutter Seal	
	RRXS1

Important when ordering: Please add colour reference to code: **B** Black **W** White **BR** Brown **G** Grey **AG** Anthracite Grey **CI** "Cast Iron" Style

RAINWATER SYSTEMS



MiniFlo 76mm/50mm Rainwater System



FloPlast recommend the use of lubricant on all gutter seals for ease of fitting and improved performance.

Important when ordering: Please add colour reference to code: **B** Black **W** White **BR** Brown **G** Grey

RAINWATER SYSTEMS



MiniFlo 76mm Standard: BS EN 607, BS EN 12200 -1, BS EN 1462

Colours



Dimensions



Features & Benefits:

- A smaller system based on the original Half Round profile.
- A practical, easy to install system.
- Pre-fitted gutter seal retaining clip system for fast user friendly installation.
- An ideal solution for garages, sheds, summer houses and most garden buildings.
- Pre-lubricated seals.

Product Colours Code

Gutter - 2m



RGM2

Angle



90°



RAM1



135°



RAM2

Running Outlet



ROM1

Product Colours Code

Stopend Outlet



ROM2

Stopend



REM1

Bracket



Fascia



RKM1



Union



RUM1

Product Colours Code

Half Shed Pack - Black Only



MS1

50mm Round Downpipe and Fittings Standard: BS EN 12200 -1

Product Colours Code

Pipe - 2m



RPM2

Offset Bend 92½°



RBM1

Offset Bend 112½°



RBM2

Product Colours Code

Shoe



RBM3

67½° Branch



RYM1

Pipe Clip



RCM1

Product Colours Code

Pipe Socket



RSM1

MiniFlo Rainwater Diverter



RVM1


Important when ordering: Please add colour reference to code: **B** Black **W** White **BR** Brown **G** Grey

For more information visit www.floplast.co.uk

RAINWATER SYSTEMS



XtraFlo 170mm/110mm Rainwater System



FloPlast recommend the use of lubricant on all gutter seals for ease of fitting and improved performance.

Important when ordering: Please add colour reference to code: **B** Black **W** White **G** Grey

RAINWATER SYSTEMS



XtraFlo 170mm Standard: BS EN 607, BS EN 12200 -1, BS EN 1462



KN 101316
BS EN 607

KN 101316
BS EN 1462

KN 101316
BS EN 12200-1

Colours



Dimensions




Features & Benefits:

- A semi - elliptical profile designed to enhance water flow.
- Ideal for large domestic/commercial buildings/warehouses/offices/apartment blocks and schools.
- Vortex outlet designed to promote a vacuum effect to increase the flow rate.
- Pre-fitted gutter seal for fast user-friendly installation.
- Utilises our 110mm soil system for downpipes.

Product Colours Code

Gutter - 4m



RGX4

Angle 90°



RAX1

Running Outlet



ROX1

Product Colours Code

Fascia Bracket



RKX1

Union Bracket



RUX1

Extrenal Stopend



REX1

Product Colours Code

Internal Stopend



REX2

110mm Round Downpipe and Fittings Standard: BS EN 1329, BS EN 1453



KN 544331
BS EN 1229-1

KN 543460
BS EN 1229-1

KN 522704
BS EN 1453

Product Colours Code

Pipe - Plain Ended



3m
4m



SP1

SP2

Pipe - Single Socket



3m
4m



SP3

SP4

Shoe



SP161A

Product Colours Code

Pipe Clip



SP82

Offset Bend 135° (45°)



Ring Seal Top/
Solvent Bottom



SP440



Spigot/
Solvent Socket



SP435

Hopper



RHX1

Product Colours Code

92½° Soil Pipe Branch



SP190

92½° Soil Pipe Access Bend



SP169

Access Pipe



Socket/
Spigot



SP274

Important when ordering: Please add colour reference to code: **B** Black **W** White **G** Grey


For more information visit www.floplast.co.uk

"CAST IRON" STYLE RAINWATER SYSTEMS



20 YEAR
CAST IRON
GUARANTEE

Half Round 112mm/68mm Rainwater



FloPlast recommend the use of lubricant on all gutter seals for ease of fitting and improved performance.

Important when ordering: Please add colour reference to code: **CI** "Cast Iron" Style

"CAST IRON" STYLE RAINWATER SYSTEMS



20 YEAR
CAST IRON
GUARANTEE

Half Round 112mm Standard: BS EN 607, BS EN 12200 -1, BS EN 1462

Colours

CI

Dimensions

112
52

Features & Benefits:

- The original Half Round profile.
- 20 year "Cast Iron" colour guarantee.
- Good flow capacity.
- Pre-fitted gutter seal retaining clip system for fast user friendly installation.
- Pre-lubricated seals.
- Cost effective.
- Can be used on grade 1 listed properties.
- All the benefits of PVC for quick and easy installation.

Product Colours Code

Gutter - 2m / 4m



2m	CI	RG2
4m	CI	RG4

Angle



90°	CI	RA1
-----	----	-----



135°	CI	RA2
------	----	-----

Angle - Any Degree



CI	RA9*
----	------

FloPlast will fabricate any non-standard angle to special order

For 68mm Round Downpipe see page 26.



Product Colours Code

Running Outlet - 68mm round



CI	RO1
----	-----

Stopend Outlet - 68mm round



CI	RO2
----	-----

Stopend



External	CI	RE1
----------	----	-----



Internal	CI	RE2
----------	----	-----

Bracket



Fascia	CI	RK1
--------	----	-----



Union	CI	RU1
-------	----	-----

To Ogee Cast Iron adaptors



R/H	CI	RD3
-----	----	-----



L/H	CI	RD4
-----	----	-----

To Half Round Cast Iron adaptors



CI	RD5
----	-----


Important when ordering: Please add colour reference to code: CI "Cast Iron" Style

"CAST IRON" STYLE RAINWATER SYSTEMS



20 YEAR
CAST IRON
GUARANTEE

Hi-Cap 115mm/68mm Rainwater



FloPlast recommend the use of lubricant on all gutter seals for ease of fitting and improved performance.

Important when ordering: Please add colour reference to code: **CI** "Cast Iron" Style

"CAST IRON" STYLE RAINWATER SYSTEMS



Hi-Cap 115mm Standard: BS EN 607, BS EN 12200 -1, BS EN 1462

20 YEAR
CAST IRON
GUARANTEE

Colours



Dimensions



Features & Benefits:

- 20 year "Cast Iron" colour guarantee.
- A semi-elliptical profile .
- High capacity - ideal for large roof areas.
- Pre-fitted gutter seal retaining clip system for fast user friendly installation.
- Cost effective.
- Pre-lubricated seals.
- Can be used on grade 1 listed properties .
- All the benefits of PVC for quick and easy installation.

Product	Colours	Price
---------	---------	-------

Gutter - 4m		
	4m	CI RGH4

Angle		
	90°	CI RAH1
	135°	CI RAH2
	any degree	CI RAH9*

FloPlast will fabricate any non-standard angle to special order.

Running Outlet - 68mm round		
	CI	32.04

External Stopend		
	External	CI REH1

Internal Stopend		
	Internal	CI REH2

Fascia Bracket		
	CI	RKH1

For 68mm "Cast Iron" Style Round Downpipe, see page 26.

Product	Colours	Price
---------	---------	-------

Union Bracket		
	CI	RUH1




Important when ordering: Please add colour reference to code: **CI** "Cast Iron" Style

"CAST IRON" STYLE RAINWATER SYSTEMS



20 YEAR
CAST IRON
GUARANTEE

Niagara Ogee 110mm/65mm Rainwater



FloPlast recommend the use of lubricant on all gutter seals for ease of fitting and improved performance.

Important when ordering: Please add colour reference to code: **CI** "Cast Iron" Style

"CAST IRON" STYLE RAINWATER SYSTEMS



20 YEAR
CAST IRON
GUARANTEE

Niagara Ogee 110mm Standard: BS EN 607, BS EN 12200 -1, BS EN 1462

Colours

CI

Dimensions

110



Features & Benefits:

- Traditional style ogee Hopper available.
- High capacity system.
- Water-tight seal and retaining clip pre-fitted for fast user friendly installation.
- Black fixing bolts available.
- Extremely cost effective solution for old style refurbishment and new build installations.
- Running Outlet can be connected to 68mm or 65mm Round downpipes.
- Can be used on grade 1 listed properties.

Product Colours Code

Gutter - 3m / 4m

	3m	CI	RGN3
	4m	CI	RGN4

90° Angle

	Internal	CI	RAN1
	External	CI	RAN2

135° Angle

	Internal	CI	RAN3
	External	CI	RAN4

Angle - Any Degree

		CI	RAN9
--	--	----	------

FloPlast will fabricate any non-standard angle to special order. POA: Price on application.

Running Outlet - Multi Outlet

		CI	RON1
--	--	----	------

Stopend Outlet - 65mm Square

	L/H	CI	RON2
	R/H	CI	RON3

Product Colours Code

Stopend - External

	L/H	CI	REN1
	R/H	CI	REN2

Stopend - Internal

	L/H	CI	REN3
	R/H	CI	REN4

Bracket

	Fascia	CI	RKN1
	Union	CI	RUN1

For 68mm "Cast Iron" Style Round Downpipe, see page 26.
For 65mm "Cast Iron" Style Square Downpipe see page 27.



Important when ordering: Please add colour reference to code: CI "Cast Iron" Style

"CAST IRON" STYLE RAINWATER SYSTEMS



20 YEAR
CAST IRON
GUARANTEE

68mm Round Downpipe and Fittings

Standard: BS EN 607, BS EN 12200 -1, BS EN 1462

Colours 	Features & Benefits:	
	Dimensions 68 	- Traditional round profile. - Can be used with Half Round, Hi-Cap and Niagara rainwater systems. - Durable and lightweight. - A practical, easy to install system. - Cost effective. - Easy to cut using a fine toothed saw. - Suitable for new build and refurbishment applications. - Can be used on grade 1 listed properties.

Product	Colours	Code
Pipe - 2.5m		
		RP2.5
Offset Bend		
	92½° 	RB8
	112½° 	RB6
Shoe		
	With fixing lugs Requires 2 x FC50 fixings 	RB4¹
Pipe Clip		
	With fixing lugs Requires 2 x FC50 fixings 	RC4¹
Pipe Socket		
	With fixing lugs Requires 2 x FC50 fixings 	RS2¹
67½° Branch		
		RY1
Access Pipe		
	 	RX1
Square/Round Downpipe Adaptor		
		RDS2

Important when ordering: Please add colour reference to code:  "Cast Iron" Style

Product	Colours	Code
Universal Hopper: Connects to 65mm square and 68mm round downpipe		
		RH1
Ogee Hopper: Connects to 65mm square and 68mm round downpipe		
	With fixing lugs Requires 2 x FC50 fixings 	RH4
Rectangular Hopper: Connects to 65mm square and 68mm round downpipe		
	With fixing lugs Requires 2 x FC50 fixings 	RH5
This product is rotationally moulded and subject to bowing along its length up to +/-4%.		
Cast Iron Fixings 		
		FC50
12 gauge x 50mm stainless steel fixings for "Cast Iron" Range (Socket fixings).		
Fleur-de-Lis		
	55mm 	FL55
	75mm 	FL70
Tudor Rose		
	40mm 	TR55
	55mm 	TR70
Decorative Square		
	40mm 	DS55
	70mm 	DS70
Lion's Head		
	75mm 	LH55
	90mm 	LH70

"CAST IRON" STYLE RAINWATER SYSTEMS



20 YEAR
CAST IRON
GUARANTEE

65mm Square Downpipe and Fittings Standard: BS EN 607, BS EN 12200 -1, BS EN 1462

Colours 	Features & Benefits:	
	Dimensions 65 	■ Attractive square profile. ■ Can be used with Squareline and Niagara rainwater systems. ■ Durable and lightweight. ■ A practical, easy to install system. ■ Cost effective. ■ Easy to cut using a fine toothed saw. ■ Suitable for new build and refurbishment applications. ■ Can be used on grade 1 listed properties.

Product	Colours	Code
Pipe - 2.5m		
		RPS2.5
Offset Bend		
	92½° 	RBS8
	112½° 	RBS6
Shoe		
	With fixing lugs Requires 2 x FC50 fixings 	RBS4
Pipe Clip		
	With fixing lugs Requires 2 x FC50 fixings 	RCS4
Pipe Socket		
	With fixing lugs Requires 2 x FC50 fixings 	RSS2
67½° Branch		
		RYS2
Universal Hopper: Connects to 65mm square and 68mm round downpipe		
		RH1

Product	Colours	Code
Ogee Hopper: Connects to 65mm square and 68mm round downpipe		
	With fixing lugs Requires 2 x FC50 fixings 	RH4
Rectangular Hopper: Connects to 65mm square and 68mm round downpipe		
	With fixing lugs Requires 2 x FC50 fixings 	RH5
This product is rotationally moulded and subject to bowing along its length up to +/-4%.		
Cast Iron Fixings 		
		FC50
12 gauge x 50mm stainless steel fixings for "Cast Iron" Range (Socket fixings).		
Fleur-de-Lis		
	55mm 	FL55
	75mm 	FL70
Tudor Rose		
	40mm 	TR55
	55mm 	TR70
Decorative Square		
	40mm 	DS55
	70mm 	DS70
Lion's Head		
	75mm 	LH55
	90mm 	LH70

Important when ordering: Please add colour reference to code:  "Cast Iron" Style

RAINWATER HARVESTING



EcoFlo Rainwater Diverters Standard: BS EN 12200 - 1

Product	Colour	Code
Rainwater Diverter		
	B W BR G AG CI	RVS1
Connects to 65mm square and 68mm round downpipe		
Rainwater Diverter		
	B W BR G	RVH1
Connects to 80mm Round Downpipe		

Product	Colour	Code
MiniFlo Rainwater Diverter		
	B W BR G	RVM1
Connects to 50mm Round Downpipe		
Connector Kit		
	B W	RVS2
Not kitemarked		

EcoFlo Water Storage Systems

Product	Code
100L Slim Water Butt	
	WB100
100L Slim Water Butt Stand	
	ST100

100L SLIM WATER BUTT	
● 100L capacity. ● Space saving water butt ideal where space is at a premium. ● Supplied with tap and lid. ● Manufactured in the UK from recycled materials.	
Dimensions	
Water Butt:	Stand:
32cm (12½") Length	33cm (13") Length
36cm (14") Width	33cm (13") Width
95.2cm (37½") Height	30.5cm (12") Height

Product	Code
210L Water Butt	
	WB200
200L Water Butt Stand	
	ST200

200L WATER BUTT	
● 210L capacity ● Traditional shape water butt with a large capacity. ● Supplied with tap and lockable lid. ● Manufactured in the UK from recycled materials.	
Dimensions	
Water Butt:	Stand:
57cm (25½") Diameter	53cm (21") Diameter
97cm (39½") Height	31cm (12") Height

Important when ordering: Please add colour reference to code: **B** Black **W** White **BR** Brown **G** Grey **AG** Anthracite Grey **CI** "Cast Iron" Style