




Existing stone sill

Existing original timber frame to be retained with single glazing reinstated within bottom section of existing frame as per clause L40

Non-original louvres to top bottom section of window to be carefully removed. Louvres to top section of window to be replaced with new aluminium louvres as per clause L10/650A

New slim aluminium single glazed (min. 6mm) secondary pane set min. 50mm internally from bottom section of existing window to acoustic requirements and as per clause L10/580A



Photo of existing louvred window with ornate metal security bars on the canal side elevation


KEY

- Existing
- Proposed
- Existing to be removed
- Drawing reference
- 1/312 (TBC)


NOTE

Drawing refers the window ref: W-02, W-04, W-06

1 Proposed Plan Detail
Scale: 1:10



2 Proposed Window Elevation - Exterior
Scale: 1:25



3 Cross Section Detail
Scale: 1:10

A		Window dimenions added	AB	AB
10/08/2020	Rev	Note	DRN CHK	

Churchgate Basement

Proposed Window Details - Canal Side 2

scheme	1819
drwg no.	T(407)
revision	A

scale	1:10 & 1:25 @A3
date first drawn	May 20
drawn	RD

SK sketch E existing P proposed T tender C construction FI final issue

www.ateliermb.co.uk
t. 0161 236 0051
e. architect@ateliermb.co.uk