

GET IN TOUCH (tel:01223499000)

vitral-uk@vitral.co.uk (mailto:vitral-uk@vitral.co.uk) (http://www.vitral.co.uk)
vitral-uk@vitral.co.uk (mailto:vitral-uk@vitral.co.uk)

Vitral Part of

VELUX® Commercial Products (<http://www.vitral.co.uk/en/vitral-products/roof-glazing-panels/>)

SkyVision Fixed

Gallery (<http://www.vitral.co.uk/en/gallery/>)

For Professionals (<http://www.vitral.co.uk/en/design-of-roof-light/>)

DOWNLOADS

About Vitral (<http://www.vitral.co.uk/en/mission/>)

Fixed is the non-venting variant and the perfect solution where natural light and a clean aesthetic are key. Even a single roof light can transform a dull room and flood the space with natural light from above. SkyVision is manufactured according to customer specifications and is available in the following dimensions: Fixed 250-1000 mm. The product size is adapted to the building, not the other way around.

Contact Us (<http://www.vitral.co.uk/en/online-form-ask-questions-online/>)



We use cookies to enhance your user experience. By continuing to browse the site, you agree to our use of cookies. [Read more \(http://www.vitral.co.uk/en/privacy-policy/\)](http://www.vitral.co.uk/en/privacy-policy/)

Accept Cookies

3D Render

GET IN TOUCH 01223 499000 (tel:01223499000)

vitral-uk@vitral.co.uk (mailto:vitral-uk@vitral.co.uk) (http://www.vitral.co.uk)
vitral-uk@vitral.co.uk (mailto:vitral-uk@vitral.co.uk)

Vitral

Part of

VELUX®

Commercial

l Products (<http://www.vitral.co.uk/en/vitral-products/roof-glazing-panels/>)

Gallery (<http://www.vitral.co.uk/en/gallery/>)

For Professionals (<http://www.vitral.co.uk/en/design-of-roof-light/>)

About Vitral (<http://www.vitral.co.uk/en/mission/>)

Contact Us (<http://www.vitral.co.uk/en/online-form-ask-questions-online/>)



We use cookies to enhance your user experience. By continuing to browse the site, you agree to our use of cookies. [Read more \(http://www.vitral.co.uk/en/privacy-policy/\)](http://www.vitral.co.uk/en/privacy-policy/)

Accept Cookies

Specifications

vitral-uk@vitral.co.uk (mailto:vitral-uk@vitral.co.uk) (http://www.vitral.co.uk)
vitral-uk@vitral.co.uk (mailto:vitral-uk@vitral.co.uk)

Vitral

Dimensions Part of

Glass

VELUX

Commercial

Products ([http://www.vitral.co.uk/en/vitral-](http://www.vitral.co.uk/en/vitral-products/roof-glazing-panels/)

[products/roof-glazing-panels/](http://www.vitral.co.uk/en/vitral-products/roof-glazing-panels/)) insulated glass unit, $U_g = 1.1 \text{ W/m}^2\text{K}$

- Height (roof pitch): 250-3000 mm clear internal

(1.3 if larger than 2.8 m^2)

Gallery (<http://www.vitral.co.uk/en/gallery/>)

- Height of wooden upstand: 150-600 mm (for higher, please ring)

■ Glass unit build up: 8 mm toughened/Argon/8.8 mm laminated safety glass or 8 mm

For Professionals ([http://www.vitral.co.uk/en/design-](http://www.vitral.co.uk/en/design-of-roof-light/)

- Installation pitch 0-30°. Min 4° are recommended to avoid ponding water

of-roof-light/) laminated safety glass depending on size

About Vitral (<http://www.vitral.co.uk/en/mission/>)

- Limitations, standard: Max area 4.0 m^2 and the shortest side can be max. 1600 mm

■ Ecoline: 3-layer very low energy insulated glass unit, $U_g = 0.86 \text{ W/m}^2\text{K}$ (size limitations may apply)

Contact Us (<http://www.vitral.co.uk/en/online-form-ask-questions-online/>)

- Limitations, Ecoline: Max area 2.0 m^2 , no side longer than 2000 mm and the shortest side can be max. 1600 mm

■ 115 mm silk screen printing along the edge for UV protecting the sealing

U-values

- Standard: $U_w = 0.97 \text{ W/m}^2\text{K}$ at 0° roof pitch and 3.72 m^2 external area
- Ecoline: $U_w = 0.65 \text{ W/m}^2\text{K}$ at 0° roof pitch and 3.72 m^2 external area

Product testing

- CE-marked in accordance with DS/EN14351-1, DS/EN ISO 717-1, 10077-1, 10077-2, EN12207, EN12208
- Impact test in accordance with CWCT TN66/TN67
- Anti-burglar test, RC2, in accordance with EN1627:2011 og NEN5096:2012+A1:2015NL (size limitations may apply)

We use cookies to enhance your user experience. By continuing to browse the site, you agree to our use of cookies. [Read more](http://www.vitral.co.uk/en/privacy-policy/) (<http://www.vitral.co.uk/en/privacy-policy/>)

Accept Cookies

Installation guide

GET IN TOUCH 01223499000 (tel:01223499000)

vitral-uk@vitral.co.uk (mailto:vitral-uk@vitral.co.uk) (http://www.vitral.co.uk)
vitral-uk@vitral.co.uk (mailto:vitral-uk@vitral.co.uk)

Vitral Part of

VELUX Commercial

Products (<http://www.vitral.co.uk/en/vitral-products/roof-glazing-panels/>)

(http://www.vitral.co.uk/file/2017/11/09/installation_manual_fixed_version_14_11.pdf)

Gallery (<http://www.vitral.co.uk/en/gallery/>)


For Professionals (<http://www.vitral.co.uk/en/design-of-roof-light/>)

RELATED PRODUCTS

(<http://www.vitral.co.uk/en/vitral-products/roof-glazing-panels/fixed/>) (<http://www.vitral.co.uk/en/vitral-products/roof-glazing-panels/comfort/>) (<http://www.vitral.co.uk/en/vitral-products/roof-glazing-panels/circular/>) (<http://www.vitral.co.uk/en/vitral-products/roof-glazing-panels/walk-on/>) (<http://www.vitral.co.uk/en/vitral-products/roof-glazing-panels/ecoline/>)

SkyVision **About Vitral** (<http://www.vitral.co.uk/en/mission/>)
Fixed Comfort Circular Walk-On Ecoline

Contact Us (<http://www.vitral.co.uk/en/online-form-ask-questions-online/>)




Fixed is the non-venting variant and the perfect solution where natural light...




Comfort is the solution if daylight and natural ventilation are needed. The roof...



SkyVision Circular includes a circular top plate fitted with gaskets, to be placed...



Walk-On is for areas with pedestrians (e.g. terraces, roof gardens and green...



SkyVision Linear is the latest addition to the SkyVision family. SkyVision...

We use cookies to enhance your user experience. By continuing to browse the site, you agree to

GET IN
TOUCH

our use of cookies. **CONTACT US** Read more (<http://www.vitral.co.uk/en/privacy-policy/>)

Accept Cookies

01223499000

GET IN TOUCH GET TO THE HELP

SUBSCRIBE

(tel:01223499000) (http://www.vitral.dk/en/vitral-uk) (mailto:vital-uk@vitral.co.uk) (http://www.vitral.co.uk) (mailto:vital-uk@vitral.co.uk) (http://www.vitral.co.uk) (mailto:vital-uk@vitral.co.uk)

Vitral

Part of offices/)

VELUX®

Commercial

Products (<http://www.vitral.co.uk/en/vitral-products/roof-glazing-panels/>)

Gallery (<http://www.vitral.co.uk/en/gallery/>)

For Professionals (<http://www.vitral.co.uk/en/design-of-roof-light/>)

© 2003-2017 A/S ® VITRAL is a registered trademark used under license by the VITRAL Group

About Vitral (<http://www.vitral.co.uk/en/mission/>)

(<https://www.facebook.com/glassrooflights>)

(<https://www.linkedin.com/company/glassrooflights>)

(<https://www.instagram.com/vitraluk/>)

Web design and programming (<https://www.cpartner.lt/lt/interneto-svetainiu-kurimas/>)

Contact Us (<http://www.vitral.co.uk/en/online-form-ask-questions-online/>)

We use cookies to enhance your user experience. By continuing to browse the site, you agree to our use of cookies. [Read more \(http://www.vitral.co.uk/en/privacy-policy/\)](http://www.vitral.co.uk/en/privacy-policy/)

Accept Cookies