OUTFALL POSITION
TO BE DETERMINED

Drainage Key:

- 75mm DEPTH BASE ACO SLOT DRAIN - REFER TO CIVIC DWG 694-01 (DE) 001\002 - DRAINAGE, DETAIL 1. LAID TO FALL OF GROUND UNLESS OTHERWISE STATED
- 100mm DEPTH BASE ACO SLOT DRAIN - REFER TO CIVIC DWG 694-01 (DE) 001_002 - DRAINAGE DETAILS, DETAIL 2. LAID TO FALL OF GROUND UNLESS OTHERWISE STATED.
- ACO MULTIDRAIN MD BRICKSLOT DRAIN (ALL ACO M100D 0,0@0,5% UNLESS STATED)
- 150Ø SW SOLID DRAINAGE
- 150Ø PERFORATED SW DRAINAGE
- SURFACE WATER INSPECTION CHAMBER (SIC). WAVIN RANGE 315 OR SIMILAR APPROVED. RECESSED BLOCK PAVIOR COVER
- TREE PIT PLANTER WHERE PLANTED TREES ARE ON STRUCTURAL SLAB
- TREE PIT PLANTER WHERE PLANTED TREES ARE NOT ON STRUCTURAL SLAB
- PROPOSED SW OUTLET/GULLY PENETRATION THROUGH SLAB. 160mm DIA. UNLESS STATED OTHERWISE
- RODDING EYE
- OUTFALL / GULLY
- SIDE OFFLET / WEIR KERB

OWEN STREET - AS BUILT EXTERNAL DRAINAGE, NOVEMBER 2019