

THE CONTRACTOR SHALL PROHIBIT THE MOVEMENT OF CONSTRUCTION PLANT ACROSS THE STORAGE TANK AND WHERE NECESSARY PROVIDE ADDITIONAL SUPPORT AND PROTECTION TO THE STRUCTURE. PARTICULARLY POST CONSTRUTION. TEMPORARY FENCING CAN BE USED TO PROHIBIT TRADE STOCKS, PILING MATERIALS, HEAVY PLANTS ETC.,




VENT PIPES TO BE LOCATED IN LANDSCAPED AREAS PREFERABLE


TYPICAL 100ø DIP/VENT PIPE CONNECTION



TYPICAL INLET CONNECTION TYPICAL OUTLET CONNECTION




TYPICAL PETROL INTERCEPTOR DETAIL
(TO BE INSTALLED FULLY TO MANUFACTURERS SPECIFICATION AND DETAILS)




DIAGRAMATIC TANK LAYOUT

ATTENUATION TANK DETAILS



PLAN ON FLOW CONTROL MH



FLOW CONTROL MH SECTION

REV	DATE	DESCRIPTION			
P01	21-02-2018	PRELIMINARY ISSUE	PL	JM	JM

DRAWING STATUS: **PRELIMINARY**

CLIENT: NORTH MANCHESTER GENERAL HOSPITAL

ARCHITECT: DMWR ARCHITECTS

PROJECT: PROPOSED ENERGY CENTRE

TITLE: BELOW GROUND DRAINAGE
TYPICAL DRAINAGE DETAILS - SHEET 3

STATUS:	PROJECT NUMBER	DRAWING No:	REV:
S2	218-247	**NEC- AJP - XX - 00 - DR - C - 0005**	P01

SCALE @ A1:	DESIGNED:	DRAWN:	CHECKED:	APPROVED:	DATE:
N.T.S.	JM	PL	JM	JM	FEB 2019

alan johnston partnership LLP
CONSULTING STRUCTURAL & CIVIL ENGINEERS
1 Dale Street, Liverpool L2 2ET
Tel: 0151 227 1462
Fax: 0151 225 1187
E-Mail: Mail@ajpstructeng.com