© Buro Happold Limited or its group companies.
All Rights reserved. Buro Happold and its group companies assert (unless otherwise agreed in writing) their rights under s.77 to 89 of the Copyright, Designs and Patents Act 1988.

DO NOT SCALE THIS DRAWING.

HEALTH AND SAFETY INFORMATION

IN ADDITION TO THE HAZARDS/RISKS NORMALLY ASSOCIATED WITH THE TYPES OF WORK DETAILED ON THIS DRAWING, NOTE THE FOLLOWING

CONSTRUCTION.

MAINTENANCE/CLEANING/OPERATION.

DECOMMISSIONING/DEMOLITION.

Notes

1. REFER TO DRAWING No. **S0001** FOR **GENERAL NOTES.**

2. SUITABILITY OF DESIGN TO BE ASSESSED ON-SITE PRIOR TO FABRICATION FOLLOWING OPENING-UP WORKS.

3. CONTRACTOR TO ENSURE STABILITY OF ALL EXISTING STRUCTURE DURING CONSTRUCTION PROPOSED METHOD STATEMENTS TO BE ISSUED TO STRUCTURAL ENGINEER FOR REVIEW 2 WEEKS PRIOR TO WORK COMMENCING ON SITE.

ALLOW FOR 200mm THK RC RETAINING WALL WITH ONE LAYER A193 MESH TO BE STITCHED IN TO EXISTING SLAB. FINAL DETAIL SUBJECT TO SITE SURVEY OF EXISTING STRUCTURE.

EXISTING WORK NOT TO BE EXTEND BELOW LEVEL OF EXISTING FOOTINGS.

EXISTING SLAB TO BE DEMOLISHED. NEW 200mm THC GROUND BEARING SLAB WITH ONE LAYER A193 MESH. TO BE STITCHED INTO EXISTING SLAB.

ANTICIPATED EXTENT OF EXISTING FOOTING. EXISTING FOOTING TO BE RETAINED.

HATCHED AREA INDICATES RECONFIGURATION OF EXISTING STAIRS TO SUIT ARCHITECT'S DESIGN INTENT. DETAILS TBC.

ALLOW FOR STITCHING INTO EXISTING SLAB. FINAL DETAIL SUBJECT TO SITE SURVEY OF EXISTING STRUCTURE.

LEVELS RAISED LOCALLY BY PLACING A DEPTH CORDEK FILCOR 70 (DEPTH TBC) THROUGHOUT THE HATCH AREA CAPPED WITH 150mm C28/35 CONCRETE SLAB WITH ONE LAYER A193 MESH. NEW STAIR BY SPECIALIST

NEW OPENINGS FORMED IN SHAFT WITH 3 No 200x200 SHS PER OPENING. FINAL DETAIL TBC FOLLOWING CONFIRMATION OF SHAFT CONSTRUCTION.

NEW STAIR TO SPECIALIST SUB-CONTRACTOR DESIGN

CONDITION OF PENNING SUITE FLOOR SLAB TO BE SURVEYED ONCE FINISHES REMOVED.

Rev	Description	Date	Drn	Ch'd
03	STAGE 4	16.01.17	MK	SL
02	STAGE 4	16.01.17	MK	SL
01	RE-ISSUED FOR PLANNING	31.10.16	RE	SL
00	STAGE 3 DRAFT ISSUE	07.09.16	RE	YH

STAGE 4

Status of drawing

BUROHAPPOLD ENGINEERING

Eastgate, Second Floor
2 Castle St., Castlefield
Manchester M4 3LZ
UK

Tel: +44 (0)161 233 5000
Email: 035230@burohappold.com
Web: www.burohappold.com

Architect *ARCHER HUMPHRYES*

Project THE PLACE REFURBISHMENT

Drg Title GROUND FLOOR LEVEL GENERAL ARRANGEMENT

Scales@A1 1:100
Drawn by R. ESTAÑERO
Checked by Y. HUSSAIN
Date 31.08.2016

Job No. 035230
Drawing No. S1000
Rev 03

Mark Vurdak P:\035230 The Place\04 Structural\F20 - Trimble\Sheets\170123_Stage 4 Issue\S1000.dwg