Ansleigh Gardens

Specification Sheet

Job Number : **Q0038415**

Quote Number : **Q0038415**

Customer Ref : **Ainsleigh Gardens**

Quote Date : **20/10/2016**

SUPPLY & FIT



980 x 1180

Frame Specification:	
Win Handle:	White NonLock Blk But
Win Hinge:	DGS Stay
Win Lock:	MACO RAIL ESPAG
Cill:	150mm Cill White
Beading:	28mm Ovolo Bead White
Drainage:	Concealed
Reinforcing:	I PVC Inserts

Additional Frame Details:

Simon's 2500 Framevent Wh Wht NonLk RH Hdl BBut	x1 A1

Glazing: **Int EL70 Welded MC PAS24 White**

4KS / 20 / 4 Clear Blk SupSpacer + Arg	A1
4KS TUF/ 20/4 Clr TUF Blk SupSpacer + Arg	B1

Dimensions:

Overall Size:	980 x 1180
Actual Frame Size:	980 x 1150

Frame No: 1 of 32 **Qty: 1** **Location: BAY L UP**



860 x 1180

Frame Specification:	
Win Handle:	White NonLock Blk But
Win Hinge:	DGS Stay
Win Lock:	MACO RAIL ESPAG
Cill:	150mm Cill White
Beading:	28mm Ovolo Bead White
Drainage:	Concealed
Reinforcing:	I PVC Inserts

Additional Frame Details:

Simon's 2500 Framevent Wh Wht NonLk RH Hdl BBut	x1 A1

Glazing: **Int EL70 Welded MC PAS24 White**

4KS / 20 / 4 Clear Blk SupSpacer + Arg	A1
4KS TUF/ 20/4 Clr TUF Blk SupSpacer + Arg	B1

Dimensions:

Overall Size:	860 x 1180
Actual Frame Size:	860 x 1150

Frame No: 2 of 32 **Qty: 1** **Location: BAY M UP**



980 x 1180

Frame Specification:	
Win Handle:	White NonLock Blk But
Win Hinge:	DGS Stay
Win Lock:	MACO RAIL ESPAG
Cill:	150mm Cill White
Beading:	28mm Ovolo Bead White
Drainage:	Concealed
Reinforcing:	I PVC Inserts

Additional Frame Details:

Simon's 2500 Framevent Wh Wht NonLk RH Hdl BBut	x1 A1

Glazing: **Int EL70 Welded MC PAS24 White**

4KS / 20 / 4 Clear Blk SupSpacer + Arg	A1
4KS TUF/ 20/4 Clr TUF Blk SupSpacer + Arg	B1

Dimensions:

Overall Size:	980 x 1180
Actual Frame Size:	980 x 1150

Frame No: 3 of 32 **Qty: 1** **Location: BAY R UP**

Ansleigh Gardens

Specification Sheet

Job Number : **Q0038415**

Quote Number : **Q0038415**

Customer Ref : **Ainsleigh Gardens**

Quote Date : **20/10/2016**

SUPPLY & FIT



675 x 1180

Frame Specification:		Additional Frame Details:
Cill:	150mm Cill White	
Beading:	28mm Ovolo Bead White	
Drainage:	Concealed	
Reinforcing:	I PVC Inserts	

Glazing:	Int EL70 Welded MC PAS24 White		Dimensions:	
4KS / 20 / 4 Clear Blk SupSpacer + Arg		A1	Overall Size:	675 x 1180
			Actual Frame Size:	675 x 1150

Frame No: 4 of 32 Qty: 1 Location: ABOVE SIDE FIRE ESCAPE



900 x 890

Frame Specification:		Additional Frame Details:	
Win Handle:	White Lock Blk But	Simon's 2500 Framevent Wh	x1
Win Hinge:	DGS Restricted Stay	DGS Restricted Stay 20" TH	A1
Win Lock:	MACO RAIL ESPAG		
Cill:	150mm Cill White		
Beading:	28mm Ovolo Bead White		
Drainage:	Concealed		
Reinforcing:	I PVC Inserts		

Glazing:	Int EL70 Welded MC PAS24 White		Dimensions:	
4KS / 20 / 4 Clear Blk SupSpacer + Arg		A1	Overall Size:	900 x 890
4KS / 20 / 4 Clear Blk SupSpacer + Arg		A2	Actual Frame Size:	900 x 860

Frame No: 5 of 32 Qty: 1 Location: KITCHEN



900 x 1195

Frame Specification:		Additional Frame Details:	
Win Handle:	White NonLock Grn But	Simon's 2500 Framevent Wh	x1
Win Hinge:	DGS Stay >TH & Tristay >SH	DGS Tri Stay 16" SH	A1
Win Lock:	MACO RAIL ESPAG	Wht NonLk RH Green But	A1
Cill:	150mm Cill White		
Beading:	28mm Ovolo Bead White		
Drainage:	Concealed		
Reinforcing:	I PVC Inserts		

Glazing:	Int EL70 Welded MC PAS24 White		Dimensions:	
4KS / 20 / 4 Clear Blk SupSpacer + Arg		A1	Overall Size:	900 x 1195
4KS / 20 / 4 Clear Blk SupSpacer + Arg		A2	Actual Frame Size:	900 x 1165

Frame No: 6 of 32 Qty: 1 Location: LNG

Ansleigh Gardens

Specification Sheet

Job Number : **Q0038415**

Quote Number : **Q0038415**

Customer Ref : **Ainsleigh Gardens**

Quote Date : **20/10/2016**

SUPPLY & FIT



1800 x 1195

Frame Specification:

Win Handle:	White NonLock Grn But
Win Hinge:	DGS Stay >TH & Tristay >SH
Win Lock:	MACO RAIL ESPAG
Cill:	150mm Cill White
Beading:	28mm Ovolo Bead White
Drainage:	Concealed
Reinforcing:	I PVC Inserts

Additional Frame Details:

Simon's 2500 Framevent Wh	x1
Simon's 2500 Framevent Wh	x1
DGS Tri Stay 16" SH	A1
DGS Tri Stay 16" SH	A3
Wht NonLk RH Green But	A1
Wht NonLk LH Green But	A3

Glazing: **Int EL70 Welded MC PAS24 White**

4KS / 20 / 4 Clear Blk SupSpacer + Arg	A1
4KS / 20 / 4 Clear Blk SupSpacer + Arg	A2
4KS / 20 / 4 Clear Blk SupSpacer + Arg	A3

Dimensions:

Overall Size: 1800 x 1195
Actual Frame Size: 1800 x 1165

Frame No: 7 of 32 **Qty: 1** **Location: LNG**



1125 x 1195

Frame Specification:

Win Handle:	White NonLock Grn But
Win Hinge:	DGS Stay >TH & Tristay >SH
Win Lock:	MACO RAIL ESPAG
Cill:	150mm Cill White
Beading:	28mm Ovolo Bead White
Drainage:	Concealed
Reinforcing:	I PVC Inserts

Additional Frame Details:

Simon's 2500 Framevent Wh	x1
DGS Tri Stay 16" SH	A1
Wht NonLk RH Green But	A1

Glazing: **Int EL70 Welded MC PAS24 White**

4KS / 20 / 4 Clear Blk SupSpacer + Arg	A1
4KS / 20 / 4 Clear Blk SupSpacer + Arg	A2

Dimensions:

Overall Size: 1125 x 1195
Actual Frame Size: 1125 x 1165

Frame No: 8 of 32 **Qty: 1** **Location: BED**



675 x 880

Frame Specification:

Win Handle:	White Lock Blk But
Win Hinge:	DGS Restricted Stay
Win Lock:	MACO RAIL ESPAG
Cill:	No Cill
Beading:	28mm Ovolo Bead White
Drainage:	Face
Reinforcing:	I PVC Inserts

Additional Frame Details:

Simon's 2500 Framevent Wh	x1
DGS Restricted Stay 20" TH	A1

Glazing: **Int EL70 Welded MC PAS24 White**

4KS / 20 / 4 Obs Stippolyte Blk SupSpacer + Arg	A1

Dimensions:

Overall Size: 675 x 880
Actual Frame Size: 675 x 880

Frame No: 9 of 32 **Qty: 1** **Location: BATH**

Ansleigh Gardens

Specification Sheet

Job Number : **Q0038415**

Quote Number : **Q0038415**

Customer Ref : **Ainsleigh Gardens**

Quote Date : **20/10/2016**

SUPPLY & FIT



900 x 905

Frame Specification:	
Win Handle:	White Lock Blk But
Win Hinge:	DGS Restricted Stay
Win Lock:	MACO RAIL ESPAG
Cill:	150mm Cill White
Beading:	28mm Ovolo Bead White
Drainage:	Concealed
Reinforcing:	I PVC Inserts

Additional Frame Details:	
Simon's 2500 Framevent Wh	x1
DGS Restricted Stay 20" TH	A2

Glazing:	Int EL70 Welded MC PAS24 White	
4KS / 20 / 4 Obs Stippolyte Blk SupSpacer + Arg		A1
4KS / 20 / 4 Obs Stippolyte Blk SupSpacer + Arg		A2

Dimensions:	
Overall Size:	900 x 905
Actual Frame Size:	900 x 875

Frame No: 10 of 32 Qty: 1 Location: KIT



900 x 1215

Frame Specification:	
Win Handle:	White NonLock Grn But
Win Hinge:	DGS Stay >TH & Tristay >SH
Win Lock:	MACO RAIL ESPAG
Cill:	150mm Cill White
Beading:	28mm Ovolo Bead White
Drainage:	Concealed
Reinforcing:	I PVC Inserts

Additional Frame Details:	
Simon's 2500 Framevent Wh	x1
DGS Tri Stay 16" SH	A2
Wht NonLk LH Green But	A2

Glazing:	Int EL70 Welded MC PAS24 White	
4KS / 20 / 4 Clear Blk SupSpacer + Arg		A1
4KS / 20 / 4 Clear Blk SupSpacer + Arg		A2

Dimensions:	
Overall Size:	900 x 1215
Actual Frame Size:	900 x 1185

Frame No: 11 of 32 Qty: 1 Location: LNG



1795 x 1200

Frame Specification:	
Win Handle:	White NonLock Grn But
Win Hinge:	DGS Stay >TH & Tristay >SH
Win Lock:	MACO RAIL ESPAG
Cill:	150mm Cill White
Beading:	28mm Ovolo Bead White
Drainage:	Concealed
Reinforcing:	I PVC Inserts

Additional Frame Details:	
Simon's 2500 Framevent Wh	x1
Simon's 2500 Framevent Wh	x1
DGS Tri Stay 16" SH	A1
DGS Tri Stay 16" SH	A3
Wht NonLk RH Green But	A1
Wht NonLk LH Green But	A3

Glazing:	Int EL70 Welded MC PAS24 White	
4KS / 20 / 4 Clear Blk SupSpacer + Arg		A1
4KS / 20 / 4 Clear Blk SupSpacer + Arg		A2
4KS / 20 / 4 Clear Blk SupSpacer + Arg		A3

Dimensions:	
Overall Size:	1795 x 1200
Actual Frame Size:	1795 x 1170

Frame No: 12 of 32 Qty: 1 Location: LNG

Ansleigh Gardens

Specification Sheet

Job Number : **Q0038415**

Quote Number : **Q0038415**

Customer Ref : **Ainsleigh Gardens**

Quote Date : **20/10/2016**

SUPPLY & FIT



1125 x 1195

Frame Specification:	
Win Handle:	White NonLock Grn But
Win Hinge:	DGS Stay >TH & Tristay >SH
Win Lock:	MACO RAIL ESPAG
Cill:	150mm Cill White
Beading:	28mm Ovolo Bead White
Drainage:	Concealed
Reinforcing:	I PVC Inserts

Additional Frame Details:	
Simon's 2500 Framevent Wh	x1
DGS Tri Stay 16" SH	A2
Wht NonLk LH Green But	A2

Glazing: **Int EL70 Welded MC PAS24 White**

4KS / 20 / 4 Clear Blk SupSpacer + Arg	A1
4KS / 20 / 4 Clear Blk SupSpacer + Arg	A2

Dimensions:

Overall Size: 1125 x 1195
Actual Frame Size: 1125 x 1165

Frame No: 13 of 32 Qty: 1 Location: BED



900 x 965

Frame Specification:	
Win Handle:	White Lock Blk But
Win Hinge:	DGS Restricted Stay
Win Lock:	MACO RAIL ESPAG
Cill:	150mm Cill White
Beading:	28mm Ovolo Bead White
Drainage:	Concealed
Reinforcing:	I PVC Inserts

Additional Frame Details:	
Simon's 2500 Framevent Wh	x1
DGS Restricted Stay 20" TH	A2

Glazing: **Int EL70 Welded MC PAS24 White**

4KS / 20 / 4 Clear Blk SupSpacer + Arg	A1
4KS / 20 / 4 Clear Blk SupSpacer + Arg	A2

Dimensions:

Overall Size: 900 x 965
Actual Frame Size: 900 x 935

Frame No: 14 of 32 Qty: 1 Location: KIT



1800 x 1205

Frame Specification:	
Win Handle:	White NonLock Grn But
Win Hinge:	DGS Stay >TH & Tristay >SH
Win Lock:	MACO RAIL ESPAG
Cill:	150mm Cill White
Beading:	28mm Ovolo Bead White
Drainage:	Concealed
Reinforcing:	I PVC Inserts

Additional Frame Details:	
Simon's 2500 Framevent Wh	x1
Simon's 2500 Framevent Wh	x1
DGS Tri Stay 16" SH	A1
DGS Tri Stay 16" SH	A3
Wht NonLk RH Green But	A1
Wht NonLk LH Green But	A3

Glazing: **Int EL70 Welded MC PAS24 White**

4KS / 20 / 4 Clear Blk SupSpacer + Arg	A1
4KS / 20 / 4 Clear Blk SupSpacer + Arg	A2
4KS / 20 / 4 Clear Blk SupSpacer + Arg	A3

Dimensions:

Overall Size: 1800 x 1205
Actual Frame Size: 1800 x 1175

Frame No: 15 of 32 Qty: 1 Location: LNG

Ansleigh Gardens

Specification Sheet

Job Number : **Q0038415**

Quote Number : **Q0038415**

Customer Ref : **Ainsleigh Gardens**

Quote Date : **20/10/2016**

SUPPLY & FIT



1120 x 1205

Frame Specification:	
Win Handle:	White NonLock Grn But
Win Hinge:	DGS Stay >TH & Tristay >SH
Win Lock:	MACO RAIL ESPAG
Cill:	150mm Cill White
Beading:	28mm Ovolo Bead White
Drainage:	Concealed
Reinforcing:	I PVC Inserts

Additional Frame Details:	
Simon's 2500 Framevent Wh	x1
DGS Tri Stay 16" SH	A1
Wht NonLk RH Green But	A1

Glazing: **Int EL70 Welded MC PAS24 White**

4KS / 20 / 4 Clear Blk SupSpacer + Arg	A1
4KS / 20 / 4 Clear Blk SupSpacer + Arg	A2

Dimensions:

Overall Size: 1120 x 1205
Actual Frame Size: 1120 x 1175

Frame No: 16 of 32 Qty: 1 Location: BED



675 x 900

Frame Specification:	
Win Handle:	White Lock Blk But
Win Hinge:	DGS Restricted Stay
Win Lock:	MACO RAIL ESPAG
Cill:	No Cill
Beading:	28mm Ovolo Bead White
Drainage:	Face
Reinforcing:	I PVC Inserts

Additional Frame Details:	
Simon's 2500 Framevent Wh	x1
DGS Restricted Stay 20" TH	A1

Glazing: **Int EL70 Welded MC PAS24 White**

4KS / 20 / 4 Obs Stippolyte Blk SupSpacer + Arg	A1

Dimensions:

Overall Size: 675 x 900
Actual Frame Size: 675 x 900

Frame No: 17 of 32 Qty: 1 Location: BATH



900 x 870

Frame Specification:	
Win Handle:	White Lock Blk But
Win Hinge:	DGS Restricted Stay
Win Lock:	MACO RAIL ESPAG
Cill:	150mm Cill White
Beading:	28mm Ovolo Bead White
Drainage:	Concealed
Reinforcing:	I PVC Inserts

Additional Frame Details:	
Simon's 2500 Framevent Wh	x1
DGS Restricted Stay 20" TH	A1

Glazing: **Int EL70 Welded MC PAS24 White**

4KS / 20 / 4 Clear Blk SupSpacer + Arg	A1
4KS / 20 / 4 Clear Blk SupSpacer + Arg	A2

Dimensions:

Overall Size: 900 x 870
Actual Frame Size: 900 x 840

Frame No: 18 of 32 Qty: 1 Location: Item 18

Ansleigh Gardens

Specification Sheet

Job Number : **Q0038415**

Quote Number : **Q0038415**

Customer Ref : **Ainsleigh Gardens**

Quote Date : **20/10/2016**

SUPPLY & FIT



900 x 1180

Frame Specification:	
Win Handle:	White NonLock Grn But
Win Hinge:	DGS Stay >TH & Tristay >SH
Win Lock:	MACO RAIL ESPAG
Cill:	150mm Cill White
Beading:	28mm Ovolo Bead White
Drainage:	Concealed
Reinforcing:	I PVC Inserts

Additional Frame Details:	
Simon's 2500 Framevent Wh	x1
DGS Tri Stay 16" SH	A1
Wht NonLk RH Green But	A1

Glazing: **Int EL70 Welded MC PAS24 White**

4KS TUF/ 20/4 Clr TUF Blk SupSpacer + Arg	A1
4KS TUF/ 20/4 Clr TUF Blk SupSpacer + Arg	A2

Dimensions:

Overall Size: 900 x 1180
Actual Frame Size: 900 x 1150

Frame No: 19 of 32 Qty: 1 Location: LNG UP



1800 x 1180

Frame Specification:	
Win Handle:	White NonLock Grn But
Win Hinge:	DGS Stay >TH & Tristay >SH
Win Lock:	MACO RAIL ESPAG
Cill:	150mm Cill White
Beading:	28mm Ovolo Bead White
Drainage:	Concealed
Reinforcing:	I PVC Inserts

Additional Frame Details:	
Simon's 2500 Framevent Wh	x1
Simon's 2500 Framevent Wh	x1
DGS Tri Stay 16" SH	A1
DGS Tri Stay 16" SH	A3
Wht NonLk RH Green But	A1
Wht NonLk LH Green But	A3

Glazing: **Int EL70 Welded MC PAS24 White**

4KS TUF/ 20/4 Clr TUF Blk SupSpacer + Arg	A1
4KS TUF/ 20/4 Clr TUF Blk SupSpacer + Arg	A2
4KS TUF/ 20/4 Clr TUF Blk SupSpacer + Arg	A3

Dimensions:

Overall Size: 1800 x 1180
Actual Frame Size: 1800 x 1150

Frame No: 20 of 32 Qty: 1 Location: LNG UP



1120 x 1180

Frame Specification:	
Win Handle:	White NonLock Grn But
Win Hinge:	DGS Stay >TH & Tristay >SH
Win Lock:	MACO RAIL ESPAG
Cill:	150mm Cill White
Beading:	28mm Ovolo Bead White
Drainage:	Concealed
Reinforcing:	I PVC Inserts

Additional Frame Details:	
Simon's 2500 Framevent Wh	x1
DGS Tri Stay 16" SH	A1
Wht NonLk RH Green But	A1

Glazing: **Int EL70 Welded MC PAS24 White**

4KS TUF/ 20/4 Clr TUF Blk SupSpacer + Arg	A1
4KS TUF/ 20/4 Clr TUF Blk SupSpacer + Arg	A2

Dimensions:

Overall Size: 1120 x 1180
Actual Frame Size: 1120 x 1150

Frame No: 21 of 32 Qty: 1 Location: BED UP

Ansleigh Gardens

Specification Sheet

Job Number : **Q0038415**

Quote Number : **Q0038415**

Customer Ref : **Ainsleigh Gardens**

Quote Date : **20/10/2016**

SUPPLY & FIT



900 x 1180

Frame Specification:	
Win Handle:	White NonLock Grn But
Win Hinge:	DGS Stay >TH & Tristay >SH
Win Lock:	MACO RAIL ESPAG
Cill:	150mm Cill White
Beading:	28mm Ovolo Bead White
Drainage:	Concealed
Reinforcing:	I PVC Inserts

Additional Frame Details:	
Simon's 2500 Framevent Wh	x1
DGS Tri Stay 16" SH	A2
Wht NonLk LH Green But	A2

Glazing: **Int EL70 Welded MC PAS24 White**

4KS TUF/ 20/4 Clr TUF Blk SupSpacer + Arg	A1
4KS TUF/ 20/4 Clr TUF Blk SupSpacer + Arg	A2

Dimensions:

Overall Size:	900 x 1180
Actual Frame Size:	900 x 1150

Frame No: 22 of 32 Qty: 1 Location: BED UP



670 x 870

Frame Specification:	
Win Handle:	White NonLock Blk But
Win Hinge:	DGS Restricted Stay
Win Lock:	MACO RAIL ESPAG
Cill:	150mm Cill White
Beading:	28mm Ovolo Bead White
Drainage:	Concealed
Reinforcing:	I PVC Inserts

Additional Frame Details:	
Simon's 2500 Framevent Wh	x1
DGS Restricted Stay 20" TH	A1
Wht NonLk RH Hdl BBut	A1

Glazing: **Int EL70 Welded MC PAS24 White**

4KS / 20 / 4 Obs Stippolyte Blk SupSpacer + Arg	A1

Dimensions:

Overall Size:	670 x 870
Actual Frame Size:	670 x 840

Frame No: 23 of 32 Qty: 1 Location: BATH UP



905 x 870

Frame Specification:	
Win Handle:	White NonLock Blk But
Win Hinge:	DGS Restricted Stay
Win Lock:	MACO RAIL ESPAG
Cill:	150mm Cill White
Beading:	28mm Ovolo Bead White
Drainage:	Concealed
Reinforcing:	I PVC Inserts

Additional Frame Details:	
Simon's 2500 Framevent Wh	x1
DGS Restricted Stay 20" TH	A2
Wht NonLk LH Hdl BBut	A2

Glazing: **Int EL70 Welded MC PAS24 White**

4KS / 20 / 4 Clear Blk SupSpacer + Arg	A1
4KS / 20 / 4 Clear Blk SupSpacer + Arg	A2

Dimensions:

Overall Size:	905 x 870
Actual Frame Size:	905 x 840

Frame No: 24 of 32 Qty: 1 Location: KIT UP

Ansleigh Gardens

Specification Sheet

Job Number : **Q0038415**
Quote Number : **Q0038415**
Customer Ref : **Ainsleigh Gardens**
Quote Date : **20/10/2016**

SUPPLY & FIT



900 x 1180

Frame Specification:	
Win Handle:	White NonLock Grn But
Win Hinge:	DGS Stay >TH & Tristay >SH
Win Lock:	MACO RAIL ESPAG
Cill:	150mm Cill White
Beading:	28mm Ovolo Bead White
Drainage:	Concealed
Reinforcing:	I PVC Inserts

Additional Frame Details:	
Simon's 2500 Framevent Wh	x1
DGS Tri Stay 16" SH	A2
Wht NonLk LH Green But	A2

Glazing: **Int EL70 Welded MC PAS24 White**

4KS / 20 / 4 Clear Blk SupSpacer + Arg	A1
4KS / 20 / 4 Clear Blk SupSpacer + Arg	A2

Dimensions:

Overall Size: 900 x 1180
Actual Frame Size: 900 x 1150

Frame No: 25 of 32 Qty: 1 Location: LNG UP



1805 x 1180

Frame Specification:	
Win Handle:	White NonLock Grn But
Win Hinge:	DGS Stay >TH & Tristay >SH
Win Lock:	MACO RAIL ESPAG
Cill:	150mm Cill White
Beading:	28mm Ovolo Bead White
Drainage:	Concealed
Reinforcing:	I PVC Inserts

Additional Frame Details:	
Simon's 2500 Framevent Wh	x1
Simon's 2500 Framevent Wh	x1
DGS Tri Stay 16" SH	A1
DGS Tri Stay 16" SH	A3
Wht NonLk RH Green But	A1
Wht NonLk LH Green But	A3

Glazing: **Int EL70 Welded MC PAS24 White**

4KS / 20 / 4 Clear Blk SupSpacer + Arg	A1
4KS / 20 / 4 Clear Blk SupSpacer + Arg	A2
4KS / 20 / 4 Clear Blk SupSpacer + Arg	A3

Dimensions:

Overall Size: 1805 x 1180
Actual Frame Size: 1805 x 1150

Frame No: 26 of 32 Qty: 1 Location: LNG UP



1125 x 1180

Frame Specification:	
Win Handle:	White NonLock Grn But
Win Hinge:	DGS Stay >TH & Tristay >SH
Win Lock:	MACO RAIL ESPAG
Cill:	150mm Cill White
Beading:	28mm Ovolo Bead White
Drainage:	Concealed
Reinforcing:	I PVC Inserts

Additional Frame Details:	
Simon's 2500 Framevent Wh	x1
DGS Tri Stay 16" SH	A2
Wht NonLk LH Green But	A2

Glazing: **Int EL70 Welded MC PAS24 White**

4KS / 20 / 4 Clear Blk SupSpacer + Arg	A1
4KS / 20 / 4 Clear Blk SupSpacer + Arg	A2

Dimensions:

Overall Size: 1125 x 1180
Actual Frame Size: 1125 x 1150

Frame No: 27 of 32 Qty: 1 Location: BED UP

Ansleigh Gardens

Specification Sheet

Job Number : **Q0038415**

Quote Number : **Q0038415**

Customer Ref : **Ainsleigh Gardens**

Quote Date : **20/10/2016**

SUPPLY & FIT



900 x 870

Frame Specification:	
Win Handle:	White NonLock Blk But
Win Hinge:	DGS Restricted Stay
Win Lock:	MACO RAIL ESPAG
Cill:	150mm Cill White
Beading:	28mm Ovolo Bead White
Drainage:	Concealed
Reinforcing:	I PVC Inserts

Additional Frame Details:	
Simon's 2500 Framevent Wh	x1
DGS Restricted Stay 20" TH	A2
Wht NonLk LH Hdl BBut	A2

Glazing: **Int EL70 Welded MC PAS24 White**

4KS / 20 / 4 Clear Blk SupSpacer + Arg	A1
4KS / 20 / 4 Clear Blk SupSpacer + Arg	A2

Dimensions:

Overall Size: 900 x 870
Actual Frame Size: 900 x 840

Frame No: 28 of 32 Qty: 1 Location: KIT UP



1800 x 1180

Frame Specification:	
Win Handle:	White NonLock Grn But
Win Hinge:	DGS Stay >TH & Tristay >SH
Win Lock:	MACO RAIL ESPAG
Cill:	150mm Cill White
Beading:	28mm Ovolo Bead White
Drainage:	Concealed
Reinforcing:	I PVC Inserts

Additional Frame Details:	
Simon's 2500 Framevent Wh	x1
Simon's 2500 Framevent Wh	x1
DGS Tri Stay 16" SH	A1
DGS Tri Stay 16" SH	A3
Wht NonLk RH Green But	A1
Wht NonLk LH Green But	A3

Glazing: **Int EL70 Welded MC PAS24 White**

4KS / 20 / 4 Clear Blk SupSpacer + Arg	A1
4KS / 20 / 4 Clear Blk SupSpacer + Arg	A2
4KS / 20 / 4 Clear Blk SupSpacer + Arg	A3

Dimensions:

Overall Size: 1800 x 1180
Actual Frame Size: 1800 x 1150

Frame No: 29 of 32 Qty: 1 Location: LNG UP



1120 x 1180

Frame Specification:	
Win Handle:	White NonLock Grn But
Win Hinge:	DGS Stay >TH & Tristay >SH
Win Lock:	MACO RAIL ESPAG
Cill:	150mm Cill White
Beading:	28mm Ovolo Bead White
Drainage:	Concealed
Reinforcing:	I PVC Inserts

Additional Frame Details:	
Simon's 2500 Framevent Wh	x1
DGS Tri Stay 16" SH	A1
Wht NonLk RH Green But	A1

Glazing: **Int EL70 Welded MC PAS24 White**

4KS / 20 / 4 Clear Blk SupSpacer + Arg	A1
4KS / 20 / 4 Clear Blk SupSpacer + Arg	A2

Dimensions:

Overall Size: 1120 x 1180
Actual Frame Size: 1120 x 1150

Frame No: 30 of 32 Qty: 1 Location: BED UP

Ansleigh Gardens

Specification Sheet

Job Number : **Q0038415**

Quote Number : **Q0038415**

Customer Ref : **Ainsleigh Gardens**

Quote Date : **20/10/2016**

SUPPLY & FIT



675 x 1180

Frame Specification:	
Win Handle:	White NonLock Grn But
Win Hinge:	DGS Stay >TH & Tristay >SH
Win Lock:	MACO RAIL ESPAG
Cill:	150mm Cill White
Beading:	28mm Ovolo Bead White
Drainage:	Concealed
Reinforcing:	I PVC Inserts

Additional Frame Details:	
Simon's 2500 Framevent Wh	x1
DGS Tri Stay 16" SH	A1
Wht NonLk RH Green But	A1

Glazing: **Int EL70 Welded MC PAS24 White**

4KS / 20 / 4 Clear Blk SupSpacer + Arg A1

Dimensions:

Overall Size: 675 x 1180

Actual Frame Size: 675 x 1150

Frame No: 31 of 32 Qty: 1 Location: BED UP



675 x 870

Frame Specification:	
Win Handle:	White NonLock Blk But
Win Hinge:	DGS Restricted Stay
Win Lock:	MACO RAIL ESPAG
Cill:	150mm Cill White
Beading:	28mm Ovolo Bead White
Drainage:	Concealed
Reinforcing:	I PVC Inserts

Additional Frame Details:	
Simon's 2500 Framevent Wh	x1
DGS Restricted Stay 20" TH	A1
Wht NonLk RH Hdl BBut	A1

Glazing: **Int EL70 Welded MC PAS24 White**

4KS / 20 / 4 Obs Stippolyte Blk SupSpacer + Arg A1

Dimensions:

Overall Size: 675 x 870

Actual Frame Size: 675 x 840

Frame No: 32 of 32 Qty: 1 Location: BATH

Total of 37 trickle vents on this quote totaling 92,500mm²EA

Terms and Conditions

Please check this order carefully. If any details are incorrect or you require any additional amendments please contact us as soon as possible.
Once this order is confirmed and signed any mistakes or omissions will be the customers responsibility.
All goods sold are subject to terms and conditions of Nationwide Windows Ltd.
Extras include bay items.
ALL FRAMES VIEWED EXTERNALLY