Do not scale from drawing
Dimensions are to be checked on site
If in doubt please ask



BASEMENT



BASEMENT MEZZANINE



GROUND



FIRST

Door Types:

A - E see drawing: 6850A (32) 002

5 - 8 see drawing: 6850A (32) 003/04

Existing Fire Alarm Sounders

Key:

Detent Retainers

Supply and fit new Electromagnetic detent retainers. To be wired in to existing supply as drawing 6850 32 002, and to be floor mounted throughout.

New Automation System

Supply and fit new automation system. Doors must be fitted with emergency override and failsafe to "open" or revert to manual control. Visual warnings must be incorporated to warn of both opening and shutting. See drawing 6850A 32 004 for details of manual control.

G	Hold opens amended to auto doors	GP	02.11.12
F	Construction Issue	GP	11.04.12
E	Revised to TENDER issue.	HR	22.11.11
D	Detent Retainers note and symbology added	HR	09.09.11
C	Dorgard hold open devices omitted.	HR	12.08.11
B	Revised to PLANNING issue.	AS	13.07.11
A	Note omitted for door release drawing ref.	AS	31.05.11

The University of Manchester - DDA Works
John Owens Building
–
Proposed Door Amendments
Plan Locations

Drwg. No: **6850A 32 001** Rev: **G**

Date : MAY 2011 Scale: 1:500 @A2 Checked by : sa

CONSTRUCTION

buttress fuller alsop williams · architects
31-33 Princess Street, Manchester, M2 4BF · telephone + 44 (0)161 236 3303
fax + 44(0)161 236 3603 · web site:www.bfaw.co.uk · email:contact@bfaw.co.uk
Buttress Fuller Alsop Williams Ltd is Registered in England and Wales: 5363573

MANCHESTER 1824