
LEACH RHODES WALKER



PLANNING

Manchester : Irian Hotel : CGI Showing External Signage at Night


SHUDEHILL
HIGHER HUNGERFORD STREET
QUADDEN STREET
SWAN STREET
EARLE STREET


Option 1a




Built up diecoated stainless steel logo painted red & gold with 3mm cut flag & outline backed in gold acrylic
Viewed in daylight - Scale 1:10



Built up diecoated stainless steel logo painted red & gold with 3mm cut flag & outline backed in gold acrylic
Viewed after dusk - Scale 1:10





Built up logo - *Scale 1:10*


Option 1a


Internally illuminated built up diecoated stainless steel logo: stove enamelled gold & red with flags & outline having gold acrylic faces illuminated by means of neon tubing. The illumination will be static & not exceeding 700 cd/m².

Option 1b

Internally illuminated built up satin stainless steel logo with flags & outline having gold acrylic faces illuminated by means of neon tubing. The illumination will be static & not exceeding 700 cd/m².


drawn by SCC date 27/08/2008 drg No. 8372IL(00)133














Crowne Plaza Entrance Signage

Flexible Face Sign Material (High Level Logo Medallion Applications)

White — 3M Panaflex Awning & Sign Facing Series 90in (SP)

Crowne Plaza Reflective Sign Films

Crowne Plaza Gold — 3M Scotchlite Reflective Film Vibrant Gold

Crowne Plaza Gold (alternate spec.) — Avery AT Reflective Film Avitex-R Gold

Crowne Plaza White — 3M Scotchlite Reflective Film 3290 (P-T)

Crowne Plaza White (alternate spec.) — Avery AT Reflective Film Avitex-R 26 (T)

Crowne Plaza Paint Finishes

Crowne Plaza Crimson — Akzo Nobel Coatings Crowne Plaza Crimson 5909/3306 Grey Sand Satin gloss

Crowne Plaza Gold — Akzo Nobel Coatings Crowne Plaza Gold SCAN7565 Sep Satin High gloss

Crowne Plaza White — Akzo Nobel Coatings Crowne Plaza White 1909/1405 Grey Sand Satin gloss

Reflective White* — Akzo Nobel Coatings Metalure Plus L 1060

Reflective White* (alternate spec.) — Sprayrite Sign Coatings Starbrite White LT

*Note: Reflective white as c to application to interior illuminated sign cabinets only.

Reflective White Film (Special Applications)

Reflective White* — 3M Light Enhancement Film LE 3635 100

*Note: Reflective film for application to the backs of illuminated sign cabinets. Also, see "Reflective White" paint alternate above.

Exterior Colour & Material Specifications

Neon Glass

White — Eiko Company, Inc. #8 non-Snow White

Red — Eiko Company, Inc. #8 non-Ruby Red

Incandescent — Eiko Company, Inc. #8 non-C Designer 2438

Plastic Sign Faces

Crowne Plaza Crimson — Rohm Chemicals Plexiglas DRS 12007

Crowne Plaza Crimson (alternate spec.) — Rohm Chemicals Plexiglas MC 7000 Rnc

Crowne Plaza Interior Paint Finishes

Crowne Plaza Interior Crimson — Akzo Nobel Coatings Crowne Plaza Crimson 5909/3306 Grey Sand Satin gloss

Crowne Plaza Gold — Akzo Nobel Coatings Crowne Plaza Gold SCAN7565 Grey Sand Satin gloss

Crowne Plaza Interior Screen Printed Graphics

Crowne Plaza Interior Beige — Pantone PMS 7500 C

Smoky Red — Pantone PMS 1795 C

*Note: PANTONE is a registered trademark of PANTONE, Inc.

Interior Colour & Material Specifications

Exterior Colour & Material Specifications

Crowne Plaza Translucent Sign Films

ALL REFERENCES TAKEN FROM THE OFFICIAL CROWNE PLAZA DOCUMENTATION.
PLEASE REFER TO THIS PAGE WHEN SEARCHING FOR ANY COLOURS DESCRIBED ON THE SPEC. SHEETS FOR SIGNAGE ON THIS SITE.

L&G

CROWNE PLAZA
Manchester Colour Refs

N/A

08/06/07

DRAWING NUMBER
8019a

© Copyright L&G Signs Limited

Type Font System

To help establish a consistent look for the wide variety of signage applications for Crowne Plaza, Trade Gothic Bold 2 has been chosen as the standard typefont for all exterior signage.

To obtain the Trade Gothic Bold 2 typefont on-line, please go to www.adobe.com for information on ordering the required font.

ALL REFERENCES TAKEN
FROM THE OFFICIAL
CROWNE PLAZA DOCUMENTATION.
PLEASE REFER TO THIS PAGE
WHEN SEARCHING FOR
ANY LETTER STYLE DESCRIBED ON
THE SPEC. SHEETS FOR SIGNAGE
ON THIS SITE.

Trade Gothic Bold 2
For use with location names on exterior signage applications.

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890&

Trade Gothic Regular
For use with exterior address typography applications.

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890&

Adobe Garamond Semibold
For use with exterior directional signage.

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890&

Adobe Garamond Semibold Small Caps
For use with interior signage.

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890&

Adobe Garamond Regular Small Caps
For use with interior signage.

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890&

Directional Arrows
For use with exterior and interior directional signage.


↑ ↖ ← → ↗


L&G

CROWNE PLAZA
Manchester Letter styles

n/a
CP Official Source
n/a
03/04/07

DRAWING NUMBER
8019b


1:200
scale
SHUDEHILL
SIGN REF :H
SIGN REF :A
SWAN STREET
N
SIGN REF :D
SIGN REF :C
SIGN REF :G
SIGN REF :B
CROWNE PLAZA
SIGN REF :E
GEORGE STREET
SMITHFIELD SQUARE
REF A : built up brushed stainless steel individual letters reading " manchester "
REF B : High level building signature sign. Letters are 800mm cap height.
REF C : Oval wall fix internal sign.
REF E : High level building signature sign. Letters are 800mm cap height.
REF G : Canopy mounted double sided sign, 420mm high.
DELETED
CROWNE PLAZA
8019c



REF A : Built up brushed stainless steel individual letters reading ' manchester '

REF B : High level building signature sign. Letters are 800mm cap height.

REF C : Overhead Entrance sign.

REF D : Low level building signature sign. Letter caps are 600mm cap height.

REF G : Gateway Identification Sign. 4250mm high.

~~REF H : 3no. Approx. 5890mm high Flag Poles~~ DELETED

REF A : Spec. - dwg 8019h

REF B : Spec. - dwg 8019i

REF C : Spec. - dwg 8019j

REF D : Spec. - dwg 8019k

REF G : Spec. - dwg 8019m

~~REF H : Spec. - dwg 8019n~~



PLAN VIEW PAGE - dwg 8019c

L&G SIGNS LTD

CLIENT

CROWNE PLAZA
Manchester, Shudehill Elevation

JOB NUMBER n/a Planning
DRAWN BY SJC
SCALE A3 range - 1:250 / 1:500
DATE 03/06/97

DRAWING NUMBER
8019d



ELEVATION TO SMITHFIELD SQUARE 1.250 scale


CAR PARK

REF E : High level building signature sign. Letters are 800mm cap height.

REF G : Gateway Identification Sign. 4250mm high.

REF E : Spec. - dwg 8019i

REF G : Spec. - dwg 8019m



PLAN VIEW PAGE - dwg 8019c

L&G


CROWNE PLAZA
Manchester, Smithfield Sq. Elevation

DRAWING NUMBER
8019e

© Copyright L&G Signs Limited



ELEVATION TO SWAN STREET - 1.200 scale



PLAN VIEW PAGE - dwg 8019c

REF F : VERTICALLY STACKED Internally illuminated Letterset and Signature logo. 1000mm letter cap height. / 2500mm wide logo sized to fit within area available.

REF F : Spec. - dwg 8019f.

REF G : Gateway Identification Sign. 4250mm high.

REF G : Spec. - dwg 8019m

CLIENT: CROWNE PLAZA Manchester, Swan Street Elevation	JOB NUMBER: n/a planning				DRAWING NUMBER: 8019f
	DRAWN BY: SJC				
	SCALE: 1:200				
	DATE: 03/06/07				



ELEVATION TO NEW GEORGE STREET - 1.200 scale



AS OF **03.06.07**, THERE IS NO PLANNED SIGNAGE FOR THIS ELEVATION.

L&G

CROWNE PLAZA
Manchester, George Street Elevation

11/d
SJC
1:200
03/06/07

DRAWING NUMBER
8019g

© Copyright L&G Signs Limited

1:50 scale

SIGN REF: A

Shoulstell


elevation ref dwg: 8019d

building plan ref dwg: 8019c

MANCHESTER INDIVIDUAL LETTERS
1mtr CAP HEIGHT
EXAMPLE OF LETTER 'm'

BRUSHED STAINLESS STEEL FACES


BLACK STOVE ENAMELLED RETURNS TO CONTRAST AGAINST THE DARK GREY CAREA PANEL



1:50 scale

manchester

overall span approx 9700mm



Non illuminated descaled stainless steel letter 1000mm cap height, letter to be stove enamelled black on the returns to contrast against dark grey carea panel.

L&G SIGNS LTD


CROWNE PLAZA
Manchester, individual name letters

n/a planning
PL / SJC
A3 page - 1:50 / 1:2
02/05/07


SAVED AS:

DRAWING NUMBER
8019h


© Copyright L&G Signs Limited



ABOVE LEFT : SIGN REF B ONTO RENDER
FIXING DETAIL



ABOVE RIGHT : SIGN REF E ONTO TILES
FIXING DETAIL



High Level Building Signature/
Light Backgrounds
Sign Type A

A Double Pole Logo Illustration
Acrylic faces/white.
3/4" Parallel Awning & Sign Fixing.
Shield/Gilded Ring and Flag Icon.
Crowne Plaza Wall in Gold Translucent Film.
White Aglossal Colours.
Crowne Plaza Crystal Coated Film.
Returns Painted Crowne Plaza Gold.
Illumination: Neon Bright Snow White.

B Dimensional Letterform
Construction: Aluminium Channel Letters.
Plastic Faces: Crowne Plaza Diffuser Translucent Plastic.
Returns: Painted Crowne Plaza Gold.
Illumination: Neon Glass, Ruby Red

C Registration "R" Disc
Construction: Aluminium Disc painted
Crowne Plaza Black.
Graphics: Crowne Plaza Diffuser Opaque Film

Below: Impression of Illumination.



1.50 scale
SIGN REF: B (onto render)
SIGN REF: E (onto tiles)
Shudehill (ref B)
elevation ref dwg: 8019d

Smithfield Square (ref E)
elevation ref dwg: 8019e

building plan ref dwg: 8019c

CROWNE
PLAZA

1.50 scale

L&G GROUP LTD

CLIENT: CROWNE PLAZA
Manchester, Hortz Stacked sets

n/a planning
SJC / PL
A3 page - 1:50
22/06/07

DRAWING NUMBER
8019i

© Copyright L&G Signs Limited

1.50 scale
SIGN REF: D

Shudehill
elevation ref dwg: 8019d
building plan ref dwg: 8019c

Low Level Building Signature with Optional Location Name/ Medium to Dark Backgrounds

Sign Type **E**




❷ * Optional for site - fits centrally below the underline

Front View

1.50 scale




Side View



❶ Dimensional Logo Medallion
Construction: Dimensional aluminium with straight sides and flat.
Retina Colour Alloy and Flag areas:
3M Metallic Gold Opaque Colour Perforated Film applied to the front face of clear polycarbonate with translucent Yellow Film applied to the back surface.
Background: Painted Crowne Plaza Cornish*
Returns: Painted Crowne Plaza Gold.
Illumination: Neon Glass, Basic.

❷ Dimensional Letterforms*
Construction: Aluminium Channel Letters.
Faces: 3M White Opaque Colour Perforated Film, applied to the front face of clear polycarbonate with Crowne Plaza Crimson Translucent Film applied to the back surface.
Returns: Painted Crowne Plaza Gold.
Illumination: Neon Glass, Ruby Red.

❸ Replication "R" Dot
Construction: Aluminium as per letters.
Crowne Plaza White
Graphics: Crowne Plaza Crimson Opaque Film.







L&G SIGN HIRE LTD


CROWNE PLAZA
Manchester, Low Level Signature

n/a planning
SJC
A3 page: 1:50
03/04/07


DRAWING NUMBER
8019k

1.50 scale
SIGN REF: F

Swan Street
elevation ref dwg: 8019f
building plan ref dwg: 8019c



Above: Fixing detail example for letters and logo fixed to render.



Below: Impression of illumination





High Level Building Signature/ Light Backgrounds Sign Type A

1 Flexible Face Logo Modules
Face Construction:
3M Panaflex Fascia & Sign Facing
Pin/Outer Ring and Plug Hole:
Orafol Oracal Metallic Silk Transparent Film
Film/Manufacturer/ Erosion:
Crowne Plaza Crimson Opaque Film.
Release: Number Crowne Plaza Date
Illumination: Neon Glass, Ruby Red

2 Dimensional Letterforms
Construction: Aluminium Diecast Letters
Plastic Faces: Orafol Film Crimson Translucent Plastic
Returns: Painted Crimson Plate Gold
Illumination: Neon Glass, Ruby Red

3 Registration "R" Disc
Construction: Plate Glass with Vinyl Overlay
Crowne Plaza Motif
Graphics: Crowne Plaza Crimson Opaque Film





	CROWNE PLAZA Manchester, Stacked vertical set				DRAWING NUMBER 8019L


1.25 scale
SIGN REF: G

Swan Street
elevation ref dwg: 8019f
building plan ref dwg: 8019c

Gateway Identification Sign
4.25 M (14'-0")
Sign Type X1 X2

1. **Base Sign Cabinet**
   Construction: Aluminium.
   Sign Face Finish: Painted Crowne Plaza Crimson.
   Illumination Source: Fluorescent Lamps
2. **End Caps**
   Construction: Aluminium.
   Finish: Painted Crowne Plaza Gold.
3. **Raised Flag Logo**
   Construction: Push-fits clear acrylic crest and stripes with Crowne Plaza Metallic Gold Translucent Film applied to the front surface (illuminates gold with white edge lighting).
4. **Crowne Plaza Logotype**
   Letterforms: Push-fit translucent white acrylic (illuminates white).
5. **Raised Accent Rule**
   Construction: Push-fits clear acrylic with Crowne Plaza Metallic Gold Translucent Film applied to the front surface (illuminates gold with white edge lighting).
6. **Location Name**
   Letterforms: Push-fit translucent white acrylic (illuminates white).
7. **Location Address (optional)**
   Numerals & Letterforms: Push-fit translucent white acrylic (illuminates white).





L&G	CROWNE PLAZA Manchester, 4250mm high Totem	n/a planning CP official source A3 page =1:25 03/05/07	DRAWING NUMBER 8019m