MANCHESTER CITY COUNCIL

Important Planning permission & notices of consent

Compliance with conditions

- Your planning approval or consent is attached. It will contain conditions that you must comply with.
- Please read the conditions and understand their requirements and restrictions, for example submission and approval of details or measures to protect trees.
- Some conditions will require action before you start development and it is imperative that you seek to have these discharged before any work commences.
- Whilst every effort has been made to group conditions logically, it is your responsibility to ensure that you are aware of the requirements and/or restrictions of all conditions.
- If you fail to comply with the conditions this may result in a breach of planning control and this may lead to enforcement action.
- Failure to comply with conditions may also result in the development not being lawful.
- It is in your interests to demonstrate that conditions have been complied with. Failure to do so may cause difficulties if the property is sold or transferred.
- A fee is payable for each request to discharge conditions.
- For advice on any of these matters, please contact Planning, Manchester City Council, PO Box 532, Town Hall, Manchester M60 2LA or email planning@manchester.gov.uk

MANCHESTER CITY COUNCIL

Town & Country Planning Act 1990 (as amended)

Planning Permission

Applicant	Agent (if used)
Telecity Group UK Ltd 9th Floor 6/7 Harbour Exchange Square London E14 9GE	Leach Rhodes Walker Riverside New Bailey Street Manchester M3 5AA

Part 1 Particulars of the application/development

Proposal: Part retrospective Application to vary condition no. 3 attached to planning permission 101513/FO/2013/S1 to allow for the installation of 1 additional condensing air conditioning in the southern compound and the relocation of 2 dual fan units from the southern compound to the east compound.

Location: Units 1,2,5 And 6, Synergy House, Manchester Science Park, Guildhall Close, Moss Side, Manchester, M15 6SY

Date of application: 28 May 2013

Application number: 102414/JO/2013/S1

Part 2 Particulars of decision

Manchester City Council gives notice that the development referred to in Part 1 has been **Approved** in accordance with the application and plans submitted subject to the condition(s) listed below (if any).

Article 31 Declaration

The application was determined in a positive and proactive manner. No significant problems have arisen during the consideration of this application.

Reason(s) for decision

Approve on the basis that the proposal accords with Policies DM1 and SP1 of the Manchester Core Strategy and saved policy DC26 of the Unitary Development Plan for the City of Manchester. There are no material considerations of sufficient weight to indicate otherwise.

Condition(s) attached to this decision

1) The development must be begun not later than the expiration of three years beginning with the date of this permission.

Reason - Required to be imposed pursuant to Section 91 of the Town and Country Planning Act 1990.

2) The development shall only be carried out in accordance the previously approved materials as provided by letter dated 2nd January 2013.

Reason - To ensure that the appearance of the development is acceptable to the City Council as local planning authority in the interests of the visual amenity of the area within which the site is located, as specified in policies SP1 and DM1 of the Core Strategy.

3) The development hereby approved shall be carried out in accordance with the following drawings and documents:

Drawings L(20)04/Rev/E, L(90)03/Rev/F, L(20)03/Rev/E, A(90)02/Rev/D, L(20)04/Rev/C and A(90)02/Rev/C stamped as received by the City Council as Local Planning Authority on 9th May 2013.

Reason - To ensure that the development is carried out in accordance with the approved plans, pursuant to policies SP1 and DM1 of the Core Strategy.

4) The boundary treatment, including plant enclosures shown on the approved drawings shall be completed prior to the new and replacement plant equipment hereby approved becoming operational. The development shall be carried out in accordance with the approved details and shall thereafter be retained.

Reason - To ensure that the appearance of the development is acceptable to the City Council as local planning authority in the interests of the visual amenity of the area within which the site is located in order to comply with Policies SP1 and DM1 of the Manchester Core Strategy.

5) In this condition "retained tree" means an existing tree, shrub or hedge which is to be as shown as retained on the approved plans and particulars; and paragraphs (a) and (b) below shall have effect until the expiration of 5 years from the date of the occupation of the building for its permitted use.

(a) No retained tree shall be cut down, uprooted or destroyed, nor shall any retained tree be topped or lopped other than in accordance with the approved plans and particulars, without the written approval of the local planning authority. Any topping or lopping approved shall be carried out in accordance with British Standard 5387 (Trees in relation to construction)
(b) If any retained tree is removed, uprooted or destroyed or dies, another tree shall be planted at the same place and that tree shall be of such size and species, and shall be planted at such time, as may be specified in writing by the local planning authority.
(c) The erection of fencing for the protection of any retained tree shall be undertaken in accordance with the approved plans and particulars before any equipment, machinery or materials are brought on to the site for the purposes of the development, and shall be maintained until all equipment, machinery and surplus materials have been removed from the site. Nothing shall be stored or placed in any area fenced in accordance with this condition and the ground levels within those areas shall not be altered, nor shall any excavation be made, without the written consent of the local planning authority.

Reason - In order avoid damage to trees/shrubs adjacent to and within the site which are of important amenity value to the area and in order to protect the character of the area, in accordance with policies EN9 and EN15 of the Core Strategy.

6) The landscaping scheme approved by the City Council as local planning authority shown on drawing D133915-PB-L-001 stamped as received on 31st January 2013 as part of planning permission 101513/FO/2013/S1 shall be implemented not later than 12 months from the date of commencement of works. If within a period of 5 years from the date of the planting of any tree or shrub, that tree or shrub or any tree or shrub planted in replacement for it, is removed, uprooted or destroyed or dies, or becomes, in the opinion of the local planning authority, seriously damaged or defective, another tree or shrub of the same species and size as that originally planted shall be planted at the same place, unless otherwise agreed in writing by the City Council as local planning authority.

Reason - To ensure that a satisfactory landscaping scheme for the development is carried out that respects the character and visual amenities of the area, in accordance with policies SP1 and DM1 of the Manchester Core Strategy.

7) Externally mounted ancillary plant, equipment and servicing shall be selected and/or acoustically treated in accordance with a scheme designed so as to achieve a noise level of 5dB below the existing background (LA90) in each octave band at the nearest noise sensitive location. The scheme should be submitted to and approved in writing by the City Council as Local Planning Authority in order to secure a reduction in the level of noise emanating from the site.

Reason - To minimise the impact of the development and to prevent a general increase in pre-existing background noise levels around the site pursuant to saved policy DC26 of the Unitary Development Plan.

8) The commissioned non emergency plant shall be installed as specified in the acoustic report 'Environmental Noise Survey and Plant Noise Assessment Report' by Hann Tucker Associates (Ref: 17852/PNA1 - Revision 5, dated 3rd May 2013) stamped as received on 9th May 2013. A post commissioning report shall be submitted to and approved in writing by Manchester City Council within one month of the equipment first becoming operational.

Reason - To minimise the impact of the development and to prevent a general increase in pre-existing background noise levels around the site pursuant to saved policy DC26 of the Unitary Development Plan.

9) The commissioned emergency plant shall be installed as specified in the acoustic report 'Environmental Noise Survey and Plant Noise Assessment Report' by Hann Tucker Associates (Ref: 17852/PNA1 - Revision 5, dated 3rd May 2013) stamped as received on 9th May 2013. The plant shall be for emergency use when the mains supply fails and for testing purposes only.

Reason - To minimise the impact of the development and to prevent a general increase in pre-existing background noise levels around the site pursuant to saved policy DC26 of the Unitary Development Plan.

10) A maintenance schedule and details of equipment testing procedures/frequency shall be submitted to and approved in writing by Manchester City Council as Local

Planning Authority within one month of the equipment first becoming operational/installed.

Reason - To minimise the impact of the development and to prevent a general increase in pre-existing background noise levels around the site pursuant to saved policy DC26 of the Unitary Development Plan.

Informatives

This permission does not grant approval under Building Regulations.

The proposed development lies within an area which could be subject to current coal mining or hazards resulting from past coal mining. Please read the Standing Advice from the Coal Authority in Appendix A.

Date: 22 July 2013

Signed: 

Julie Roscoe
Head of Planning
Manchester City Council, P O Box 532, Town Hall, Manchester M60 2LA

Notes

1. This permission refers only to that required under the Town and Country Planning Act 1990 does not include any consent or approval under any other enactment, byelaw, order or regulation.

2 If the applicant is aggrieved by the decision of the local planning authority to refuse permission or approval for the proposed development, or to grant permission or approval subject to conditions, he may appeal to the First Secretary of State in accordance with Section 78(1) of the Town and Country Planning Act 1990 within six months of the date of the notice of the decision.

The Planning Inspectorate have introduced an online appeals service that can be used to make appeals online. This service is available through the Appeals area of the Planning Portal www.planningportal.gov.uk/pcs. The Inspectorate will publish details of your appeal on the internet (on the Appeals area of the Planning Portal).

This may include a copy of the original planning application form and any supporting documents supplied to the local planning authority. By you or your agent, together with the completed appeal form and information you submit to the Planning Inspectorate. Please ensure that you only provide information, including personal information, that you are happy will be made available to others in this way. If you supply personal information belonging to a third party please ensure you have their permission. More detailed information about data protection and privacy matters is available on the Planning Portal.

Alternatively, appeals can be made on a form which is obtainable from Planning Inspectorate, Customer Support Unit, Room 3/15, Eagle Wing, Temple Quay House, 2 The Square, Temple Quay, Bristol BS1 or by telephone 0117 372 6372.

The First Secretary of State has power to allow a longer period for the giving of a notice of appeal but he will not normally be prepared to exercise this power unless there are special circumstances that excuse the delay in giving notice of appeal.

3. The statutory requirements are those set out in Section 79(6) of the Town and Country Planning Act 1990, namely Sections 70(1) and 72(1) of the Act.

4. If either the local planning authority of the First Secretary of State refuses permission to develop land or grants it subject to conditions, the owner may claim that he can neither put the land to a reasonably beneficial use in its existing state nor render the land capable of a reasonably beneficial use by the carrying out of any development which has been or would be permitted.

In these circumstances, the owner may serve a purchase notice on the Council in whose area the land is situated. This notice will require the Council to purchase his interest in the land in accordance with the provisions of Part VI of the Town and Country Planning Act 1990

5. In certain circumstances, a claim may be made against the local planning authority for compensation, where permission is refused or granted subject to conditions by the First Secretary of State on appeal or on a reference of the application to him. The circumstances in which such compensation is payable are set out in Section 114 of the Town and Country Planning Act 1990.

Appendix A – Standing Advice Regarding Coalfield Area

The proposed development lies within an area which could be subject to current coal mining or hazards resulting from past coal mining. Such hazards may currently exist, be caused as a result of the proposed development, or occur at some time in the future. These hazards include:

- Collapse of shallow coal mine workings.
- Collapse of, or risk of entry into, mine entries (shafts and adits).
- Gas emissions from coal mines including methane and carbon dioxide.
- Spontaneous combustion or ignition of coal which may lead to underground heatings and production of carbon monoxide.
- Transmission of gases into adjacent properties from underground sources through ground fractures.
- Coal mining subsidence.
- Water emissions from coal mine workings.

Applicants must take account of these hazards which could affect stability, health & safety, or cause adverse environmental impacts during the carrying out their proposals and must seek specialist advice where required. Additional hazards or stability issues may arise from development on or adjacent to restored opencast sites or quarries and former colliery spoil tips.

Potential hazards or impacts may not necessarily be confined to the development site, and Applicants must take advice and introduce appropriate measures to address risks both within and beyond the development site. As an example the stabilisation of shallow coal workings by grouting may affect, block or divert underground pathways for water or gas.

In coal mining areas there is the potential for existing property and new development to be affected by mine gases, and this must be considered by each developer. Gas prevention measures must be adopted during construction where there is such a risk. The investigation of sites through drilling alone has the potential to displace underground gases or in certain situations may create carbon monoxide where air flush drilling is adopted.

Any intrusive activities which intersect, disturb or enter any coal seams, coal mine workings or coal mine entries (shafts and adits) require the prior written permission of the Coal Authority. Such activities could include site investigation boreholes, digging of foundations, piling activities, other ground works and any subsequent treatment of coal mine workings and coal mine entries for ground stability purposes.
Failure to obtain Coal Authority permission for such activities is trespass, with the potential for court action. In the interests of public safety the Coal Authority is concerned that risks specific to the nature of coal and coal mine workings are identified and mitigated.

The above advice applies to the site of your proposal and the surrounding vicinity. You must obtain property specific summary information on any past, current and proposed surface and underground coal mining activity, and other ground stability information in order to make an assessment of the risks. This can be obtained from The Coal Authority's Property Search Service on 0845 762 6848 or at www.groundstability.com