



This drawing is for engineering services only and is to be read in conjunction with all relevant architectural, structural, Waterman Infrastructure & Environment Limited drawings and the contract specification.

THIS IS NOT AN INSTALLATION DRAWING

All service routes and equipment locations are indicative, actual location to be determined from site dimensions.

To whom it may concern. The requirements of the Health & Safety at Work etc. Act 1974 & subsequent amendments thereto are brought to the attention of all those who design, install or maintain the plant and equipment shown on these drawings or who are required to enter the areas shown on these drawings.

DO NOT SCALE FROM THIS DRAWING

GENERAL NOTES

- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL ENGINEERS', ARCHITECT'S OR OTHER RELEVANT DRAWINGS AND SPECIFICATIONS.
- ALL DIMENSIONS AND LEVELS ARE TO BE CHECKED ON SITE BY THE CONTRACTOR PRIOR TO PREPARING ANY WORKING DRAWINGS OR COMMENCING ON SITE.
- ALL WORK BY THE CONTRACTOR MUST BE CARRIED OUT IN SUCH A WAY THAT ALL REQUIREMENTS UNDER THE HEALTH AND SAFETY AT WORK ACT ARE SATISFIED.
- PRIOR TO ANY EXCAVATION WORKS, THE CONTRACTOR SHALL VERIFY, IF NECESSARY BY GPR SURVEY AND TRAIL HOLES, THE EXACT POSITIONS OF ALL KNOWN SERVICES ON SITE.
- FOR PAVEMENT CONSTRUCTION DETAILS, PLEASE REFER TO DRAWING 19453-WAT-HGN-RR-DR-D-950XXX.
- FOR PAVEMENT S278 WORKS BOUNDARY PLEASE REFER TO LAND DEDICATION PLAN DRAWING 19453-WAT-HGN-RR-DR-D-950104.
- ALL ROAD MARKINGS AND SIGNS MUST BE COMPLIANT TO THE TRAFFIC SIGNS MANUAL

KEY

PA1: CARRIAGEWAY RESURFACING
(SC 30mm AC10 & Binder 60mm AC20)

Layer	Clause (SHW)	Material
S.C.	912	AC10 surf 100/150; PSV 55
Binder	906	AC 20 Dense bin 40/60

FA1: NEW DBM FOOTWAY PAVEMENT
(SC 20mm AC6, Binder 40mm AC20 & Base 150mm Type ST2 Concrete, Blinding 75mm Type 1 Granular MOT)

Layer	Clause (SHW)	Material
S.C.	906, 914	AC6 Dense surf 100/150
Binder	906, 926	AC 20 Dense bin 40/60
Blind	1001 T10 T	Wet Lean Concrete Type S12
Blinding	803	Type 1

FA2: FOOTWAY RESURFACING
(SC 20Cmm AC6)

Layer	Clause (SHW)	Material
S.C.	906, 914	AC6 Dense surf 100/150

UNCONTROLLED CROSSING BUFF COLOURED TACTILE PAVING - (450mm x 450mm x 70mm) BEDDED ON 100mm ST2 GRADE CONCRETE BED

Layer	Clause (SHW)	Material
S.C.	906, 914	AC6 Dense surf 100/150

P01	14.11.23	FOR INFORMATION	NF	RB
Rev	Date	Description	By	Chk
Amendments				
Project				
Rochdale Road				
Title				
ROCHDALE ROAD - S278 PAVEMENT CONSTRUCTION				
Client				
McGoff Construction				
Summary				
PRELIMINARY				
Designed By				
NF				
Director				
RB				
Waterman Ref				
19453				
Drawn By				
BA				
Date				
NOV 2023				
Scales @ A1				
1:200				
Revision				
Project - Originator - Volume - Level - Type - Role - Number				
23C002-WSL-SI-ZZ-DR-D-950701				
P01				

6th Floor Trinity Court | 16 John Dalton Street | Manchester M2 6HY

t 0161 839 8392 f 0161 839 8394

mail@watermangroup.com www.watermangroup.com

waterman

1:200

0 5m 10m 15m 20m

1:1

0 10 20 30 40 50 60 70 80 90 100

AREA A - GOULD STREET

AREA B - CLIVE STREET

AREA C - ROCHDALE ROAD