

Flood risk assessment data




Location of site: 382122 / 394395 (shown as easting and northing coordinates)

Document created on: 29 July 2025

This information was previously known as a product 4.

Customer reference number: 27E743MR4DAG

Map showing the location that flood risk assessment data has been requested for.



How to use this information

You can use this information as part of a flood risk assessment for a planning application. To do this, you should include it in the appendix of your flood risk assessment.

We recommend that you work with a flood risk consultant to get your flood risk assessment.

Included in this document

In this document you'll find:

- how to find information about surface water and other sources of flooding
- information on the models used
- definitions for the terminology used throughout
- flood map for planning (rivers and the sea)
- modelled data
- information about strategic flood risk assessments
- information about this data
- information about flood risk activity permits
- help and advice

Information that's unavailable

This document **does not** contain:

- past floods
- flood defences and attributes

We do not have past flooding data for this location.

Please note that:

- flooding may have occurred that we do not have records for
- flooding can come from a range of different sources
- we can only supply flood risk data relating to flooding from rivers or the sea

You can contact your Lead Local Flood Authority or Internal Drainage Board to see if they have other relevant local flood information. Please note that some areas do not have an Internal Drainage Board.

We aren't able to display flood defence locations and attributes as there are no formal flood defences in the area of interest.

Surface water and other sources of flooding

When using the surface water map on the [check your long term flood risk service](#) the following considerations apply:

- surface water extents are suitable for use in planning
- surface water climate change scenarios may help to inform risk assessments, but the available data fall short of what is required to assess planned development
- surface water depth information should not be used for planning purposes

To find out about other factors that might affect the flood risk of this location, you should also check:

- [reservoir flood risk](#)
- groundwater flood risk - you could use the [British Geological Survey groundwater flooding data](#), [groundwater: current status and flood risk](#) and the guide on [mining and groundwater constraints for development](#) - further information may be available from the lead local flood authority (LLFA)
- your local planning authority's SFRA, which includes future flood risk

Your Lead Local Flood Authority is Manchester District.

For information about sewer flooding, contact the relevant water company for the area.

About the models used

Model name: Chorlton Platt Gore 2024

Scenario(s): Defended fluvial, defences removed fluvial, defended climate change fluvial, defences removed climate change fluvial

Date: 15 April 2024

Model name: Corn Brook 2017

Scenario(s): No defences exist fluvial, no defences exist climate change fluvial

Date: 31 December 2017

These models contain the most relevant data for your area of interest.

Terminology used

Annual exceedance probability (AEP)

This refers to the probability of a flood event occurring in any year. The probability is expressed as a percentage. For example, a large flood which is calculated to have a 1% chance of occurring in any one year, is described as 1% AEP.

Metres above ordnance datum (mAOD)

All flood levels are given in metres above ordnance datum which is defined as the mean sea level at Newlyn, Cornwall.

Flood map for planning (rivers and the sea)

Your selected location is in flood zone 2.

Flood zone 3 shows the area at risk of flooding for an undefended flood event with a:

- 0.5% or greater probability of occurring in any year for flooding from the sea
- 1% or greater probability of occurring in any year for fluvial (river) flooding

Flood zone 2 shows the area at risk of flooding for an undefended flood event with:

- between a 0.1% and 0.5% probability of occurring in any year for flooding from the sea
- between a 0.1% and 1% probability of occurring in any year for fluvial (river) flooding

It's important to remember that the flood zones on this map:

- refer to the land at risk of flooding and do not refer to individual properties
- refer to the probability of river and sea flooding, ignoring the presence of defences
- do not take into account potential impacts of climate change





Flood map for planning

Location (easting/northing)
382122/394395

Scale
1:10,000

Created
29 Jul 2025

-  Selected area
-  Main river
-  Flood defence
-  Flood Zone 3
-  Flood Zone 2



Modelled data

This section provides details of different scenarios we have modelled and includes the following (where available):

- outline maps showing the area at risk from flooding in different modelled scenarios
- modelled node point map(s) showing the points used to get the data to model the scenarios and table(s) providing details of the flood risk for different return periods
- map(s) showing the approximate water levels for the return period with the largest flood extent for a scenario and table(s) of sample points providing details of the flood risk for different return periods

Climate change

The climate change data included in the models may not include the latest [flood risk assessment climate change allowances](#). Where the new allowances are not available you will need to consider this data and factor in the new allowances to demonstrate the development will be safe from flooding.

The Environment Agency will incorporate the new allowances into future modelling studies. For now, it's your responsibility to demonstrate that new developments will be safe in flood risk terms for their lifetime.

Modelled scenarios

The following scenarios are included:

- Defended modelled fluvial: risk of flooding from rivers where there are flood defences
- Defences removed modelled fluvial: risk of flooding from rivers where flood defences have been removed
- No defences exist modelled fluvial: risk of flooding from rivers where there are no flood defences
- Defended climate change modelled fluvial: risk of flooding from rivers where there are flood defences, including estimated impact of climate change
- Defences removed climate change modelled fluvial: risk of flooding from rivers where flood defences have been removed, including estimated impact of climate change
- No defences exist climate change modelled fluvial: risk of flooding from rivers where there are no flood defences, including estimated impact of climate change



Defences removed climate change modelled fluvial extent

Location (easting/northing)
382122/394395

Scale Created
1:10,000 29 Jul 2025

Model name
**Chorlton Platt Gore
2024**

 Selected area

 Main river

Modelled flood extent

 1% AEP (+41%)

 1% AEP (+53%)

 1% AEP (+85%)

 0.1% AEP (+53%)

Flood extents may not be
visible where they overlap
other return periods


0 100 200 300 400 500
metres



Defences removed modelled fluvial extent


Location (easting/northing)
382122/394395

Scale Created
1:10,000 29 Jul 2025

Model name
**Chorlton Platt Gore
2024**

-  Selected area
-  Main river
- Modelled flood extent
 -  5% AEP
 -  2% AEP
 -  1.33% AEP
 -  1% AEP
 -  0.5% AEP
 -  0.1% AEP

Flood extents may not be
visible where they overlap
other return periods





Defended climate change modelled fluvial extent


Location (easting/northing)
382122/394395

Scale Created
1:10,000 29 Jul 2025

Model name
**Chorlton Platt Gore
2024**

-  Selected area
-  Main river
- Modelled flood extent**
-  50% AEP (+53%)
-  5% AEP (+53%)
-  1% AEP (+41%)
-  1% AEP (+53%)
-  1% AEP (+85%)
-  0.1% AEP (+53%)

Flood extents may not be
visible where they overlap
other return periods





Defended modelled fluvial extent


Location (easting/northing)
382122/394395

Scale Created
1:10,000 29 Jul 2025

Model name
**Chorlton Platt Gore
2024**

-  Selected area
-  Main river
- Modelled flood extent
-  5% AEP
 -  2% AEP
 -  1.33% AEP
 -  1% AEP
 -  0.5% AEP
 -  0.1% AEP

Flood extents may not be
visible where they overlap
other return periods





**No defences exist
climate change
modelled fluvial extent**


Location (easting/northing)
382122/394395

Scale Created
1:10,000 29 Jul 2025

Model name
Corn Brook 2017

-  Selected area
-  Main river
- Modelled flood extent
 -  0.1% AEP (+30%)

Flood extents may not be visible where they overlap other return periods





No defences exist modelled fluvial extent


Location (easting/northing)
382122/394395

Scale Created
1:10,000 29 Jul 2025

Model name
Corn Brook 2017

-  Selected area
-  Main river
- Modelled flood extent
-  0.1% AEP

Flood extents may not be
visible where they overlap
other return periods






Defences removed climate change modelled fluvial node locations

Location (easting/northing)
382122/394395

Scale Created
1:10,000 29 Jul 2025

Model name
**Chorlton Platt Gore
2024**

-  Selected area
-  Modelled location
-  Main river



Modelled node locations data

Defences removed climate change

Label	Modelled location ID	Easting	Northing	1% AEP (+41%)	1% AEP (+53%)	1% AEP (+85%)	0.1% AEP (+53%)
				Level	Level	Level	Level
1	1600931	383145	393549	29.91	29.93	29.98	30.19
2	1600900	383165	393542	29.92	29.94	30.0	30.21
3	1601011	383222	393547	29.92	29.94	29.99	30.20

Data in this table comes from the Chorlton Platt Gore 2024 model.

Level values are shown in mAOD, and flow values are shown in cubic metres per second.

Any blank cells show where a particular scenario has not been modelled for this location.

Defences removed climate change

Label	Modelled location ID	Easting	Northing	1% AEP (+41%)	1% AEP (+53%)	1% AEP (+85%)	0.1% AEP (+53%)
				Flow	Flow	Flow	Flow
1	1600931	383145	393549	24.41	24.39	24.30	24.69
2	1600900	383165	393542	30.07	30.19	30.50	29.20
3	1601011	383222	393547	34.48	35.10	37.61	33.19

Data in this table comes from the Chorlton Platt Gore 2024 model.
Level values are shown in mAOD, and flow values are shown in cubic metres per second.
Any blank cells show where a particular scenario has not been modelled for this location.




Defences removed modelled fluvial node locations

Location (easting/northing)
382122/394395

Scale Created
1:10,000 29 Jul 2025

Model name
**Chorlton Platt Gore
2024**

-  Selected area
-  Modelled location
-  Main river



Modelled node locations data

Defences removed

Label	Modelled location ID	Easting	Northing	50% AEP	20% AEP	10% AEP	5% AEP	3.33% AEP	2% AEP	1.33% AEP	1% AEP	0.5% AEP	0.1% AEP
				Level	Level	Level	Level	Level	Level	Level	Level	Level	Level
1	1600931	383145	393549	27.23	28.29	28.99	29.54	29.67	29.75	29.79	29.81	29.85	30.07
2	1600900	383165	393542	27.26	28.33	29.02	29.57	29.69	29.77	29.80	29.82	29.88	30.09
3	1601011	383222	393547	27.27	28.33	29.02	29.57	29.69	29.76	29.80	29.82	29.87	30.09

Data in this table comes from the Chorlton Platt Gore 2024 model.
Level values are shown in mAOD, and flow values are shown in cubic metres per second.
Any blank cells show where a particular scenario has not been modelled for this location.

Defences removed

Label	Modelled location ID	Easting	Northing	50% AEP	20% AEP	10% AEP	5% AEP	3.33% AEP	2% AEP	1.33% AEP	1% AEP	0.5% AEP	0.1% AEP
				Flow	Flow	Flow	Flow	Flow	Flow	Flow	Flow	Flow	Flow
1	1600931	383145	393549	14.48	18.97	21.71	23.42	23.92	24.18	24.31	24.18	24.40	24.72
2	1600900	383165	393542	14.53	19.06	22.26	24.49	26.28	27.41	28.02	28.73	29.52	27.82
3	1601011	383222	393547	14.65	19.34	22.63	25.56	27.40	28.76	29.78	30.38	32.47	30.96

Data in this table comes from the Chorlton Platt Gore 2024 model.
Level values are shown in mAOD, and flow values are shown in cubic metres per second.
Any blank cells show where a particular scenario has not been modelled for this location.




Defended climate change modelled fluvial node locations

Location (easting/northing)
382122/394395

Scale Created
1:10,000 29 Jul 2025

Model name
**Chorlton Platt Gore
2024**

-  Selected area
-  Modelled location
-  Main river



Modelled node locations data

Defended climate change

Label	Modelled location ID	Easting	Northing	50% AEP (+53%)	5% AEP (+53%)	1% AEP (+41%)	1% AEP (+53%)	1% AEP (+85%)	0.1% AEP (+53%)
				Level	Level	Level	Level	Level	Level
1	1600931	383145	393549	28.47	29.83	29.91	29.94	29.99	30.19
2	1600900	383165	393542	28.50	29.85	29.93	29.96	30.0	30.21
3	1601011	383222	393547	28.50	29.85	29.93	29.95	30.0	30.21

Data in this table comes from the Chorlton Platt Gore 2024 model.

Level values are shown in mAOD, and flow values are shown in cubic metres per second.

Any blank cells show where a particular scenario has not been modelled for this location.

Defended climate change

Label	Modelled location ID	Easting	Northing	50% AEP (+53%)	5% AEP (+53%)	1% AEP (+41%)	1% AEP (+53%)	1% AEP (+85%)	0.1% AEP (+53%)
				Flow	Flow	Flow	Flow	Flow	Flow
1	1600931	383145	393549	19.60	24.66	24.68	24.64	24.60	24.87
2	1600900	383165	393542	19.77	29.50	30.57	30.54	30.91	29.25
3	1601011	383222	393547	20.05	31.57	35.12	35.87	37.98	33.28

Data in this table comes from the Chorlton Platt Gore 2024 model.
Level values are shown in mAOD, and flow values are shown in cubic metres per second.
Any blank cells show where a particular scenario has not been modelled for this location.




Defended modelled fluvial node locations

Location (easting/northing)
382122/394395

Scale Created
1:10,000 29 Jul 2025

Model name
**Chorlton Platt Gore
2024**

-  Selected area
-  Modelled location
-  Main river



Modelled node locations data

Defended

Label	Modelled location ID	Easting	Northing	50% AEP	20% AEP	10% AEP	5% AEP	3.33% AEP	2% AEP	1.33% AEP	1% AEP	0.5% AEP	0.1% AEP
				Level	Level	Level	Level	Level	Level	Level	Level	Level	Level
1	1600931	383145	393549	27.23	28.29	28.99	29.59	29.72	29.78	29.81	29.83	29.87	30.08
2	1600900	383165	393542	27.26	28.33	29.02	29.61	29.74	29.80	29.83	29.85	29.89	30.10
3	1601011	383222	393547	27.28	28.33	29.02	29.61	29.74	29.80	29.83	29.84	29.89	30.10


Data in this table comes from the Chorlton Platt Gore 2024 model.
Level values are shown in mAOD, and flow values are shown in cubic metres per second.
Any blank cells show where a particular scenario has not been modelled for this location.

Defended

Label	Modelled location ID	Easting	Northing	50% AEP	20% AEP	10% AEP	5% AEP	3.33% AEP	2% AEP	1.33% AEP	1% AEP	0.5% AEP	0.1% AEP
				Flow	Flow	Flow	Flow	Flow	Flow	Flow	Flow	Flow	Flow
1	1600931	383145	393549	14.50	18.97	21.72	23.84	24.34	24.56	24.64	24.64	24.69	25.13
2	1600900	383165	393542	14.54	19.06	22.27	25.42	27.36	28.45	29.18	29.59	30.05	28.27
3	1601011	383222	393547	14.67	19.34	22.65	26.57	28.67	30.0	30.93	31.54	33.24	31.47

Data in this table comes from the Chorlton Platt Gore 2024 model.
Level values are shown in mAOD, and flow values are shown in cubic metres per second.
Any blank cells show where a particular scenario has not been modelled for this location.

Corn Brook 2017 Node Location Map Centred on Brantingham Road, Chorlton Cum Hardy, Manchester, M21 0QZ. Created 31/07/2025 [EIR2025/21270]



1:13,001



Legend

- Corn Brook 2017
- ★ Site Location
- Main River
- Flood Zone 3
- Flood Zone 2

Undeferred																		
Map Reference	Model Node Reference	Easting	Northing	Data	50 % AEP (1 in 2 year)	20 % AEP (1 in 5 year)	10 % AEP (1 in 10 year)	5 % AEP (1 in 20 year)	4 % AEP (1 in 25 year)	2 % AEP (1 in 50 year)	1.33 % AEP (1 in 75 year)	1 % AEP (1 in 100 year)	1 % AEP (1 in 100 year) + 30% increase in flow	1 % AEP (1 in 100 year) + 35% increase in flow	1 % AEP (1 in 100 year) + 70% increase in flow	0.5 % AEP (1 in 200 year)	0.1 % AEP (1 in 1000 year)	0.1 % AEP (1 in 1000 year) + 30% increase in flow
1	ea013_0249_corn3908	384121.884	396114.063	Modelled Water Level (m aodN)	32.15	32.28	32.37	32.44	32.51	32.77	33.26	33.47	33.75	33.79	34.02	33.83	34.34	34.46
				Modelled Flow (cumecs)	0.19	0.27	0.34	0.39	0.47	0.81	1.03	1.21	1.57	1.63	2.05	1.70	3.47	4.51
2	ea013_0249_corn3215	383466.976	396993.669	Modelled Water Level (m aodN)	30.61	30.71	30.80	30.90	31.01	31.93	32.43	32.58	32.78	32.81	32.99	32.84	33.28	33.39
				Modelled Flow (cumecs)	0.24	0.34	0.42	0.49	0.58	1.03	1.32	1.57	2.03	2.11	2.66	2.24	4.60	5.98
3	ea013_0249_corn2587	382948.391	396133.898	Modelled Water Level (m aodN)	29.22	29.36	29.46	29.55	29.63	29.95	30.07	30.16	30.34	30.39	30.82	30.47	31.73	31.99
				Modelled Flow (cumecs)	0.26	0.37	0.46	0.53	0.63	1.13	1.46	1.72	2.24	2.33	2.93	2.47	5.10	6.63

Model data taken from Corn Brook 2017
AEP - Annual Exceedence Probability
m aodN - metres above ordnance datum Newlyn
cumecs - cubic metres per second

Notes:

*Climate Change Scenario - 30%, 35% and 70% increases in flow calculated for the 2080's (2070 - 2115).
Please see <https://www.gov.uk/guidance/food-risk-assessments-climate-change-allowances> for more information regarding the new climate change guidance.
The location of the site and the type (vulnerability) of development determine the climate change allowances to consider in any flood risk assessment.



Defended modelled fluvial extent and height

Location (easting/northing)
382122/394395

Scale Created
1:500 29 Jul 2025


Model name
**Chorlton Platt Gore
2024**

-  Selected area
-  Main river

Modelled 2D grid
Water level in mAOD

-  0 - 3.625
-  3.625 - 7.25
-  7.25 - 10.875
-  10.875 - 14.5
-  14.5 - 18.125
-  18.125 - 21.75
-  21.75 - 25.375
-  25.375 - 29.0
-  29.0 - 32.625

This map shows the
0.1% AEP height data



Defended

[illegible]

[illegible]

Label	Easting	Northing	50% AEP	20% AEP	10% AEP	5% AEP	3.33% AEP	2% AEP	1.33% AEP	1% AEP	0.5% AEP	0.1% AEP
			Height	Height	Height	Height	Height	Height	Height	Height	Height	Height
25	382111	394412	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	27.86	28.20
26	382118	394412	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	27.86	28.21
27	382125	394412	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	27.86	28.22
28	382132	394412	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	27.86	28.22
29	382111	394419	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	27.86	28.20
30	382118	394419	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	27.86	28.21
31	382125	394419	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	27.86	28.22
32	382132	394419	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	27.86	28.22
Max value in selected area:			NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	27.86	28.23

Data in this table comes from the Chorlton Platt Gore 2024 model. Height values are shown in mAOD, and depth values are shown in metres.

Any blank cells show where a particular scenario has not been modelled for this location.

Cells which contain text 'NoData' for a scenario show that return period has been modelled but there is no flood risk for that return period for that location.

'Max value in selected area' is the deepest depth or highest height at any location within your drawn boundary.

Defended

[illegible]

[illegible]

Label	Easting	Northing	50% AEP	20% AEP	10% AEP	5% AEP	3.33% AEP	2% AEP	1.33% AEP	1% AEP	0.5% AEP	0.1% AEP
			Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth
25	382111	394412	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	0.36	0.71
26	382118	394412	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	0.32	0.67
27	382125	394412	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	0.16	0.52
28	382132	394412	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	0.24	0.60
29	382111	394419	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	0.33	0.67
30	382118	394419	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	0.33	0.69
31	382125	394419	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	0.38	0.73
32	382132	394419	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	0.40	0.76
Max value in selected area:			NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	0.41	0.77

Data in this table comes from the Chorlton Platt Gore 2024 model. Height values are shown in mAOD, and depth values are shown in metres.

Any blank cells show where a particular scenario has not been modelled for this location.

Cells which contain text 'NoData' for a scenario show that return period has been modelled but there is no flood risk for that return period for that location.

'Max value in selected area' is the deepest depth or highest height at any location within your drawn boundary.



Defences removed modelled fluvial extent and height





Location (easting/northing)
382122/394395

Scale Created
1:500 29 Jul 2025


Model name
**Chorlton Platt Gore
2024**

-  Selected area
-  Main river

Modelled 2D grid
Water level in mAOD

-  0 - 3.625
-  3.625 - 7.25
-  7.25 - 10.875
-  10.875 - 14.5
-  14.5 - 18.125
-  18.125 - 21.75
-  21.75 - 25.375
-  25.375 - 29.0
-  29.0 - 32.625

This map shows the
0.1% AEP height data



Sample point data

Defences removed

Label	Easting	Northing	50% AEP	20% AEP	10% AEP	5% AEP	3.33% AEP	2% AEP	1.33% AEP	1% AEP	0.5% AEP	0.1% AEP
			Height	Height	Height	Height	Height	Height	Height	Height	Height	Height
1	382111	394370	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	28.24
2	382118	394370	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	28.24
3	382125	394370	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	28.24
4	382132	394370	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	27.92	28.25
5	382111	394377	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	28.24
6	382118	394377	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	28.24
7	382125	394377	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	28.24
8	382132	394377	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	28.25
9	382111	394384	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	27.92	28.24
10	382118	394384	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	27.92	28.24
11	382125	394384	NoData	NoData	NoData	NoData	NoData	NoData	27.76	27.79	27.92	28.24
12	382132	394384	NoData	NoData	NoData	NoData	NoData	NoData	27.76	27.79	27.92	28.24

Label	Easting	Northing	50% AEP	20% AEP	10% AEP	5% AEP	3.33% AEP	2% AEP	1.33% AEP	1% AEP	0.5% AEP	0.1% AEP
			Height	Height	Height	Height	Height	Height	Height	Height	Height	Height
13	382111	394391	NoData	NoData	NoData	NoData	NoData	NoData	NoData	27.71	27.92	28.22
14	382118	394391	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	27.92	28.24
15	382125	394391	NoData	NoData	NoData	NoData	NoData	NoData	27.76	27.79	27.92	28.24
16	382132	394391	NoData	NoData	NoData	NoData	NoData	NoData	27.76	27.79	27.92	28.24
17	382111	394398	NoData	NoData	NoData	NoData	NoData	NoData	NoData	27.74	27.92	28.22
18	382118	394398	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	27.92	28.23
19	382125	394398	NoData	NoData	NoData	NoData	NoData	NoData	27.76	27.79	27.92	28.24
20	382132	394398	NoData	NoData	NoData	NoData	NoData	NoData	27.76	27.79	27.92	28.24
21	382111	394405	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	27.92	28.22
22	382118	394405	NoData	NoData	NoData	NoData	NoData	NoData	NoData	27.79	27.92	28.23
23	382125	394405	NoData	NoData	NoData	NoData	NoData	NoData	27.76	27.79	27.92	28.24
24	382132	394405	NoData	NoData	NoData	NoData	NoData	NoData	27.76	27.79	27.92	28.24

Label	Easting	Northing	50% AEP	20% AEP	10% AEP	5% AEP	3.33% AEP	2% AEP	1.33% AEP	1% AEP	0.5% AEP	0.1% AEP
			Height	Height	Height	Height	Height	Height	Height	Height	Height	Height
25	382111	394412	NoData	NoData	NoData	NoData	NoData	NoData	27.76	27.79	27.92	28.22
26	382118	394412	NoData	NoData	NoData	NoData	NoData	NoData	27.76	27.79	27.92	28.23
27	382125	394412	NoData	NoData	NoData	NoData	NoData	NoData	NoData	27.79	27.92	28.24
28	382132	394412	NoData	NoData	NoData	NoData	NoData	NoData	27.76	27.79	27.92	28.24
29	382111	394419	NoData	NoData	NoData	NoData	NoData	NoData	27.76	27.79	27.91	28.22
30	382118	394419	NoData	NoData	NoData	NoData	NoData	NoData	27.76	27.79	27.92	28.23
31	382125	394419	NoData	NoData	NoData	NoData	NoData	NoData	27.76	27.79	27.92	28.24
32	382132	394419	NoData	NoData	NoData	NoData	NoData	NoData	27.76	27.79	27.92	28.24
Max value in selected area:			NoData	NoData	NoData	NoData	NoData	NoData	27.76	27.79	27.92	28.24

Data in this table comes from the Chorlton Platt Gore 2024 model. Height values are shown in mAOD, and depth values are shown in metres.

Any blank cells show where a particular scenario has not been modelled for this location.

Cells which contain text 'NoData' for a scenario show that return period has been modelled but there is no flood risk for that return period for that location.

'Max value in selected area' is the deepest depth or highest height at any location within your drawn boundary.

Defences removed

Label	Easting	Northing	50% AEP	20% AEP	10% AEP	5% AEP	3.33% AEP	2% AEP	1.33% AEP	1% AEP	0.5% AEP	0.1% AEP
			Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth
1	382111	394370	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	0.14
2	382118	394370	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	0.21
3	382125	394370	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	0.23
4	382132	394370	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	0.00	0.26
5	382111	394377	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	0.20
6	382118	394377	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	0.16
7	382125	394377	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	0.24
8	382132	394377	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	0.30
9	382111	394384	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	0.09	0.41
10	382118	394384	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	0.12	0.44
11	382125	394384	NoData	NoData	NoData	NoData	NoData	NoData	0.09	0.12	0.24	0.56
12	382132	394384	NoData	NoData	NoData	NoData	NoData	NoData	0.06	0.09	0.22	0.54

Label	Easting	Northing	50% AEP	20% AEP	10% AEP	5% AEP	3.33% AEP	2% AEP	1.33% AEP	1% AEP	0.5% AEP	0.1% AEP
			Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth
13	382111	394391	NoData	NoData	NoData	NoData	NoData	NoData	NoData	0.00	0.17	0.47
14	382118	394391	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	0.16	0.47
15	382125	394391	NoData	NoData	NoData	NoData	NoData	NoData	0.24	0.26	0.39	0.71
16	382132	394391	NoData	NoData	NoData	NoData	NoData	NoData	0.19	0.22	0.35	0.67
17	382111	394398	NoData	NoData	NoData	NoData	NoData	NoData	NoData	0.00	0.15	0.46
18	382118	394398	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	0.11	0.42
19	382125	394398	NoData	NoData	NoData	NoData	NoData	NoData	0.03	0.05	0.11	0.39
20	382132	394398	NoData	NoData	NoData	NoData	NoData	NoData	0.18	0.21	0.34	0.65
21	382111	394405	NoData	NoData	NoData	NoData	NoData	NoData	NoData	NoData	0.08	0.38
22	382118	394405	NoData	NoData	NoData	NoData	NoData	NoData	NoData	0.04	0.17	0.48
23	382125	394405	NoData	NoData	NoData	NoData	NoData	NoData	0.09	0.12	0.25	0.57
24	382132	394405	NoData	NoData	NoData	NoData	NoData	NoData	0.23	0.26	0.39	0.70

Label	Easting	Northing	50% AEP	20% AEP	10% AEP	5% AEP	3.33% AEP	2% AEP	1.33% AEP	1% AEP	0.5% AEP	0.1% AEP
			Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth
25	382111	394412	NoData	NoData	NoData	NoData	NoData	NoData	0.27	0.29	0.42	0.73
26	382118	394412	NoData	NoData	NoData	NoData	NoData	NoData	0.23	0.25	0.38	0.69
27	382125	394412	NoData	NoData	NoData	NoData	NoData	NoData	NoData	0.09	0.22	0.54
28	382132	394412	NoData	NoData	NoData	NoData	NoData	NoData	0.14	0.17	0.30	0.61
29	382111	394419	NoData	NoData	NoData	NoData	NoData	NoData	0.24	0.26	0.39	0.69
30	382118	394419	NoData	NoData	NoData	NoData	NoData	NoData	0.24	0.26	0.39	0.70
31	382125	394419	NoData	NoData	NoData	NoData	NoData	NoData	0.28	0.31	0.43	0.75
32	382132	394419	NoData	NoData	NoData	NoData	NoData	NoData	0.31	0.33	0.46	0.77
Max value in selected area:			NoData	NoData	NoData	NoData	NoData	NoData	0.32	0.34	0.47	0.79

Data in this table comes from the Chorlton Platt Gore 2024 model. Height values are shown in mAOD, and depth values are shown in metres.

Any blank cells show where a particular scenario has not been modelled for this location.

Cells which contain text 'NoData' for a scenario show that return period has been modelled but there is no flood risk for that return period for that location.

'Max value in selected area' is the deepest depth or highest height at any location within your drawn boundary.



No defences exist modelled fluvial extent and height




Location (easting/northing)
382122/394395

Scale Created
1:500 29 Jul 2025


Model name
Corn Brook 2017

-  Selected area
-  Main river

Modelled 2D grid
Water level in mAOD

-  0 - 3.5
-  3.5 - 7.0
-  7.0 - 10.5
-  10.5 - 14.0
-  14.0 - 17.5
-  17.5 - 21.0
-  21.0 - 24.5
-  24.5 - 28.0
-  28.0 - 31.5

This map shows the
0.1% AEP height data



Sample point data

No defences exist

Label	Easting	Northing	0.1% AEP	0.1% AEP
			Height	Depth
1	382111	394370	NoData	NoData
2	382118	394370	NoData	NoData
3	382125	394370	NoData	NoData
4	382132	394370	NoData	NoData
5	382111	394377	NoData	NoData
6	382118	394377	NoData	NoData
7	382125	394377	NoData	NoData
8	382132	394377	NoData	NoData
9	382111	394384	27.93	0.21
10	382118	394384	27.94	0.21
11	382125	394384	27.94	0.32
12	382132	394384	27.94	0.32

Label	Easting	Northing	0.1% AEP	0.1% AEP
			Height	Depth
13	382111	394391	27.93	0.25
14	382118	394391	27.94	0.23
15	382125	394391	27.94	0.38
16	382132	394391	27.94	0.40
17	382111	394398	27.93	0.26
18	382118	394398	27.94	0.23
19	382125	394398	27.94	0.35
20	382132	394398	27.94	0.47
21	382111	394405	27.93	0.25
22	382118	394405	27.94	0.22
23	382125	394405	27.94	0.34
24	382132	394405	27.94	0.57

Label	Easting	Northing	0.1% AEP	0.1% AEP
			Height	Depth
25	382111	394412	27.93	0.36
26	382118	394412	27.93	0.35
27	382125	394412	27.94	0.38
28	382132	394412	27.94	0.36
29	382111	394419	27.93	0.43
30	382118	394419	27.93	0.42
31	382125	394419	27.94	0.52
32	382132	394419	27.94	0.48
Max value in selected area:			27.94	0.44

Data in this table comes from the Corn Brook 2017 model. Height values are shown in mAOD, and depth values are shown in metres.

Any blank cells show where a particular scenario has not been modelled for this location.

Cells which contain text 'NoData' for a scenario show that return period has been modelled but there is no flood risk for that return period for that location.

'Max value in selected area' is the deepest depth or highest height at any location within your drawn boundary.



Defended climate change modelled fluvial extent and height

Location (easting/northing)
382122/394395

Scale Created
1:500 29 Jul 2025


Model name
**Chorlton Platt Gore
2024**

 Selected area
 Main river

Modelled 2D grid
Water level in mAOD

	0 - 3.625
	3.625 - 7.25
	7.25 - 10.875
	10.875 - 14.5
	14.5 - 18.125
	18.125 - 21.75
	21.75 - 25.375
	25.375 - 29.0
	29.0 - 32.625

This map shows the
0.1% AEP +53% height data



Sample point data

Defended climate change

Label	Easting	Northing	50% AEP (+53%)	5% AEP (+53%)	1% AEP (+41%)	1% AEP (+53%)	0.1% AEP (+53%)
			Height	Height	Height	Height	Height
1	382111	394370	NoData	NoData	NoData	NoData	28.47
2	382118	394370	NoData	NoData	NoData	28.07	28.48
3	382125	394370	NoData	NoData	NoData	28.07	28.48
4	382132	394370	NoData	NoData	28.00	28.07	28.48
5	382111	394377	NoData	NoData	NoData	NoData	28.47
6	382118	394377	NoData	NoData	NoData	NoData	28.47
7	382125	394377	NoData	NoData	NoData	28.06	28.48
8	382132	394377	NoData	NoData	28.00	28.06	28.48
9	382111	394384	NoData	NoData	27.99	28.06	28.47
10	382118	394384	NoData	NoData	28.00	28.06	28.47
11	382125	394384	NoData	NoData	28.00	28.06	28.48
12	382132	394384	NoData	NoData	28.00	28.06	28.48

Label	Easting	Northing	50% AEP (+53%)	5% AEP (+53%)	1% AEP (+41%)	1% AEP (+53%)	0.1% AEP (+53%)
			Height	Height	Height	Height	Height
13	382111	394391	NoData	NoData	27.99	28.05	28.45
14	382118	394391	NoData	NoData	27.99	28.06	28.47
15	382125	394391	NoData	NoData	28.00	28.06	28.47
16	382132	394391	NoData	NoData	28.00	28.06	28.48
17	382111	394398	NoData	NoData	27.99	28.05	28.45
18	382118	394398	NoData	NoData	27.99	28.06	28.46
19	382125	394398	NoData	NoData	28.00	28.06	28.47
20	382132	394398	NoData	NoData	28.00	28.06	28.47
21	382111	394405	NoData	NoData	27.99	28.05	28.45
22	382118	394405	NoData	NoData	27.99	28.06	28.46
23	382125	394405	NoData	NoData	28.00	28.06	28.47
24	382132	394405	NoData	NoData	28.00	28.06	28.47

Label	Easting	Northing	50% AEP (+53%)	5% AEP (+53%)	1% AEP (+41%)	1% AEP (+53%)	0.1% AEP (+53%)
			Height	Height	Height	Height	Height
25	382111	394412	NoData	NoData	27.99	28.05	28.45
26	382118	394412	NoData	NoData	27.99	28.06	28.46
27	382125	394412	NoData	NoData	28.00	28.06	28.47
28	382132	394412	NoData	NoData	28.00	28.06	28.47
29	382111	394419	NoData	NoData	27.99	28.05	28.45
30	382118	394419	NoData	NoData	27.99	28.06	28.46
31	382125	394419	NoData	NoData	27.99	28.06	28.47
32	382132	394419	NoData	NoData	27.99	28.06	28.47
Max value in selected area:			NoData	NoData	28.00	28.06	28.48

Data in this table comes from the Chorlton Platt Gore 2024 model. Height values are shown in mAOD, and depth values are shown in metres.

Any blank cells show where a particular scenario has not been modelled for this location.

Cells which contain text 'NoData' for a scenario show that return period has been modelled but there is no flood risk for that return period for that location.

'Max value in selected area' is the deepest depth or highest height at any location within your drawn boundary.

Defended climate change

Label	Easting	Northing	50% AEP (+53%)	5% AEP (+53%)	1% AEP (+41%)	1% AEP (+53%)	0.1% AEP (+53%)
			Depth	Depth	Depth	Depth	Depth
1	382111	394370	NoData	NoData	NoData	NoData	0.37
2	382118	394370	NoData	NoData	NoData	0.03	0.44
3	382125	394370	NoData	NoData	NoData	0.05	0.46
4	382132	394370	NoData	NoData	0.03	0.09	0.50
5	382111	394377	NoData	NoData	NoData	NoData	0.43
6	382118	394377	NoData	NoData	NoData	NoData	0.39
7	382125	394377	NoData	NoData	NoData	0.06	0.47
8	382132	394377	NoData	NoData	0.05	0.12	0.54
9	382111	394384	NoData	NoData	0.16	0.22	0.63
10	382118	394384	NoData	NoData	0.20	0.26	0.68
11	382125	394384	NoData	NoData	0.32	0.38	0.80
12	382132	394384	NoData	NoData	0.30	0.36	0.78

Label	Easting	Northing	50% AEP (+53%)	5% AEP (+53%)	1% AEP (+41%)	1% AEP (+53%)	0.1% AEP (+53%)
			Depth	Depth	Depth	Depth	Depth
13	382111	394391	NoData	NoData	0.24	0.30	0.70
14	382118	394391	NoData	NoData	0.23	0.30	0.71
15	382125	394391	NoData	NoData	0.47	0.53	0.94
16	382132	394391	NoData	NoData	0.42	0.49	0.90
17	382111	394398	NoData	NoData	0.23	0.29	0.69
18	382118	394398	NoData	NoData	0.19	0.25	0.65
19	382125	394398	NoData	NoData	0.15	0.22	0.62
20	382132	394398	NoData	NoData	0.41	0.48	0.89
21	382111	394405	NoData	NoData	0.15	0.22	0.61
22	382118	394405	NoData	NoData	0.24	0.31	0.71
23	382125	394405	NoData	NoData	0.32	0.39	0.80
24	382132	394405	NoData	NoData	0.46	0.53	0.94

Label	Easting	Northing	50% AEP (+53%)	5% AEP (+53%)	1% AEP (+41%)	1% AEP (+53%)	0.1% AEP (+53%)
			Depth	Depth	Depth	Depth	Depth
25	382111	394412	NoData	NoData	0.49	0.56	0.95
26	382118	394412	NoData	NoData	0.46	0.52	0.92
27	382125	394412	NoData	NoData	0.29	0.36	0.77
28	382132	394412	NoData	NoData	0.37	0.44	0.85
29	382111	394419	NoData	NoData	0.46	0.52	0.92
30	382118	394419	NoData	NoData	0.47	0.53	0.94
31	382125	394419	NoData	NoData	0.51	0.58	0.99
32	382132	394419	NoData	NoData	0.54	0.60	1.01
Max value in selected area:			NoData	NoData	0.55	0.61	1.02

Data in this table comes from the Chorlton Platt Gore 2024 model. Height values are shown in mAOD, and depth values are shown in metres.

Any blank cells show where a particular scenario has not been modelled for this location.

Cells which contain text 'NoData' for a scenario show that return period has been modelled but there is no flood risk for that return period for that location.

'Max value in selected area' is the deepest depth or highest height at any location within your drawn boundary.



**Defences removed
climate change
modelled fluvial
extent and height**




Location (easting/northing)
382122/394395

Scale Created
1:500 29 Jul 2025


Model name
**Chorlton Platt Gore
2024**

-  Selected area
 Main river

Modelled 2D grid
Water level in mAOD

	0 - 3.625
	3.625 - 7.25
	7.25 - 10.875
	10.875 - 14.5
	14.5 - 18.125
	18.125 - 21.75
	21.75 - 25.375
	25.375 - 29.0
	29.0 - 32.625

This map shows the
0.1% AEP +53% height data



Sample point data

Defences removed climate change

Label	Easting	Northing	1% AEP (+41%)	1% AEP (+53%)	1% AEP (+85%)	0.1% AEP (+53%)
			Height	Height	Height	Height
1	382111	394370	NoData	NoData	28.23	28.48
2	382118	394370	28.05	28.10	28.23	28.49
3	382125	394370	28.05	28.10	28.23	28.49
4	382132	394370	28.05	28.10	28.23	28.49
5	382111	394377	NoData	NoData	28.22	28.48
6	382118	394377	NoData	NoData	28.23	28.49
7	382125	394377	28.05	28.10	28.23	28.49
8	382132	394377	28.05	28.10	28.23	28.49
9	382111	394384	28.04	28.09	28.22	28.48
10	382118	394384	28.04	28.10	28.22	28.48
11	382125	394384	28.05	28.10	28.23	28.49
12	382132	394384	28.05	28.10	28.23	28.49

Label	Easting	Northing	1% AEP (+41%)	1% AEP (+53%)	1% AEP (+85%)	0.1% AEP (+53%)
			Height	Height	Height	Height
13	382111	394391	28.04	28.09	28.21	28.46
14	382118	394391	28.04	28.10	28.22	28.48
15	382125	394391	28.04	28.10	28.22	28.48
16	382132	394391	28.05	28.10	28.22	28.49
17	382111	394398	28.04	28.09	28.20	28.46
18	382118	394398	28.04	28.09	28.21	28.48
19	382125	394398	28.04	28.10	28.22	28.48
20	382132	394398	28.05	28.10	28.22	28.48
21	382111	394405	28.04	28.09	28.20	28.46
22	382118	394405	28.04	28.09	28.21	28.48
23	382125	394405	28.04	28.10	28.22	28.48
24	382132	394405	28.05	28.10	28.22	28.48

Label	Easting	Northing	1% AEP (+41%)	1% AEP (+53%)	1% AEP (+85%)	0.1% AEP (+53%)
			Height	Height	Height	Height
25	382111	394412	28.04	28.09	28.20	28.46
26	382118	394412	28.04	28.09	28.21	28.47
27	382125	394412	28.04	28.10	28.22	28.48
28	382132	394412	28.04	28.10	28.22	28.48
29	382111	394419	28.03	28.08	28.20	28.46
30	382118	394419	28.04	28.09	28.21	28.48
31	382125	394419	28.04	28.10	28.22	28.48
32	382132	394419	28.04	28.10	28.22	28.48
Max value in selected area:			28.05	28.10	28.23	28.49

Data in this table comes from the Chorlton Platt Gore 2024 model. Height values are shown in mAOD, and depth values are shown in metres.

Any blank cells show where a particular scenario has not been modelled for this location.

Cells which contain text 'NoData' for a scenario show that return period has been modelled but there is no flood risk for that return period for that location.

'Max value in selected area' is the deepest depth or highest height at any location within your drawn boundary.

Defences removed climate change

Label	Easting	Northing	1% AEP (+41%)	1% AEP (+53%)	1% AEP (+85%)	0.1% AEP (+53%)
			Depth	Depth	Depth	Depth
1	382111	394370	NoData	NoData	0.12	0.38
2	382118	394370	0.02	0.07	0.19	0.45
3	382125	394370	0.04	0.09	0.21	0.47
4	382132	394370	0.07	0.12	0.25	0.51
5	382111	394377	NoData	NoData	0.18	0.44
6	382118	394377	NoData	NoData	0.14	0.40
7	382125	394377	0.04	0.10	0.22	0.48
8	382132	394377	0.10	0.16	0.28	0.55
9	382111	394384	0.21	0.26	0.39	0.65
10	382118	394384	0.25	0.30	0.43	0.69
11	382125	394384	0.37	0.42	0.55	0.81
12	382132	394384	0.35	0.40	0.52	0.79

Label	Easting	Northing	1% AEP (+41%)	1% AEP (+53%)	1% AEP (+85%)	0.1% AEP (+53%)
			Depth	Depth	Depth	Depth
13	382111	394391	0.29	0.34	0.46	0.71
14	382118	394391	0.28	0.33	0.46	0.72
15	382125	394391	0.52	0.57	0.69	0.96
16	382132	394391	0.47	0.53	0.65	0.91
17	382111	394398	0.28	0.33	0.44	0.70
18	382118	394398	0.23	0.29	0.41	0.67
19	382125	394398	0.20	0.25	0.37	0.64
20	382132	394398	0.46	0.51	0.63	0.90
21	382111	394405	0.20	0.25	0.37	0.62
22	382118	394405	0.29	0.34	0.46	0.73
23	382125	394405	0.37	0.43	0.55	0.81
24	382132	394405	0.51	0.56	0.69	0.95

Label	Easting	Northing	1% AEP (+41%)	1% AEP (+53%)	1% AEP (+85%)	0.1% AEP (+53%)
			Depth	Depth	Depth	Depth
25	382111	394412	0.54	0.59	0.71	0.96
26	382118	394412	0.50	0.56	0.68	0.94
27	382125	394412	0.34	0.40	0.52	0.79
28	382132	394412	0.42	0.47	0.60	0.86
29	382111	394419	0.51	0.56	0.68	0.93
30	382118	394419	0.51	0.57	0.69	0.95
31	382125	394419	0.56	0.61	0.73	1.00
32	382132	394419	0.58	0.64	0.76	1.02
Max value in selected area:			0.60	0.65	0.77	1.04

Data in this table comes from the Chorlton Platt Gore 2024 model. Height values are shown in mAOD, and depth values are shown in metres.

Any blank cells show where a particular scenario has not been modelled for this location.

Cells which contain text 'NoData' for a scenario show that return period has been modelled but there is no flood risk for that return period for that location.

'Max value in selected area' is the deepest depth or highest height at any location within your drawn boundary.



**No defences exist
climate change
modelled fluvial
extent and height**



Location (easting/northing)
382122/394395

Scale Created
1:500 29 Jul 2025


Model name
Corn Brook 2017

-  Selected area
-  Main river

Modelled 2D grid
Water level in mAOD

-  0 - 3.625
-  3.625 - 7.25
-  7.25 - 10.875
-  10.875 - 14.5
-  14.5 - 18.125
-  18.125 - 21.75
-  21.75 - 25.375
-  25.375 - 29.0
-  29.0 - 32.625

This map shows the
0.1% AEP +30% height data



Sample point data

No defences exist climate change

Label	Easting	Northing	0.1% AEP (+30%)	0.1% AEP (+30%)
			Height	Depth
1	382111	394370	NoData	NoData
2	382118	394370	NoData	NoData
3	382125	394370	NoData	NoData
4	382132	394370	28.06	0.10
5	382111	394377	NoData	NoData
6	382118	394377	28.05	0.17
7	382125	394377	28.05	0.35
8	382132	394377	28.05	0.14
9	382111	394384	28.04	0.32
10	382118	394384	28.04	0.32
11	382125	394384	28.05	0.44
12	382132	394384	28.05	0.44

Label	Easting	Northing	0.1% AEP (+30%)	0.1% AEP (+30%)
			Height	Depth
13	382111	394391	28.04	0.36
14	382118	394391	28.04	0.34
15	382125	394391	28.05	0.49
16	382132	394391	28.05	0.51
17	382111	394398	28.04	0.36
18	382118	394398	28.05	0.34
19	382125	394398	28.05	0.45
20	382132	394398	28.05	0.60
21	382111	394405	28.03	0.34
22	382118	394405	28.04	0.32
23	382125	394405	28.05	0.45
24	382132	394405	28.05	0.68

Label	Easting	Northing	0.1% AEP (+30%)	0.1% AEP (+30%)
			Height	Depth
25	382111	394412	28.03	0.47
26	382118	394412	28.04	0.45
27	382125	394412	28.05	0.49
28	382132	394412	28.05	0.54
29	382111	394419	28.04	0.55
30	382118	394419	28.04	0.52
31	382125	394419	28.05	0.63
32	382132	394419	28.05	0.64
Max value in selected area:			28.05	0.55

Data in this table comes from the Corn Brook 2017 model. Height values are shown in mAOD, and depth values are shown in metres.

Any blank cells show where a particular scenario has not been modelled for this location.

Cells which contain text 'NoData' for a scenario show that return period has been modelled but there is no flood risk for that return period for that location.

'Max value in selected area' is the deepest depth or highest height at any location within your drawn boundary.

Strategic flood risk assessments

We recommend that you check the relevant local authority's strategic flood risk assessment (SFRA) as part of your work to prepare a site specific flood risk assessment.

This should give you information about:

- the potential impacts of climate change in this catchment
- areas defined as functional floodplain
- flooding from other sources, such as surface water, ground water and reservoirs

Your Lead Local Flood Authority is Manchester District.

About this data

This data has been generated by strategic scale flood models and is not intended for use at the individual property scale. If you're intending to use this data as part of a flood risk assessment, please include an appropriate modelling tolerance as part of your assessment. The Environment Agency regularly updates its modelling. We recommend that you check the data provided is the most recent, before submitting your flood risk assessment.

Flood risk activity permits

Under the Environmental Permitting (England and Wales) Regulations 2016 some developments may require an environmental permit for flood risk activities from the Environment Agency. This includes any permanent or temporary works that are in, over, under, or nearby a designated main river or flood defence structure.

[Find out more about flood risk activity permits](#)

Help and advice

Contact the Greater Manchester Merseyside and Cheshire Environment Agency team at inforequests.gmmc@environment-agency.gov.uk for:

- [more information about getting a product 5, 6, 7 or 8](#)
- general help and advice about the site you're requesting data for