

FRONT

NOTE: Same elevational treatment to fence applies to both 2.1M & 2.5M high fence.

NOTE: Surface mass of fence no less than 10kg. per Sq. M.



REAR

NOTE: Same elevational treatment to fence applies to both 2.2M & 3M high fence.

NOTE: Surface mass of fence no less than 10kg. per Sq. M.



SECTIONS



145 x 20mm timber boarding with 5mm gaps.
Boards fixed to horizontal rails and gravel board.

65 x 20mm timber cover strips fixed over 5mm gaps

100 x 47mm timber rails bolted to timber fence post.

100 x 100mm P.C.C. fence post

DETAIL PLAN 1: 5



SITE PLAN EXTRACT

Rev B. Confirmation of Surface Mass of Acoustic Fence Confirmed on Drawing of Fence Elevations. SL. Sept. 25
Rev A. Confirmation of Timber Boarding & Cover Strips at 20mm each. Confirm by Site Measure SL. Sept. 25

Westchurch Homes

Project:
LOUISA STREET
OPENSHAW
MANCHESTER

Drawing Title:
ACOUSTIC FENCE DETAIL
2.2M & 3M HEIGHT OVERALL

Job No:	Drawing No:	Rev:
1020	AF01	B

Drawn:	Checked:	Scale @ A3:	Date:
SL		1:20 & 1:5	Aug 23

PLANNING