

Perforated Panel Pattern


1 : 5

Intumescent Steel Detail Notes as per Drawing 2100101

Steel to be coated with intumescent paint to provide 90 mins fire protection to steel. Specification to be confirmed by specialist sub-contractor. Intumescent paint to extend into the building by 100mm beyond expansion zone (or 150mm from back of steel).

2 Level 04 Terrace Privacy Screen Detail

1 : 10



1 Level 04 Terrace Privacy Screen Section Detail

1 : 5



Note:
Do Not Scale from this drawing.
Dimensions are to be checked on site.
If in doubt please ask.

Rev	Date	Ints	Details
C1	07/05/2025	MR	Construction Issue
P2	09/01/2025	MP	Masonry Package Issue
P1	12/12/2024	MR	Preliminary Issue

© The moral rights of the author are hereby asserted.
This drawing and design is the sole property of Buttress Ltd and must not be reproduced without permission.
Buttress Ltd is Registered in England and Wales: 5363573

Buttress

Manchester
41 Bengal Street
Manchester
M4 6AF
0161 236 3303

Leeds
Clockwise, Yorkshire House
Greek Street, Leeds
LS1 5SH
0113 539 7965

www.buttress.net

Certified Corporation

Project Title	Didsbury Point
Client	Southway Housing
Location	West Didsbury, Manchester
Drawing ref	Level 04 Terrace Privacy Screen Detail
Date	07/05/2025 10:12:51
Scale	As indicated
Checker	AH
Size	A1
Job No:	8845
Status	S0 Initial Status

Project Origin Volume Level Type Role Number Rev

8845-BUT-ZZ-ZZ-DR-A-2100304-C1