



Floor Transition 2/2.5 - 4.5mm
1 : 1



Floor Transition 4.5 - 6.6mm



Floor Transition 2 - 6.6mm

- | Scale Bars | | TO BE USED ONLY AS GUIDANCE | | | | | |
|------------|----|---|------|---|------|---|-------|
| 1:100 | mm | | 1000 | | 3000 | | 5000 |
| 1:200 | mm |  | 5000 |  | 8000 |  | 10000 |
| 1:500 | M |  | 5 |  | 15 |  | 25 |
| 1:1250 | M |  | 10 |  | 30 |  | 50 |
| | | | | | |  | 70 |

EXISTING FLOOR FINISHES

-  **TYPE 1: EXISTING TILE**
Existing tile to be retained and protected.

PROPOSED FLOOR FINISHES

-  **TYPE 1: VINYL**
VINYL FLOORING INTERFACE - LVT
HEARTH GRIS A03502
LAID ASHLAR
NBS M50 110

-  **TYPE 2: VINYL**
FORBO SAFETY FLOORING
SURESTEP - STAR
COLOUR TBC
NBS: M50 150

-  **TYPE 3: VINYL**
FORBO SAFETY FLOORING
SURESTEP - BALANCE
COLOUR TBC
NBS: M50 151

- TYPE 4: CARPET**
INTERFACE - ICE BREAKER
COLOUR 1 - TBC
LAID - NON DIRECTIONAL

- **TYPE 5: CARPET**
INTERFACE - ICE BREAKER
COLOUR 2 - TBC
LAID - NON DIRECTIONAL

-  **TYPE 6: VINYL**
CORRIDOR /FIRE ESCAPE ROUTE
FORBO - SURESTEP - STONE
COLOUR TBC
NBS:M50 152

- TYPE 7: VINYL**
GERFLOR - GTI EI5
CLEANTECH ESD ANTI
STATIC VINYL TILES
COLOUR TBC
NBS: M50 112


NOTE : ALL FLOORING TO ACHIEVE A MINIMAL SLIP RATING
OF >36+ PTV FOR BUILDING REGULATIONS COMPLIANCE
ALL INTERNAL STAIRS TO HAVE NEW CONTRASTING
FINISHINGS
ALL NOSING TO SIT FLUSH WITH FLOOR FINISH

ALL SAMPLES ARE TO BE AGREED WITH FAIRHURST
ARCHITECTS BEFORE ORDER
FLOOR LEVELS TBC AND LEVELLED ON SITE

ANY EXISTING FLOORING NOT LISTED ON KEY ABOVE TO
BE KEPT AND MAINTAINED.
ALLOW FOR FLOORING TO BE RECONDITIONED IF IN GOOD
CONDITION ONLY AND CLEANED.

ALLOW FOR RAISED ACCESS FLOORS TO BE REPLACED IN
DAMAGED AREAS
ARRANGEMENTS TO BE MADE FOR INVESTIGATIONS
UNDER EXISTING CARPET/FLOORING TO ASSESS
CONDITION/ POTENTIAL ORIGINAL TILE FLOORING

P04	Stage 4 Tender Issue	21.08.25	MD
P03	Stage 4 Issue	24.07.25	MD
P02	Stage 4 Draft issue	04.07.25	MD
P01	Issued for comment	11.06.25	MD
Rev	Description	Date	By



Fairhursts:

Fairhurst Architects
5th Floor
11 Dale Street
Manchester
M1 1EY
Tel: 0161 275 4444 (0)161 831 7300

Drawing Status	STAGE 4
----------------	---------

Project
University of Manchester ITS &
Computer Science

Building Name
Eddie Newcomb

Site Name
Burlington Street

Sub Site Name

Drawing Title
Proposed LGF & LGF.M GA Floor
Finishes

PM	Drawn	Checked	Authorised
Avision Young	MD	KMD	
Scale @A1	Date	Date	Date
As indicated	21.08.25	21.08.25	
Drawing No.			Revision
7808-FA-EN-00-DR-A-11700			P04