

External Material Schedule - Planning Condition 3

Unit 1 – Argosy Drive, Manchester Airport

Application Number - 134103/FO/2022



External Wall Cladding (I):

Vertically laid trapezoidal cladding panel.

Colour: Hamlet (RAL 9002) HPS200 Ultra




External Wall Cladding (II):

Vertically laid trapezoidal cladding panel.

Colour: Anthracite (RAL 7016) HPS200 Ultra



White
RAL 9010



External Wall Cladding (III):
Horizontally laid composite microrib cladding panel.
Colour: Prisma White (RAL 9010)



Light Grey
RAL 7035



External Wall Cladding (V):
Horizontally laid composite microrib cladding panel.
Colour: Light Grey (RAL 7035)



Window Crucifix (VIII)
Anthracite (RAL 7016)



Window Frame (VIII)
Anthracite (RAL 7016)



Door Frame (VIII)
Anthracite (RAL 7016)



Glazing (VIII)
External - 6mm Pilkington Suncool 30/16 Toughened
Internal - 8.8mm clear Annealed Laminate



Aluminium feature band flashing (IV):
Colour: Anthracite (RAL 7016)



Aluminium parapet flashing (IX)
Colour: Anthracite (RAL 7016)



Loading doors (VI):
Colour: Signal White (RAL 9003)



Fire escape doors (VII):
Colour: Light Grey (RAL 7035)