



LEVEL 01 - EXISTING/STRIP OUT REFLECTED CEILING PLAN
1 : 150



LEVEL 01 - PROPOSED REFLECTED CEILING PLAN
1 : 150

RCP LEGEND

- OPEN CEILING TO STRUCTURE
- OUT OF SCOPE AREA

STRIP-OUT LEGEND

- EXISTING CONSTRUCTION TO REMAIN
- TYPICAL PLASTERBOARD CEILING - EXISTING TO REMAIN
- TYPICAL SUSPENDED ACOUSTICAL GRID CEILING - EXISTING TO REMAIN
- LIGHT FIXTURE - EXISTING TO REMAIN
- LIGHT FIXTURE TO BE STRIPPED OUT AND SAVED FOR RE-USE
- EXISTING CONSTRUCTION TO BE STRIPPED OUT
- TYPICAL PLASTERBOARD CEILING TO BE STRIPPED OUT
- TYPICAL SUSPENDED ACOUSTICAL GRID CEILING TO BE STRIPPED OUT
- LIGHT FIXTURE TO BE STRIPPED OUT

NEW

- NEW CONSTRUCTION
- NEW PLASTERBOARD CEILING
- NEW SUSPENDED ACOUSTICAL GRID CEILING
- LIGHT FIXTURE- RELOCATED
- LIGHT FIXTURE- NEW
- LIGHT FIXTURE- NEW

SHEET NOTES

KEY NOTES

Key Value	Keynote Text
026	EXISTING LIGHTING TO BE STRIPPED OUT. REPAIR CEILING WHERE EXISTING LIGHTING HAS BEEN REMOVED.
027	EXISTING CEILING TO BE STRIPPED OUT.
028	EXISTING ACCESS HATCH TO BE STRIPPED OUT. ALLOW FOR REPLACEMENT WITH BLANKA TILE.
029	EXISTING CEILING TO BE REPAIRED WHERE EXISTING PARTITION HAS BEEN REMOVED.
032	EXISTING PLASTERBOARD BULKHEAD MUST BE REMOVED TO ALLOW AIR CIRCULATION IN THE CEILING VOID. GC TO INVESTIGATE IF JUST THE PLASTERBOARD LAYER NEEDS TO BE REMOVED.
033	EXISTING CEILING MIGHT NOT NEED TO BE STRIPPED OUT IF SOUNDBLOCKER SYSTEM CAN BE INSTALLED OVER THE EXISTING BLANKA TILES. GC TO INVESTIGATE.
034	LUMINAIRE TO BE SAVED FOR RE-USE IN THE NEW DFU CUPBOARD.

KEY IMAGES EXISTING

KEY IMAGES PROPOSED

02/08/2025 19:26:09

AMAZON

MAN11 L1

Hanover St., Manchester
Hanover Building

0 1m 5m 10m

ISSUE	DESCRIPTION	DATE
1	LISTED BUILDING CONSENT APPLICATION	02/08/2025

IA | INTERIOR ARCHITECTS

LONDON
HARELLA HOUSE, 4TH FLOOR,
90-98 GOSWELL ROAD, LONDON, EC1V 7DF
P+44(0)20.7979.8100

©2025 INTERIOR ARCHITECTS INC. (UK) BRANCH.
ALL DRAWINGS AND WRITTEN MATERIAL HEREIN CONSTITUTE THE ORIGINAL AND UNPUBLISHED WORK OF THE ARCHITECT, AND THE SAME MAY NOT BE DUPLICATED, USED, OR DISCLOSED WITHOUT THE WRITTEN CONSENT OF THE ARCHITECT.

Owner Approval

08AMZU.410.001 — Job No.
As indicated — Scale

txt

LEVEL 01 - REFLECTED CEILING PLAN

H01-A15.0 1