ALL BOARDED LIFTS TO HAVE TOE BOARDS & DOUBLE HAND RAILS



PLEASE ENSURE SCAFFOLD COMPLIES WITH SG4-22 WITH A SAFE WORKING AND HANDRAILED PLATFORM DURING ERECT AND DISMANTLE OF THE SCAFFOLD.

IF FOOT TIES ARE OMITTED IT IS ESSENTIAL THAT ALL DIAGONAL BRACING BE CONTINUED TO THE GROUND.

USE ONLY LOAD BEARING FITTINGS TO ALL SCAFFOLDING TUBE CONNECTIONS EXCEPT TRANSOM / LEDGER CONNECTION WHERE SINGLE FITTING IS PERMITTED.

SCAFFOLDING IS TO BE ERECTED IN ACCORDANCE WITH TG20-21.

TIE USING APOLLO SCAFFOLD HOOK SYSTEM





PLAN VIEW OF SCAFFOLD TO PORTLAND STREET.



SECTION OF SCAFFOLD AT SECTION A-A.



ELEVATION OF SCAFFOLD TO PORTLAND STREET.



ELEVATION OF SCAFFOLD TO PRINCESS STREET.

Preliminary scheme.

rev		Date

CHORLTON SCAFFOLDING

SITE PORTLAND HOUSE,PORTLAND STREET -MANCHESTER.

TITLE

TUBE & FITTINGS ACCESS SCAFFOLD: Max2m LIFTS
MAX 10 No BOARDED LIFTS
MAX 2 No WORKING LIFTS @ 2.0 kN/m²
SCAFFOLD IS HAVING A BANNER FIXED.

DRAWN BY R Challender	TITLE Scaffold Design Engineer.
DATE 1-10-25	DRAWING NO SD25-CHORLTON-58.
DRAWN BY 1:50	