




## NOTES

**A MINIMUM DISTANCE OF 1m IS ADHERED TO ACROSS THE SITE BETWEEN ANY MODULE AND A POTENTIAL FALL EDGE.**

**PANELS ARE NOT TO PROTRUDE MORE THAN 200mm FROM THE SURFACE OF THE ROOF.**

| REV | DATE | ISSUED FOR | ISSUED BY | ENG APPROVER |
|---|---|---|---|---|
| P0 | 25/06/15 | INFORMATION | R. THOMPSON | |

DESIGN ENGINEER: R. THOMPSON

DRAFTSPERSON: R. THOMPSON

PROJECT
**THE ROYALS**

ADDRESS
**THE ROYALS, ALTRINCHAM RD, WYTHENSHAWE, MANCHESTER M22 4BJ**

DRAWING TITLE
**SITE LOCATION PLAN**

REVISION
**P0**

DRAWING NUMBER
**GBR066-00-GAD-001**

SCALE
**1:1250 A4**

SUNBIRD®
www.sunbird.eu

CONFIDENTIALITY AND COPYRIGHT NOTICE: THIS DOCUMENT CONTAINS CONFIDENTIAL INFORMATION AND IS THE PROPERTY OF SUNBIRD SOLAR SOLUTIONS LIMITED.
UNAUTHORIZED REPRODUCTION, DISTRIBUTION, DISCLOSURE, USE, MODIFICATION, OR COPYING OF THIS DOCUMENT, IN WHOLE OR IN PART, IS STRICTLY PROHIBITED