



Electric Roller Shutter Technical Specification's


As per your requirements please find the specifications and layout for the proposed development on your site.

- ❖ There will be One number of the electrical roller shutter similar to the attached layout.
- ❖ Entire open space will be covered with electric roller shutters.
- ❖ Roller Shutters will have powder coated solid laths 22 SWg.
- ❖ Roller Shutter will have Powder Coated Black gloss the ground level and total 36 Laths.
- ❖ Roller Shutters will be operating on electric Tubular Motor(Industrial).
- ❖ Roller Shutters will have Manual rolling handle it helps rolling the shutter manually in case of electric failure.
- ❖ Roller Shutters will have infrared Safety beam sensors to prevent the shutter from rolling automatically in case of any object comes under the safety beam area.
- ❖ Roller Shutters will have T-Rail Installed at the Bottom it enhances the shutter strength.
- ❖ Flag Plates will be covered with U Shaped Canopy.
- ❖ We will use 4"x2" Angles to make flags.
- ❖ We will use 4"x2" Guides for the curtain track being extra wide they help to run shutter smoothly and for extra safety.

- ❖ the Shutters will be powder coated
- ❖ As per new legislation requiring all shutters to comply with the Construction Products Directive(C.P.D) all doors are designed,manufactured and indepently tested to meet the requirement of BS EN 13241:2003.
- ❖ If you need any further information please do not hesitate to contact us.

Thanks and Regards

Sales Department ABI Steel Works



Site Address 595
cheethamhill
Manchester
M8 5EJ

