



rev	details	by	date
P01	FIRST ISSUE FOR PLANNING	CB	25.01.2024
P02	JERSEY STREET UPDATED	CB	07.02.2024
P03	FIRST ISSUE FOR STAGE 4	CB	04.07.2024
P04	TITLEBLOCK UPDATED	SB	10.07.2024
P05	TREE PITS SOIL SPEC REVIEWED	CB	13.08.2024
P06	STAGE 5	ER	28.05.2025
P07	Planning NMA	ER	28.05.2025
P08	Planning NMA	ER	16.06.2025
P09	Planning NMA	ER	01.10.2025
P10	Planning NMA	OC	03.10.2025

Notes

- 1.0 Do not scale from drawing, use figured dimensions only
1.1 All dimensions to be checked onsite
1.2 This drawing to be read in conjunction with all other Gillespies drawings and specifications

GENERAL

- Extent of Works Boundary

SOIL

- Tree Pits
100mm depth (400mm topsoil / 600mm subsoil)
200mm free draining stone to base
Refer to EYJW-GIL-EX-00-DR-L-900410
- Hedges
600mm depth (300mm topsoil / 300mm subsoil)
Refer to EYJW-GIL-EX-00-DR-L-900410
- Shrub and Herbaceous Planting
400mm depth (300mm topsoil / 100mm subsoil)
Refer to EYJW-GIL-EX-00-DR-L-900410
- Turf Lawn
50mm depth (200mm topsoil / 150mm subsoil)
Refer to EYJW-GIL-EX-00-DR-L-900410

Ordinance Information shown is reproduced from Ordnance Survey material with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office @ Crown Copyright. Unauthorised reproduction infringes Crown Copyright and may lead to prosecution or civil proceedings. License No. 1000 17362

JERSEY WHARF, ANCOATS

SOILING GENERAL ARRANGEMENT

Planning NMA	Purpose of Issue	1:250 @ A1	Scale	Drawn
	Date	25.01.2024	Checked	CB
	Drawing number		Revision	SB

EYJW-GIL-EX-00-DR-L-900402

S4 - FOR REVIEW AND AUTHORISATION



Client
John Sisk & Son Limited

Gillespies