



A - SORRENTO/LED/SMART/5FT/30W/switched/C/W INTEGRAL SENSOR
AE - SORRENTO/LED/SMART/5FT/30W/switched/EMST/C/W INTEGRAL SENSOR
AE DIMMABLE - SORRENTO/LED/SMART/5FT/30W/switched/EMST/C/W INTEGRAL SENSOR
B - MONZA/DUALLED/SMART/15W/DM/NO/EMST/C/W INTEGRAL SENSOR
BE - MONZA/DUALLED/SMART/15W/DM/NO/EMST/C/W INTEGRAL SENSOR
BH - AUSTIN/COOLED/SMART/NO/C/W INTEGRAL SENSOR
EXT - MODENA/LED/SMART/EMST
EX - SANDFORD/COOLED/SMART/15W/switched/BS/PC
EXE - SANDFORD/COOLED/SMART/15W/switched/BS/PC/EMST -
EX1 - STRAFFORD/LED/20W/switched/PC
P - PENDANT FITTED WITH LED BAYNET LAMP (APARTMENT)

EN
LTV EMERGENCY LIGHTING GATEWAY LB/GATEWAY/4G/1Y

LANDLORDS LIGHTING CONTROLS

CP ELECTRONICS GMB MINATURE, RETROFIT, IP65, LUMINAIRE MOUNTED, CEILING, PIR, OCCUPANCY SENSOR

CP ELECTRONICS EBMFR-MB-DD MINATURE, RETROFIT, LUMINAIRE MOUNTED, PIR PRESENCE DETECTOR



7-DAY 2 CHANNEL TIME CLOCKS WITHIN A LOCKABLE METAL ENCLOSURE FOR DIN RAIL MOUNTED ACCESSORIES
I.E. CONTACTORS, TIME CLOCKS OVERRIDE SWITCHES ETC. A TRAFFOLYTE LABEL IS TO BE SREWED ONTO THE
LID INDICATING WHICH DISTRIBUTION BOARD(S) THE ENCLOSURE IS RELATED TO. ADJACENT TO THE ENCLOSURE
SREWED TO WALL IS TO BE A FRAMED LINE DIAGRAM INDICATING THE PLANT / EQUIPMENT THE CONNECTORS,
CONTACTORS OR TIME CLOCKS CONTROL INCLUDING CIRCUIT REFERENCES (A COPY OF THIS IS TO BE INCLUDED
WITHIN THE ELECTRICAL O&M MANUAL). IT IS THE ELECTRICAL CONTRACTOR'S RESPONSIBILITY TO ORDER THE
CORRECT AMOUNT OF CONTACTORS, TIME CLOCKS AND BLANKS FOR EACH ENCLOSURE.



EXTERNAL WALL MOUNTED PHOTO-CELL UNIT MOUNTED ON NORTH WALL, HEIGHT TBC ON-SITE c/w SOCKET &
BRACKET, STAINLESS STEEL ANTI-VANDAL CAGE & ANTI-VANDAL SCREWS
LUCY ZODAN Ref: 554ED

POWER LEGEND

- DOUBLE SWITCHED SOCKET @ LOW LEVEL
- LOCKABLE SOCKET FOR CLEANERS
- DOUBLE SWITCHED SOCKET ABOVE WORK TOP LEVEL
- SINGLE SWITCHED SOCKET @ LOW LEVEL (FOR APPLIANCE)
- SINGLE SWITCHED SOCKET @ HIGH LEVEL FOR COOKER HOOD
- HOB SUPPLY (ABOVE WORKTOP)
- HOB OUTLET @ LOW LEVEL
- OVEN OUTLET @ LOW LEVEL
- 4 GANG APPLIANCE SWITCH (OVEN/WASHER/FRIDGE/HOOD EXTRACT)
- KEY SWITCH AND CONTACTOR TO ISOLATE LANDLORDS SKTS
- UNSWITCHED FUSED SPUR (AS INDICATED).
- UNSWITCHED FUSED SPUR (RED KEY FIRE ALARM).
- SWITCHED FUSED SPUR (AS INDICATED).
- TV MEDIA PLATE WITH SKY AND TV POINT
- BT INCOMING FIBRE LINE
- VOICE INTERCOM TO EACH APARTMENT WITH FOB READER
- VOICE INTERCOM RECEIVER WITH DOOR RELEASE
- DOOR INTERCOM PANEL TO FLATS
- DOOR BELL BUTTON
- DOOR BELL MOUNTED AT HIGH LEVEL
- DOOR ACCESS PROXIMITY READER
- GREEN BREAK GLASS
- PUSH TO EXIST
- MAGLOCK
- SUPPLY TO EQUIPMENT - SIZE AS NOTED
- ROLEC 7KW SINGLE PHASE ELECTRIC VEHICLE CHARGING POINT
C/W ROOT MOUNT + OCPP REF ROLECD011G
- LST PANEL HEATER TYPE 1 HEATER AS DIMPLEX 2.0KW REF: PLX200E
INCLUDES PIN LOCK.
- MVHR UNIT BOOST CONTROL
- CCTV CABINET
- CCTV CAMERA
- NVR
- MONITOR
- ROOM THERMOSTAT

P2 13.11.23 CIRCUIT REFS ADDED			
Rev.	Date	Amendment	Scale
Drn:	D.B	Date: AUG'23	N.T.S. @ A0
Chkd:	S.L	Date: AUG'23	N.T.S. @ A0
Project Title			
GREENWOOD ROAD, WYTHENSHAW			
APARTMENT BLOCK DEVELOPMENT			
Drawing Title			
PROPOSED EXTERNAL SERVICES			
DRB ENVIRONMENTAL DESIGN LTD			
CHARTERED BUILDING SERVICES ENGINEERS			
Orig. No.		023.038.E-601	Rev.
Status		PRELIMINARY	P2