

Job Ref:	1915	Survey Date:	21-Feb-2024			Surveyor:	Gary Marsden		Site Address:	Stenner Brow					BS:5837 (2012) TREE SURVEY DATA				
Ref.	Species Name Common & (Botanical)	Structure	Stem diameter(s) (mm)	Calculated Root protection Area (radius in meters)	Height	Height of Canopy Above G/L (m)	Height of First Significant Branch (m)	First Significant Branch Direction (NSEW)	Crown Spread - NORTH (m)	Crown Spread - EAST (m)	Crown Spread - SOUTH (m)	Crown Spread - WEST (m)	Life Stage	Physiological Condition	Structural Condition	surveyNotes	Management Recommendations	Rem. Contrib.	Tree Quality Assessment Category
T001	Cherry (<i>Prunus</i> sp. 'Cherry')	Tree	400	4.80	8.0	2.0	2.0	N	3.0	3.0	3.0	3.0	Mature	Good	Good	Tree not showing any significant defects. Tree under 3rd party ownership. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	No work required at the time of inspection.	10+ Years	C
T002	Cherry (<i>Prunus</i> sp. 'Cherry')	Tree	200	2.40	6.0	1.0	1.0	N	1.0	1.0	1.0	1.0	Mature	Good	Good	Tree not showing any significant defects. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	No work required at the time of inspection.	10+ Years	C
T003	Common holly (<i>Ilex aquifolium</i>)	Tree	200	2.40	7.0	1.0	1.0	N	1.0	1.0	1.0	1.0	Early Mature	Good	Good	Tree not showing any significant defects. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	No work required at the time of inspection.	10+ Years	C
T004	Common holly (<i>Ilex aquifolium</i>)	Tree	200	2.40	4.0	1.0	1.0	N	1.0	1.0	1.0	1.0	Early Mature	Good	Good	Tree not showing any significant defects. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	No work required at the time of inspection.	10+ Years	C

Job Ref:	1915	Survey Date:	21-Feb-2024			Surveyor:	Gary Marsden		Site Address:	Stenner Brow					BS:5837 (2012) TREE SURVEY DATA				
Ref.	Species Name Common & (Botanical)	Structure	Stem diameter(s) (mm)	Calculated Root protection Area (radius in meters)	Height	Height of Canopy Above G/L (m)	Height of First Significant Branch (m)	First Significant Branch Direction (NSEW)	Crown Spread - NORTH (m)	Crown Spread - EAST (m)	Crown Spread - SOUTH (m)	Crown Spread - WEST (m)	Life Stage	Physiological Condition	Structural Condition	surveyNotes	Management Recommendations	Rem. Contrib.	Tree Quality Assessment Category
T005	Cherry (<i>Prunus</i> sp. 'Cherry')	Tree	400	4.80	6.0	2.0	2.0	N	3.0	3.0	3.0	3.0	Mature	Good	Good	_ Tree not showing any significant defects. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	_ No work required at the time of inspection.	10+ Years	C
T006	Cherry (<i>Prunus</i> sp. 'Cherry')	Tree	200	2.40	6.0	1.0	1.0	N	1.0	1.0	1.0	1.0	Mature	Good	Good	_ Tree not showing any significant defects. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	_ No work required at the time of inspection.	10+ Years	C
T007	Laburnum (<i>Laburnum</i> sp.)	Tree	200	2.40	6.0	1.0	1.0	N	1.0	2.0	6.0	1.0	Mature	Good	Good	_ Tree not showing any significant defects. _ Tree under 3rd party ownership. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	_ No work required at the time of inspection.	10+ Years	C
T008	Common holly (<i>Ilex aquifolium</i>)	Tree	200	3.40	10.0	2.0	1.0	N	1.0	2.0	3.0	2.0	Mature	Good	Good	_ Tree not showing any significant defects. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	_ No work required at the time of inspection.	20+ Years	B

Job Ref:	1915	Survey Date:	21-Feb-2024			Surveyor:		Gary Marsden		Site Address:		Stenner Brow				BS:5837 (2012) TREE SURVEY DATA				
Ref.	Species Name Common & (Botanical)	Structure	Stem diameter(s) (mm)	Calculated Root protection Area (radius in meters)	Height	Height of Canopy Above G/L (m)	Height of First Significant Branch (m)	First Significant Branch Direction (NSEW)	Crown Spread - NORTH (m)	Crown Spread - EAST (m)	Crown Spread - SOUTH (m)	Crown Spread - WEST (m)	Life Stage	Physiological Condition	Structural Condition	surveyNotes	Management Recommendations	Rem. Contrib.	Tree Quality Assessment Category	
T009	Common holly <i>(Ilex aquifolium)</i>	Tree	200	3.40	10.0	2.0	1.0	N	2.0	2.0	2.0	2.0	Mature	Good	Good	_ Tree not showing any significant defects. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	_ No work required at the time of inspection.	20+ Years	B	
T010	Sycamore <i>(Acer pseudoplatanus)</i>	Tree	500	6.00	16.0	2.0	1.0	N	5.0	5.0	5.0	5.0	Mature	Good	Good	_ Tree not showing any significant defects. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	_ No work required at the time of inspection.	20+ Years	B	
T011	Sycamore <i>(Acer pseudoplatanus)</i>	Tree	600	7.20	14.0	2.0	1.0	N	3.0	3.0	5.0	5.0	Mature	Good	Good	_ Tree not showing any significant defects. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	_ No work required at the time of inspection.	20+ Years	B	
T012	Lime <i>(Tilia sp.)</i>	Tree	500	12.00	20.0	3.0	1.0	N	5.0	5.0	5.0	5.0	Mature	Good	Good	_ Tree not showing any significant defects. _ Tree under 3rd party ownership. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	_ No work required at the time of inspection.	20+ Years	B	

Job Ref:	1915	Survey Date:	21-Feb-2024			Surveyor:		Gary Marsden		Site Address:		Stenner Brow				BS:5837 (2012) TREE SURVEY DATA				
Ref.	Species Name Common & (Botanical)	Structure	Stem diameter(s) (mm)	Calculated Root protection Area (radius in meters)	Height	Height of Canopy Above G/L (m)	Height of First Significant Branch (m)	First Significant Branch Direction (NSEW)	Crown Spread - NORTH (m)	Crown Spread - EAST (m)	Crown Spread - SOUTH (m)	Crown Spread - WEST (m)	Life Stage	Physiological Condition	Structural Condition	surveyNotes	Management Recommendations	Rem. Contrib.	Tree Quality Assessment Category	
T013	Sycamore (<i>Acer pseudoplatanus</i>)	Tree	500	8.50	20.0	3.0	1.0	N	5.0	5.0	5.0	5.0	Mature	Good	Good	Tree not showing any significant defects. Tree under 3rd party ownership. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	No work required at the time of inspection.	20+ Years	B	
T014	Cherry (<i>Prunus</i> sp. 'Cherry')	Tree	500	8.50	7.0	3.0	1.0	N	3.0	3.0	3.0	3.0	Mature	Good	Good	Tree not showing any significant defects. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	No work required at the time of inspection.	20+ Years	B	
T015	Sycamore (<i>Acer pseudoplatanus</i>)	Tree	500	6.00	18.0	4.0	1.0	N	2.0	2.0	4.0	4.0	Mature	Good	Good	Dense ivy clad. Suppressed growth. Crown unbalanced. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	No work required at the time of inspection.	20+ Years	B	
T016	Sycamore (<i>Acer pseudoplatanus</i>)	Tree	500	6.00	18.0	4.0	1.0	N	2.0	2.0	5.0	5.0	Mature	Good	Good	Dense ivy clad. Suppressed growth. Crown unbalanced. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	No work required at the time of inspection.	20+ Years	B	

Job Ref:	1915	Survey Date:	21-Feb-2024			Surveyor:	Gary Marsden		Site Address:	Stenner Brow					BS:5837 (2012) TREE SURVEY DATA				
Ref.	Species Name Common & (Botanical)	Structure	Stem diameter(s) (mm)	Calculated Root protection Area (radius in meters)	Height	Height of Canopy Above G/L (m)	Height of First Significant Branch (m)	First Significant Branch Direction (NSEW)	Crown Spread - NORTH (m)	Crown Spread - EAST (m)	Crown Spread - SOUTH (m)	Crown Spread - WEST (m)	Life Stage	Physiological Condition	Structural Condition	surveyNotes	Management Recommendations	Rem. Contrib.	Tree Quality Assessment Category
T017	Sycamore (<i>Acer pseudoplatanus</i>)	Tree	500	6.00	18.0	4.0	1.0	N	2.0	2.0	4.0	4.0	Mature	Good	Good	_ Dense ivy clad. _ Suppressed growth. _ Crown unbalanced. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	_ No work required at the time of inspection.	20+ Years	B
T018	Common beech (<i>Fagus sylvatica</i>)	Tree	1130	13.60	30.0	3.0	1.0	N	8.0	8.0	8.0	8.0	Mature	Good	.Good	_ Tree not showing any significant defects. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	_ No work required at the time of inspection.	40+ Years	A
T019	Unknown Species (<i>Unknown Species</i>)	Tree	500	0.00	18.0	4.0	1.0	N	2.0	2.0	5.0	5.0	Mature	Dead	Poor	_ Dead Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	_ Remove for sound arboricultural management reasons.	Dead	U
T020	Yew (<i>Taxus sp.</i>)	Tree	500	6.00	2.0	1.0	1.0	N	1.0	1.0	1.0	1.0	Mature	Good	Good	_ Tree not showing any significant defects. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	_ No work required at the time of inspection.	20+ Years	C

Job Ref:	1915	Survey Date:	21-Feb-2024			Surveyor:	Gary Marsden		Site Address:	Stenner Brow					BS:5837 (2012) TREE SURVEY DATA				
Ref.	Species Name Common & (Botanical)	Structure	Stem diameter(s) (mm)	Calculated Root protection Area (radius in meters)	Height	Height of Canopy Above G/L (m)	Height of First Significant Branch (m)	First Significant Branch Direction (NSEW)	Crown Spread - NORTH (m)	Crown Spread - EAST (m)	Crown Spread - SOUTH (m)	Crown Spread - WEST (m)	Life Stage	Physiological Condition	Structural Condition	surveyNotes	Management Recommendations	Rem. Contrib.	Tree Quality Assessment Category
T021	Sycamore (<i>Acer pseudoplatanus</i>)	Tree	500	6.00	18.0	4.0	1.0	N	2.0	2.0	5.0	5.0	Mature	Good	Good	_ Dense ivy clad. _ Suppressed growth. _ Crown unbalanced. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	_ No work required at the time of inspection.	20+ Years	B
T022	Sycamore (<i>Acer pseudoplatanus</i>)	Tree	500	6.00	18.0	4.0	1.0	N	2.0	2.0	5.0	5.0	Mature	Good	Good	_ Dense ivy clad. _ Suppressed growth. _ Crown unbalanced. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	_ No work required at the time of inspection.	20+ Years	B
T023	Sycamore (<i>Acer pseudoplatanus</i>)	Tree	500	6.00	18.0	4.0	1.0	N	5.0	5.0	5.0	5.0	Mature	Good	Good	_ Dense ivy clad. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	_ No work required at the time of inspection.	20+ Years	B
T024	Sycamore (<i>Acer pseudoplatanus</i>)	Tree	500	8.50	18.0	4.0	1.0	N	5.0	5.0	5.0	5.0	Mature	Good	Good	_ Dense ivy clad. _ Co-dominant fork. _ Multi stemmed at base. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	_ No work required at the time of inspection.	20+ Years	C

Job Ref:	1915	Survey Date:	21-Feb-2024			Surveyor:		Gary Marsden		Site Address:		Stenner Brow				BS:5837 (2012) TREE SURVEY DATA				
Ref.	Species Name Common & (Botanical)	Structure	Stem diameter(s) (mm)	Calculated Root protection Area (radius in meters)	Height	Height of Canopy Above G/L (m)	Height of First Significant Branch (m)	First Significant Branch Direction (NSEW)	Crown Spread - NORTH (m)	Crown Spread - EAST (m)	Crown Spread - SOUTH (m)	Crown Spread - WEST (m)	Life Stage	Physiological Condition	Structural Condition	surveyNotes	Management Recommendations	Rem. Contrib.	Tree Quality Assessment Category	
G025	Mixed species <i>(Mixed species)</i>	Group	100	0.00	4.0	1.0	1.0	N	1.0	1.0	1.0	1.0	Young	Good	Good	_ Tree not showing any significant defects. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	_ No work required at the time of inspection.	10+ Years	C	
T026	Maple <i>(Acer sp.)</i>	Tree	500	6.00	10.0	4.0	1.0	N	3.0	3.0	3.0	3.0	Semi Mature	Good	Good	_ Tree not showing any significant defects. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	_ No work required at the time of inspection.	20+ Years	C	
T027	Maple <i>(Acer sp.)</i>	Tree	500	6.00	10.0	4.0	1.0	N	3.0	3.0	3.0	3.0	Semi Mature	Good	Good	_ Tree not showing any significant defects. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	_ No work required at the time of inspection.	20+ Years	C	
T028	Maple <i>(Acer sp.)</i>	Tree	500	6.00	10.0	4.0	1.0	N	3.0	3.0	3.0	3.0	Semi Mature	Good	Good	_ Tree not showing any significant defects. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	_ No work required at the time of inspection.	20+ Years	C	

Job Ref:	1915	Survey Date:	21-Feb-2024			Surveyor:	Gary Marsden		Site Address:	Stenner Brow					BS:5837 (2012) TREE SURVEY DATA				
Ref.	Species Name Common & (Botanical)	Structure	Stem diameter(s) (mm)	Calculated Root protection Area (radius in meters)	Height	Height of Canopy Above G/L (m)	Height of First Significant Branch (m)	First Significant Branch Direction (NSEW)	Crown Spread - NORTH (m)	Crown Spread - EAST (m)	Crown Spread - SOUTH (m)	Crown Spread - WEST (m)	Life Stage	Physiological Condition	Structural Condition	surveyNotes	Management Recommendations	Rem. Contrib.	Tree Quality Assessment Category
T029	Poplar (<i>Populus sp.</i>)	Tree	300	3.60	10.0	4.0	1.0	N	3.0	3.0	3.0	3.0	Semi Mature	Good	Good	_ Tree not showing any significant defects. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	_ No work required at the time of inspection.	20+ Years	C
T030	Common beech (<i>Fagus sylvatica</i>)	Tree	200	2.40	6.0	4.0	1.0	N	1.0	1.0	1.0	1.0	Young	Good	Good	_ Tree not showing any significant defects. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	_ No work required at the time of inspection.	20+ Years	C
T031	Ash (<i>Fraxinus sp.</i>)	Tree	300	3.60	10.0	4.0	1.0	N	3.0	3.0	3.0	3.0	Semi Mature	Good	Good	_ Tree not showing any significant defects. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: Ash Dieback Infection Level 1: 0% to 25%	_ No work required at the time of inspection.	20+ Years	C
T032	Cherry (<i>Prunus sp. 'Cherry'</i>)	Tree	100	1.20	10.0	4.0	1.0	N	2.0	2.0	2.0	2.0	Young	Good	Good	_ Tree not showing any significant defects. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	_ No work required at the time of inspection.	20+ Years	C

Job Ref:	1915	Survey Date:	21-Feb-2024			Surveyor:	Gary Marsden		Site Address:	Stenner Brow					BS:5837 (2012) TREE SURVEY DATA				
Ref.	Species Name Common & (Botanical)	Structure	Stem diameter(s) (mm)	Calculated Root protection Area (radius in meters)	Height	Height of Canopy Above G/L (m)	Height of First Significant Branch (m)	First Significant Branch Direction (NSEW)	Crown Spread - NORTH (m)	Crown Spread - EAST (m)	Crown Spread - SOUTH (m)	Crown Spread - WEST (m)	Life Stage	Physiological Condition	Structural Condition	surveyNotes	Management Recommendations	Rem. Contrib.	Tree Quality Assessment Category
G033	Mixed species (Mixed species)	Group	100	0.00	3.0	1.0	1.0	N	1.0	1.0	1.0	1.0	Young	Good	Good	_ Tree not showing any significant defects. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	_ No work required at the time of inspection.	20+ Years	C
G034	Mixed species (Mixed species)	Group	100	0.00	4.0	1.0	1.0	N	1.0	1.0	1.0	1.0	Semi Mature	Good	Good	_ Tree not showing any significant defects. Fungus: No visible fungus present at the time of inspection. Pests and Diseases: No visible pest or disease present at the time of inspection.	_ No work required at the time of inspection.	10+ Years	C